101 CMR 317.00: MEDICINE

Section

317.01: General Provisions317.02: General Definitions317.03: General Rate Provisions

317.04: Maximum Allowable Fees - Medical Services

317.05: Severability

317.01: General Provisions

(1) <u>Scope, Purpose, and Effective Date.</u> 101 CMR 317.00 governs the payment rates used by all governmental units for medical services provided to publicly_aided patients. -<u>Rates under</u> 101 CMR 317.00 <u>is-are</u> effective on and after <u>January 1, 2013 August 1, 2017, unless otherwise</u> <u>indicated</u>. -Rates for services provided to individuals covered by the Workers' Compensation Act, M.G.L. c. 152, are <u>not</u> set forth <u>in 101 CMR 317.00</u>, <u>but are</u> at 114.3 CMR 40.00: <u>Rates For Services Under M.G.L. c. 152</u>, <u>Worker's Compensation Act</u>.

(2) Coverage.

- (a) Payment rates in 101 CMR 317.00 are used to pay for :(a) Mmedical services rendered to patients in a private medical office, licensed clinic, facility, hospital or other inpatient or outpatient facility or department, independent diagnostic testing facility, patient's residence, or other appropriate setting by an individual eligible provider, when an eligible provider who bills for the medical services rendered and receives no other compensation for medical services rendered no other payment method applies.
- (b) Medical services rendered to registered bed patients in a licensed health care facility by an eligible provider who is not under contractual arrangement with such facility to provide medical services, and who bills separately and apart from such facility for medical services rendered.
- (b) The rates of payment under 101 CMR 317.00 are full compensation for patient care rendered to publicly aided patients as well as for any related administrative or supervisory duties in connection with patient care. -The rates of payment also reimburse all overhead expenses associated with the service provided, without regard to where the care is rendered.
- (3) <u>Disclaimer of Authorization of Services</u>. 101 CMR 317.00 is not authorization for or approval of the procedures for which rates are determined pursuant to 101 CMR 317.00. Governmental units that purchase care are responsible for the definition, authorization, <u>coverage policies</u>, and approval of care and services <u>extended provided</u> to publicly aided <u>clientspatients</u>.
- (4) <u>Coding Updates and Corrections</u>. EOHHS may publish procedure code updates and corrections in the form of an Administrative Bulletin. –Updates may reference coding systems including but not limited to the American Medical Association's *Current Procedural Terminology* (CPT).
 - (a) The publication of such updates and corrections will list:

 (a1.) codes for which only the code numbers change, with the corresponding cross references between the existing and new codes and the codes being replaced. Rates for such updated codes are set at the rate of the code that is being replaced;
 - (b2.) deleted codes for which there are no corresponding new codes; and

101 CMR 317.00: MEDICINE

- (e3.) codes for entirely new services that require pricing. -EOHHS will list these codes and apply individual consideration (I.C.) reimbursement for these codes until appropriate rates can be developed.
- (db) <u>for For</u> entirely new codes that require new pricing and have Medicare assigned relative value units (RVUs), EOHHS may list these codes and -price them according to the rate methodology used in setting physician rates. When <u>RVUS-RVUs</u> are not available, the EOHHS may apply Individual Consideration in reimbursing for these new codes until appropriate rates can be developed.
- (5) <u>Administrative Bulletins</u>. EOHHS may issue administrative bulletins to <u>add, delete, or otherwise update codes or modifiers, and to clarify</u> its policy on and understanding of substantive provisions of 101 CMR 317.00. EOHHS may also issue administrative bulletins to <u>add codes and/or</u> clarify <u>to</u> which duly licensed or certified health care professionals or students <u>the rate methods inmay receive payment for services under</u> this regulation <u>apply</u>, <u>including</u> in the event that the Department of Public Health issues an Order pursuant to M.G.L. c. 94C and 105 CMR 700.003(H).

317.02: General Definitions

Meaning of Terms. The descriptions, and five-digit procedure codes, and two-digit modifier codes included in 101 CMR 317.00 utilize the Healthcare Common Procedure Code System (HCPCS) for Level I and Level II coding. -Level I CPT-4 codes are obtained from the Physicians' 2016 Current Procedural Terminology (CPT), copyright 2013-2015 by the American Medical Association unless otherwise specified. -Level II codes are obtained from 2013-2016 HCPCS maintained jointly by the Centers for Medicare and Medicaid Services (CMS), the Blue Cross and Blue Shield Association, and the Health Insurance Association of America. -HCPCS is a listing of descriptive terms and identifying codes and modifiers for reporting medical services and procedures performed by physicians and other health care professionals, as well as associated non-physician services. -No fee schedules, basic unit value, relative value guides, conversion factors, or scales are included in any part of the Physicians' Current Procedure Terminology.

101 CMR 317.00 includes only HCPCS numeric and alpha numeric identifying codes and modifiers for reporting medical services and procedures that were selected by EOHHS. Any use of CPT outside the fee schedule should refer to the Physicians' *Current Procedural Terminology*. All rights reserved. In addition, terms used in 101 CMR 317.00 shall have the meanings set forth in 101 CMR 317.02.

<u>Child and Adolescent Needs and Strengths (CANS).</u> A tool that provides a standardized way to organize information gathered during a psychiatric diagnostic assessment and is a treatment and service decision support tool for children and adolescents under the age of younger than 21 years.

CMS. Centers for Medicare and Medicaid Services.

<u>Confirmatory (Additional Opinion) Consultation</u>. When the consulting physician is aware of the confirmatory nature of the opinion that is sought (e.g., when a patient requests a second/third opinion on the necessity or appropriateness of a recommended medical treatment or surgical procedure).

101 CMR 317.00: MEDICINE

<u>Consultation</u>. A type of service provided by a physician whose opinion or advice regarding evaluation and/or management (E/M)of a specific problem is requested by another physician or other appropriate source.

A physician consultant may initiate diagnostic and/or therapeutic services. The request for a consultation from the attending physician or other appropriate source and the need for consultation must be documented in the patient's medical record. The consultant's opinion and any services that were ordered or performed must also be documented in the patient's medical record and communicated to the requesting physician or other appropriate source.

Any specifically identifiable procedure (i.e., identified with a specific CPT code) performed on or subsequent to the date of the initial consultation should be reported separately.

<u>Early and Periodic Screening, Diagnosis and Treatment (EPSDT).</u> A program of health screening and other medical services for publicly_assisted individuals <u>under the age of younger than</u> 21 <u>years</u> as required by federal law. <u>Refer to 101 CMR 317.04(4) for reimbursement guidelines.</u>

Eligible Provider. The rates established in these regulations apply in accordance with 101 CMR 317.01 to the following types of providers who meet conditions of participation of the governmental unit purchasing such services, and to the extent specified by such governmental unit. Eligible providers must provide such services in accordance with generally accepted professional standards and in accordance with state licensing requirements and certification by national credentialing bodies as required by law.

A licensed physician or licensed osteopath (other than an intern, resident, fellow, or house officer), a licensed podiatrist, licensed dentist, licensed chiropractor, and licensed optometristother than an intern, resident, fellow or house officer, who also meets such conditions of participation as have been or may be adopted from time to time by a governmental unit.

A provider of diagnostic medical services, who must provide such services in accordance with generally accepted professional standards and in accordance with state licensing requirements and/or certification by national credentialing bodies, as required by law. -Such medical diagnostic services may be rendered by eligible providers such as, but not limited to, independent diagnostic testing facilities (IDTFs). These eligible providers must be physically and financially independent of a hospital or a physician's office. The provider's eligibility is limited to those procedures specified by the governmental unit purchasing such services, and must meet such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A provider of radiation oncology services, who must provide such services in accordance with generally accepted professional standards and in accordance with state licensing requirements and/or certification by national credentialing bodies, as required by law. Radiation oncology services may be rendered by eligible providers such as, but not limited to, independent radiation oncology centers. These eligible providers must be physically and financially independent of a hospital or a physician's office. The provider's eligibility is limited to those procedures specified by the governmental unit purchasing such services, and must meet such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

101 CMR 317.00: MEDICINE

A clinic licensed by the Massachusetts Department of Public Health in accordance with regulations 105 CMR 140.000: *Licensure of Clinics* to provide medical diagnostic services. The provider's eligibility is limited to those procedures specified by the governmental unit purchasing such services, and must meet such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A licensed freestanding birth center facility that is not operating under a hospital's license, and is licensed as a birth center meets the conditions of participation adopted by the Massachusetts Department of Public Health pursuant to 105 CMR 142.000: *The Operation and Maintenance of Birth Centers*. The provider's eligibility is limited to those procedures specified by the governmental unit purchasing such services, and must meet such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

Eligible Mid-Level Practitioner.

An advanced practice licensed registered nurse who is authorized by the Board of Registration in Nursing to practice as a certified nurse practitioner, certified nurse midwife, clinical nurse specialist, psychiatric clinical nurse specialist, or a certified registered nurse anesthetist (CRNA), whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A licensed registered nurse who is authorized by the Board of Registration in Nursing to practice as a nurse midwife, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A licensed physician assistant, who is authorized by the Board of Registration for Physician Assistants to practice as a physician assistant, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a government unit.

A registered nurse providing tobacco cessation services, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A tobacco cessation counselor, who has completed appropriate training in tobacco cessation counseling according to the qualification criteria established by the purchasing governmental unit, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

101 CMR 317.00: MEDICINE

A pharmacist, who is currently-registered by the Board of Registration in Pharmacy, and in good standing, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time by a governmental unit.

Eligible Provider for Payment for Administration of Flu Vaccines. A licensed physician, a licensed registered nurse practicing as acertified nurse practitioner, or as acertified nurse midwife, clinical nurse specialist, psychiatric clinical nurse specialist, and a licensed physician assistant, registered as specified in 101 CMR 317.02, are eligible to receive payment for administering flu vaccines. In addition, any pharmacy registered by the Board of Registration in Pharmacy which utilizes pharmacists or other health care professionals certified in accordance with Massachusetts

Department of Public Health regulations at 105 CMR 700.000: Implementation of M.G.L. c. 94C, and any home health agency certified as a provider of home health services under the Medicare Health Insurance Program for the Aged (Title XVIII) is eligible for payment to administer flu vaccines, if it otherwise meets such conditions of participation and coverage set forth by a purchasing governmental unit. Any other providers authorized by the Massachusetts Department of Public Health to possess and administer vaccines are also eligible if they otherwise meet such conditions of participation and coverage set forth by a purchasing governmental unit.

EOHHS. The Executive Office of Health and Human Services established under M.G.L. c. 6A.

<u>Established Patient</u>. A patient who has received professional services from the physician within the past three years.

Facility Setting Fee. Payments for services provided by an individual eligible provider in a hospital, (including without limitation a hospital inpatient department, outpatient department, emergency department, and hospital licensed health center), or skilled nursing facility or freestanding ambulatory surgical center (ASC), will be made according to a facility setting fee when an applicable facility setting fee has been established for that procedure.

<u>Governmental Unit</u>. The Commonwealth, any department, agency, board or commission of the Commonwealth and any political subdivision of the Commonwealth.

<u>Independent (Nurse Practitioner or Nurse Midwife):</u> Qualified and eligible to bill as a MassHealth Provider. *See* Eligible Mid-Level Practitioner.

Individual Consideration. Medical services, which that are authorized but not listed in 101 CMR 317.00herein, medical services performed in unusual circumstances, and services designated "I.C." are individually considered items. -The governmental unit or purchaser shall analyzes the eligible provider's report of services rendered and charges submitted under the appropriate unlisted services or procedures category. -The governmental unit or purchaser Determination determines of appropriate payment for procedures designated I.C. shall be in accordance with the following standards and criteria:

- (a) the amount of time required to perform the service;
- (b) the degree of skill required to perform the service;
- (c) the severity or complexity of the patient's disease, disorder, or disability;
- (d) any applicable relative-value studies;

101 CMR 317.00: MEDICINE

- (e) any complications or other circumstances that may be deemed relevant;
- (f) the policies, procedures, and practices of other third party insurers;
- (g) the payment rate for prescribed drugs as set forth at in 114.3 CMR 31.00101 CMR 331.00: Prescribed Drugs; and
- (gh) a copy of the current invoice from the supplier.

<u>Levels of E/M Services</u>. Within each category or subcategory of E/M service, there are three to five levels of E/M services available for reporting purposes. Levels of E/M services are not interchangeable among the different categories or subcategories of service.

The levels of E/M services include examinations, evaluations, treatments, conferences with or concerning patients, preventive pediatric and adult health supervision and similar medical services. The levels of E/M services encompass the wide variations in skill, effort, time, responsibility and medical knowledge required for the prevention or diagnosis and treatment of illness or injury and the promotion of optimal health. Each level of E/M services may be used by all physicians. Coordination of care with other providers or agencies without a patient encounter on that day is reported using the case management codes.

For a full discussion of the levels of E/M services, refer to the 2013 CPT handbook.

<u>Modifiers</u>. Listed services may be modified under certain circumstances. When applicable, the modifying circumstances should be identified by the addition of the appropriate two_digit number or letters.

<u>New Patient</u>. A patient who has not received any professional services from the physician within the past three years.

Physical Medicine. The physical medicine procedure codes apply only when:

- (a) the physician prescribed the needed therapy; and
- (b) the services are provided by the physician or a licensed physical or occupational therapist employed by the physician.

<u>Primary Care Clinician (PCC) Plan.</u> A managed care option administered by the MassHealth agency through which enrolled members receive primary care and certain other medical services.

<u>Publicly Aided Individual (or Publicly Aided Patient)</u>. A person who receives health care and services for which a governmental unit is in whole or in part liable under a statutory program of public assistance.

<u>Referral</u>. The transfer of the total or specific care from one <u>physician eligible provider</u> to another. For the purposes of 101 CMR 317.00 a referral is not a consultation.

Separate Procedure. Some of the listed procedures are commonly carried out as an integral part of a total service, and as such do not warrant a separate identification. When, however, such a procedure is performed independently of, and is not immediately related to, other services, it may be listed as a separate procedure in the procedure description. Thus, when a procedure that is ordinarily a component of a larger procedure is performed alone for a specific purpose, it may be considered to be a separate procedure.

101 CMR 317.00: MEDICINE

<u>Special Report</u>. A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure; and the time, effort and equipment necessary to provide the service.

<u>Unlisted Procedure or Service.</u> A service or procedure may be provided that is not listed in <u>Regulation</u> 101 CMR 317.04. When reporting such a service, the appropriate "Unlisted Procedure" code may be used to indicate the service... identifying it by "Special Report."

317.03: General Rate Provisions

- (1) <u>Rate Determination</u>. Rates of payment <u>for services forto</u> which 101 CMR 317.00 applies shall beare the lowest of:
 - (a) The the eligible provider's usual fee to patients other than publicly_-aided individuals;

or

- (b) The the eligible provider's actual charge submitted; or
- (c) <u>1. The the</u> schedule of allowable fees set forth in 101 CMR 317.04(4), taking into account appropriate modifiers and any other applicable rate provision(s) in accordance with 101 CMR 317.03 or 317.04(1); or
 - 2. for drugs, vaccines, and immune globulins administered in a physician's office, the fee specified in 101 CMR 317.04(1)(a), taking into account any other applicable rate provision(s) in accordance with 101 CMR 317.04(1).
- (d) The current Medicare Outpatient Prospective Payment System (OPPS) cap payment amounts, if applicable.

(2) Supplemental Payment.

- (a) <u>Eligibility</u>. An eligible provider <u>who is a physician, certified nurse practitioner</u>, <u>physician assistant</u>, <u>or CRNA is eligible formay receive</u> a supplemental payment for services to publicly aided individuals eligible under Titles XIX and XXI of the Social Security Act if the following conditions are met:
 - 1. _the eligible provider is employed by a non-profit group practice that was established in accordance with St. 1997, c.163 and is affiliated with a Commonwealth-owned medical school;
 - 2. _such non-profit group practice shall-must have been established on or before January 1, 2000, in order to support the purposes of a teaching hospital affiliated with and appurtenant to a Commonwealth-owned medical school; and
 - 3. the services are provided at a teaching hospital affiliated with and appurtenant to a Commonwealth-owned medical school.
- (b) Payment Method. This supplemental payment may not exceed the difference between:

 1. payments to the eligible provider made pursuant to the rates applicable under 101

 CMR 316.03(1), 101 CMR 317.03(1), and 101 CMR 318.03(1); and

 2. the Federal gupper payment limit established by the Centers for Medicare and Medicaid Services. set forth in 42 CFR 447.325: Other Inpatient and Outpatient Facility Services: Upper Limits Of Payment.
- (3) <u>Rate Variations Based on Practice Site.</u> Payments for certain services <u>provided by individual eligible providers</u> that can be routinely furnished in physicians' offices are reduced when such

101 CMR 317.00: MEDICINE

services are furnished in facility settings. -101 CMR 317.04 establishes facility setting fees applied to services rendered in a facility when a practice site differential is warranted.

- (4) The sum of the professional and technical components of an individual procedure will not be greater than the allowable global fee set forth in 101 CMR 317.04(4).
- (45) Allowable Mid Level Fee for Certain Eligible Providers Qualified Mid Level Practitioners. Payment for services provided by eligible providers who are licensed certified nurse practitioners, certifiedeligible licensed nurse midwives, psychiatric clinical nurse specialists, clinical nurse specialists, eligible licensed physician assistants, eligible registered nurses, eligible tobacco cessation counselors, eligible pharmacies which that utilize pharmacists or other health care professionals certified in accordance with Massachusetts Department of Public Health regulations at 105 CMR 700.000: Implementation of M.G.L. c. 94C, and eligible home health agencies as specified in 101 CMR 317.02 is 85% of the fees contained in 101 CMR 317.04(4). This rule does not apply to the EPSDT add-on code S0302 described in 101 CMR 317.03(57) or for tobacco cessation services, for medical nutrition therapy (97802, 97803, 97804, G0270, G0271), for diabetes self-management training (G0108, G0109), or for the administration of behavioral health screening (96110 and related modifiers), or for the perinatal depression screening (\$3005 and related modifiers) services listed in section 101 CMR 317.04(4). Properly adjusted The rates listed in 101 CMR 317.04(4) for tobacco cessation services performed by for certain eligible providers already reflect the appropriate rate and no further rate adjustment applies (seemid level practitioners are listed in section 101 CMR 317.04(4) according to codes 99407, 99407-SA, SB, HN, -TD, -TF, -HQ, -U1, -U2, and --U3).
- (56) Behavioral Health Screening Services. Payment for the administration and scoring of standardized behavioral health screening tools is available to certain eligible providers (physicians, certified independent nurse midwifemidwives, certified independent nurse practitioners, physician assistants, clinical nurse specialists, psychiatric clinical nurse specialists, community health centers, hospital outpatient departments, or such eligible providers mid-level practitioner employed by a physician or community health center) and is allowed for MassHealth purchase only when accompanied by a modifier. -Appropriate code and related modifiers for the standardized behavioral health screening tools are listed in a separate fee table in section 101 CMR 317.04-(4). -For purposes of these modifiers, "Behavioral health need identified" means the provider administering the screening tool, in her or his professional judgment, identifies a child with a potential behavioral health services need.
- (67) Early and Periodic Screening, Diagnosis and Treatment (EPSDT) Add-On-on Code. To identify a completed well child office visit including all age appropriate components of the EPSDT schedule, use code S0302 in addition to the appropriate preventive medicine service in 101 CMR 317.04(4). -S0302 is always performed in addition to the primary procedure and must never be reported as a stand-alone code.
- (78) <u>Services and Payments Covered Under Other Regulations.</u> Rules and reimbursement rates for <u>the Medicine</u> <u>services service codes</u> listed <u>herein in the chart below</u> are contained in other EOHHS regulations.

101 CMR 317.00: MEDICINE

Regulation Title	Regulation Number	Affected Services
	101 CMP 328 00	
Chiropractic Care	101 CMR 328.00	Chiropractic Manipulation Codes 98940 to 98943
Rehabilitation Clinic Services,	114.3 CMR 39.00	Audiologic Codes 92590 to 92595
Audiology Services, and		
Restorative Services		
Vision Care Services and	101 CMR 315.00	Ophthalmological Service Codes 92002,
Ophthalmic Materials		92004, 92012, 92014, 92015; Spectacle
		Service Codes 92340-92342, 92370 and
		Screening Code 99173

(89) <u>CPT Category III Codes.</u> All medicine related CPT category III codes are included as a part of this regulation and have an assigned fee of I<u>.</u>C.

(910) PCC Plan Enhanced Fee. Primary Care Clinicians (PCCs) receive an enhanced rate for certain types of primary and preventive care visits provided to PCC Plan members enrolled with the PCC on the date of service. Ten dollars The enhanced fee specified in 114.3 CMR 53.03(1): PCC Plan Enhanced Fee is added to the rate for the procedure code billed. The MassHealth agency pays PCCs an enhanced fee for delivering primary care services in accordance with the terms of the PCC provider contract.

(1011) Child and Adolescent Needs and Strengths (CANS): Psychiatric Diagnostic Interview Examination for Children and Adolescents Under the Age of Younger Than 21 Years. -Psychiatrists or psychiatric clinical nurse specialists who complete the CANS for a MassHealth child or adolescent under the age of younger than 21 years during a Psychiatric Diagnostic Interview Examination should bill using procedure code 90801-90791 accompanied by modifier HA.

(11) Payments under Section 1202 of the Federal Affordable Care Act for Certain Primary Care Services. For calendar years 2013 and 2014, Section 1202 of the federal Affordable Care Act requires Medicaid agencies to provide payment for certain primary care services delivered by eligible physicians consistent with rules set forth in 42 CFR Part 447, Subpart G (Section 1202 rates). Section 1202 rates are developed by CMS and will be communicated via Administrative Bulletin.

(a) Eligible Physicians.

i. A physician who specializes in family medicine, general internal medicine, or pediatric medicine, or a subspecialty recognized by the American Board of Medical Specialties (ABMS), the American Osteopathic Association (AOA), or the American Board of Physician Specialties (ABPS), and who also meets such conditions of eligibility for payment, as specified by MassHealth and CMS, are eligible for the Section 1202 rates. Further, in order to be eligible for the Section 1202 rates, physicians must self attest that they are (1) practicing in an eligible specialty or subspecialty, and (2) that they are either board certified in one of the qualified specialties or subspecialties, or that 60% of the Medicaid codes he or she has been paid during the most recently completed

101 CMR 317.00: MEDICINE

calendar year, or for newly eligible physicians during the prior month, were for the services eligible for the Section 1202 rates.

- ii. Services provided by a non-physician practitioner, specified in Section 317.02, 'General Definitions', such as physician assistants, nurse practitioners, nurse midwives, are eligible for payment of 85% of the Section 1202 rates applicable under section 317.03 (4) only when provided under the personal supervision of an eligible primary care physician, and when properly billed under the supervising physician's enrollment number.
- (b) Services Eligible for Section 1202 Rates. The Section 1202 rates apply to a specific set of services and procedures that CMS designates as 'primary care services.' They apply to billing codes for a specific set of evaluation and management (E&M) services, and certain vaccine administration services. The following billing codes are eligible for the Section 1202 Rates and may be amended by CMS.

Healthcare Common Procedure Coding System (HCPCS) codes:

- i. E&M codes 99201-99499. Further guidance regarding codes covered by MassHealth is provided in Subchapter 6 of the *MassHealth Physician Manual*.
- ii. Current Procedural Terminology vaccine administration codes 90460, 90461, 90471, 90472, 90473, 90474 or their successor codes.
- (c) <u>Vaccines for Children.</u> Section 1202 updated the regional maximum administration fee for the Vaccines for Children program. For vaccines p rovided under the Vaccines for Children Program by Section 1202 eligible physicians in calendar years 2013 and 2014, payment will be the lesser of: (1) The Regional Maximum Administration Fee, or (2) the 1202 rate for code 90460.
- (d) Effective date. 101 CMR 317.03(11) applies to dates of service in calendar years 2013 and 2014.

317.04: Maximum Allowable Fees

- (1) <u>Drugs, Medications, Supplies, and Laboratory Specimen Collections</u>.
 - (a) Payment rates for drugs, vaccines, and immune globulins administered in a physician's office are equal toshall be the lower of the fee listed in the Quarterly Average Sales Price (ASP) Medicare Part B Drug Pricing File. For drugs, vaccines, and immune globulins administered in a physician's office that are not listed in the Quarterly ASP Medicare Part B Drug Pricing File, codes are listed in 101 CMR 317.04(4) with payment set by I.C., which shall apply until such time as the code is listed in the Quarterly ASP Medicare Part B Drug Pricing File.101 CMR 317.04(4) or the current Medicare fee.
 - (b) Supplies and materials used in preparation for or as part of a procedure (*e.g.*, bandages, laboratory kits, syringes, or disposable gloves) are not reimbursed separately, but included in the office visit rate. In addition, no supplemental charge shall can be submitted nor payment allowed for routine specimen collection in a physician's office and preparation for

101 CMR 317.00: MEDICINE

clinical laboratory analysis (and activities related thereto), *e.g.*, venipuncture, urine, fecal and sputum samples, culturing, swabbing, and scraping for removal of tissues.

(c) Where applicable, payments for drugs, medicines, supplies, and related materials dispensed to patients shall beare in accordance with rates which that are the subject matter of other regulations that may be in effect and germane to the item in question (e.g., laboratory, pharmacy, medical supplies, etc.). not to exceed the cost of the item to the physician.

In other instances where the use of another regulation is not appropriate, certain supplies and materials (except eyeglasses), provided by the physician over and above those usually included with the office visit or other services rendered should be billed under code (99070).

- (d) Payment for drugs and/ or biologicals may be claimed in addition to an office visit. Drugs that are considered routine and integral to the delivery of a physician's professional services in the course of diagnosis or treatment are not reimbursable. –Such drugs are commonly provided without charge or are included in the physician's fee for the service. Drugs and/or biologicals available free of charge from the Massachusetts Department of Public Health are not payable items. When an immunization or injection is the primary purpose of an office or other outpatient visit, the provider may bill only for the injectable material and its administration. However, when the immunization or injection is not the primary purpose of the office or other outpatient visit, a provider may bill for both the visit and the immunization or injectable material, but not for its administration. Payment for both vaccine administration and an office visit is allowable only when the vaccine administration is a medically necessary, separately identifiable service.
- (2) Unless otherwise specified, guidelines, notes, and definitions provided in the 2013-2016 CPT Coding Handbook are applicable to the use of the procedure codes, modifiers, and descriptions listed below.

(3) Modifiers.

- (a) -24: Unrelated evaluation Evaluation and management Management service by the same Same physician Physician or Other Qualified Health Care Professional during During post Postoperative periodPeriod.
- (b) -25: Significant, separately Separately identifiable Identifiable evaluation and management Management service-Service by the same Same physician Physician or Other Qualifed Health Care Professional on the same Same day Day of the procedure Procedure or other Other serviceService. Modifier 25 is used to facilitate billing of evaluation and management services on the day of a procedure for which separate payment may be made. -The physician or other qualified health care professional may indicate that on the day a procedure or service code was performed, the patient's condition required a significant, separately identifiable evaluation and management service above and beyond the usual preoperative and postoperative care associated with the procedure or service that was performed.
- (c) -26: Professional Component. The component of a service or procedure representing the physician's or other qualified health care professional's work interpreting or

101 CMR 317.00: MEDICINE

performing the service or procedure. (When the physician or other qualified health care professional component is reported separately, the addition of the modifier -26-2 to the appropriate procedure code will allow payment of the professional component allowable fee (PC Fee) contained in 101 CMR 317.04(4), adjusted by 101 CMR 317.03 as applicable to be paid.)

- (d) -50: Bilateral Procedures. Payment for bilateral procedures performed at the same operative session must be identified by the appropriate service code and the modifier -50². Only one claim line is billed for both procedures. -(The addition of the modifier -50² to the bilateral code will allow payment of 150% of the allowable fee contained in 101 CMR 317.04(4), adjusted by 101 CMR 317.03 as applicable, to be paid to the eligible provider for performance of both bilateral procedures.)
- (e) -51: Multiple Procedures. This modifier must be used to report multiple procedures performed at the same session. The service code for the major procedure or service must be reported without a modifier. The secondary, additional, or lesser procedure(s) must be identified by adding the modifier 51² to the end of the service code for the secondary procedure(s). (The addition of the modifier 51² to the second and subsequent procedure codes allows payment of 50% of the allowable fee contained in 101 CMR 317.04(4), adjusted by 101 CMR 317.03 as applicable, to be paid to the eligible provider. Note: This modifier should not be used with designated "add-on" codes or with codes in which the narrative begins with "each additional."-)
- (f) -52: Reduced Services. Under certain circumstances a service or procedure is partially reduced or eliminated at the physician's or other qualified health care professional's election. -Under these circumstances, the service provided can be identified by its usual procedure number and addition of the modifier -52 signifying that the service is reduced. This provides a means of reporting reduced services without disturbing the identification of the basic service.
- (g) -57: Decision for surgery Surgery.
- (h) -59: Distinct procedure Procedural serviceService. To identify a procedure distinct or independent from other services performed on the same day add the modifier -59² to the end of the appropriate service code. -Modifier -59² is used to identify services/procedures that are not normally reported together, but are appropriate under certain circumstances, for example, different site or organ system. -However, when another already established modifier is appropriate, it should be used rather than modifier -59².
- (i) -GO: Services delivered personally by an occupational therapist or under an outpatient occupational therapy plan of care.
- (j) -GP: Services delivered personally by a physical therapist or under an outpatient physical therapy plan of care.
- (k) -HA: Child and Adolescent Needs and Strengths (CANS): Psychiatric Diagnostic Interview Examination for Children and Adolescents Under the Age of Younger Than 21

101 CMR 317.00: MEDICINE

<u>Years:</u>. This modifier should only be applied to service code <u>90801-90791</u> billed by psychiatrists <u>or psychiatric clinical nurse specialists</u> to identify a Psychiatric Diagnostic Interview Examination for a MassHealth child or adolescent <u>under the age of younger than</u> 21 <u>years</u> using the CANS.

<u>HN: Bachelor's Degree Level.</u> (Use to indicate Physician Assistant) (This modifier is to be applied to service codes billed by a physician which were performed by a physician assistant employed by the physician or group practice.)

(1) -LM: Left Main-main Coronary Coronary Arteryartery.

- (m) -PA: Surgical or other invasive procedure performed on the wrong body part. -(This modifier is applied to report Provider Preventable Conditions in accordance with 42 C-F-R-447.26: *Prohibition on Payment for Provider Preventable Conditions*, and results in non-payment for services.)
- (n) -PB: Surgical or other invasive procedure performed on the wrong patient. (This modifier is applied to report Provider Preventable Conditions in accordance with 42 C-F-R-447.26: *Prohibition on Payment for Provider Preventable Conditions*, and results in non-payment for services.)
- (o) -PC: Wrong surgical or other invasive procedure performed on a patient. (This modifier is applied to report Provider Preventable Conditions in accordance with 42 C-F-R-447.26: *Prohibition on Payment for Provider Preventable Conditions*, and results in non-payment for services.)
- (p) -RI: Ramus Intermedius intermedius Coronary Arteryartery.
- (q) -SA: Nurse Practitioner rendering service in collaboration with a physician. (This modifier is to be applied to service codes billed by a physician which that were performed by a certified non-independent nurse practitioner employed by the physician or group practice.) (A certified independent nurse practitioner billing under his/her own individual provider number should not use this modifier.)
- <u>SB: Nurse Midwife.</u> (This modifier is to be applied to service codes billed by a physician which were performed by a non-independent nurse midwife employed by the physician or group practice.) (An independent nurse midwife billing under his/her own individual provider number should not use this modifier.)
- (r) -SL: State Supplied Supplied Vaccinevaccine. (This modifier -is to be applied to codes 90460 and 90461 to identify administration of vaccines provided at no cost by the Massachusetts Department of Public Health (DPH) for individuals ages 18 years old and underyounger, including those administered under the Vaccine for Children Program (VFC), where counseling is included. -It is also to be applied to codes 90471, 90472, 90473, and 90474 to identify administration of vaccines provided at no cost by DPH for all individuals, including those administered under VFC to individuals 18 years old and underyounger.)

101 CMR 317.00: MEDICINE

- (s) -TC: Technical Component Component. The component of a service or procedure representing the cost of rent, equipment, utilities, supplies, administrative and technical salaries and benefits, and other overhead expenses of the service or procedures, excluding the physician's or other qualified health care professional's professional component. (When the technical component is reported separately, the addition of modifier -TC- to the procedure code will allow payment of the technical component allowable fee (TC Fee) contained in 101 CMR 317.04(4), as adjusted by 101 CMR 317.03 as applicable to be paid.
- (t) XE: Separate encounter. A service that is distinct because it occurred during a separate encounter.
- (u) XS: Separate structure. A service that is distinct because it was performed on a separate organ/structure.
- (v) XP: Separate practitioner. A service that is distinct because it was performed by a <u>different practitioner.</u>
- (w) XU: Unusual non-overlapping service. The use of a service that is distinct because it does not overlap usual components of the main service.

(4) Fee Schedule.

- (a) NFAC "Nonfacility": These amounts apply when the service is performed in a nonfacility setting.
- (b) FAC "Facility": These amounts, also known as the Facility Setting Fee, apply when the service is performed in a facility setting
- (c) Global Fee These amounts apply when no site of service differential rate is specified.

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90281	_	-	<u>I.C.</u>	_	_	Immune globulin (Ig),
						human, for
						intramuscular use
90283	_	_	<u>I.C.</u>	_	_	Immune globulin (IgIV),
						<u>human, for intravenous</u>
						<u>use</u>
<u>90284</u>	_	_	<u>I.C.</u>	_	_	Immune globulin
						(SCIg), human, for use
						<u>in subcutaneous</u>
						infusions, 100 mg, each
<u>90287</u>	_	_	<u>I.C.</u>	_	_	Botulinum antitoxin,
						equine, any route
<u>90288</u>	_	_	<u>I.C.</u>	_	_	Botulism immune
						globulin, human, for
						<u>intravenous use</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>90291</u>	-	1	<u>I.C.</u>	_	_	Cytomegalovirus
						immune globulin
						(CMV-IgIV), human,
						<u>for intravenous use</u>
<u>90296</u>	_	_	<u>I.C.</u>	_	_	<u>Diphtheria antitoxin</u> ,
						equine, any route
<u>90371</u>	_	_	<u>I.C.</u>	_	_	<u>Hepatitis B immune</u>
						globulin (HBIg), human,
i						for intramuscular use
<u>90375</u>	_	_	<u>I.C.</u>	_	_	Rabies immune globulin
						(RIg), human, for
						intramuscular and/or
						subcutaneous use
<u>90376</u>	_	_	<u>I.C.</u>	_	_	Rabies immune
						globulin, heat-treated
						(RIg-HT), human, for
						intramuscular and/or
						subcutaneous use
90378	_	_	<u>I.C.</u>	_	_	Respiratory syncytial
						virus, monoclonal
						antibody, recombinant,
						for intramuscular use, 50
						mg, each
<u>90384</u>	_	_	<u>I.C.</u>	_	_	Rho(D) immune
						globulin (RhIg), human,
						<u>full-dose</u> , for
						<u>intramuscular use</u>
90385	_	_	<u>I.C.</u>	_	_	Rho(D) immune
						globulin (RhIg), human,
						mini-dose, for
						intramuscular use
90386	_	_	<u>I.C.</u>	_	_	Rho(D) immune
						globulin (RhIgIV),
						<u>human, for intravenous</u>
						use
90389	_	_	<u>I.C.</u>	_	_	Tetanus immune
						globulin (TIg), human,
			_			for intramuscular use
90393	_	_	<u>I.C.</u>	_	_	Vaccinia immune
						globulin, human, for
						<u>intramuscular use</u>

Code	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>90396</u>	_	_	<u>I.C.</u>	_	_	<u>Varicella-zoster immune</u>
						globulin, human, for
						<u>intramuscular use</u>
90399	_	_	<u>I.C.</u>	_	_	<u>Unlisted immune</u>
						<u>globulin</u>
<u>90460</u>	_	_	<u>\$19.38</u>	_	_	<u>Immunization</u>
						administration through
						18 years of age via any
						route of administration,
						with counseling by
						physician or other
						qualified health care
						professional; first or
						only component of each
						vaccine or toxoid
						administered
<u>90461</u>	_	_	<u>\$9.33</u>	_	_	<u>Immunization</u>
						administration through
						18 years of age via any
						route of administration,
						with counseling by
						physician or other
						qualified health care
						professional; each
						additional vaccine or
						toxoid component
						administered (List
						separately in addition to
						code for primary
00.45			446.75			procedure)
<u>90471</u>	_	_	<u>\$19.38</u>	_	_	<u>Immunization</u>
						administration (includes
						percutaneous,
						intradermal,
						subcutaneous, or
						intramuscular
						injections); 1 vaccine
						(single or combination
						vaccine/toxoid)

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90472	_	_	\$9.33	_	_	<u>Immunization</u>
						administration (includes
						percutaneous,
						intradermal,
						subcutaneous, or
						intramuscular
						injections); each
						additional vaccine
						(single or combination
						vaccine/toxoid) (List
						separately in addition to
						code for primary
						<u>procedure)</u>
90473	_	_	<u>\$19.38</u>	_	_	<u>Immunization</u>
						administration by
						intranasal or oral route;
						1 vaccine (single or
						combination
						vaccine/toxoid)
90474	_	-	<u>\$9.33</u>	-	_	<u>Immunization</u>
						administration by
						intranasal or oral route;
						each additional vaccine
						(single or combination
						vaccine/toxoid) (List
						separately in addition to
						code for primary
00.45			- ~			procedure)
<u>90476</u>	_	-	<u>I.C.</u>	_	_	Adenovirus vaccine,
00455			T G			type 4, live, for oral use
90477	_	_	<u>I.C.</u>	-	_	Adenovirus vaccine,
00501			T. C.			type 7, live, for oral use
<u>90581</u>	_	-	<u>I.C.</u>	_	_	Anthrax vaccine, for
						subcutaneous or
00505			T.C.			intramuscular use
90585	_	_	<u>I.C.</u>	-	_	Bacillus Calmette-
						Guerin vaccine (BCG)
						for tuberculosis, live, for
00705			T C			percutaneous use
<u>90586</u>	_	_	<u>I.C.</u>	-	_	Bacillus Calmette-
						Guerin vaccine (BCG)
						for bladder cancer, live,

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						for intravesical use
90620	_	-	<u>I.C.</u>	_	_	Meningococcal
						recombinant protein and
						outer membrane vesicle
						vaccine, serogroup B
						(MenB), 2 dose
						schedule, for
00621			IC			intramuscular use
90621	-	-	<u>I.C.</u>	_	-	Meningococcal recombinant lipoprotein
						vaccine, serogroup B
						(MenB), 3 dose
						schedule, for
						intramuscular use
90625			I.C.			Cholera vaccine, live,
	_	_		_	_	adult dosage, 1 dose
						schedule, for oral use
<u>90630</u>	_	_	<u>I.C.</u>	_	_	Influenza virus vaccine,
						quadrivalent (IIV4),
						split virus, preservative
00.622						free, for intradermal use
90632	-	-	<u>I.C.</u>	_	_	Hepatitis A vaccine
						(HepA), adult dosage,
00622			I.C.			for intramuscular use
90633	-	-	<u>1.C.</u>	-	_	Hepatitis A vaccine (HepA),
						pediatric/adolescent
						dosage-2 dose schedule,
						for intramuscular use
90634	_	_	<u>I.C.</u>	_	_	Hepatitis A vaccine
		_	_		_	(HepA),
						pediatric/adolescent
						dosage-3 dose schedule,
						for intramuscular use
<u>90636</u>	_	-	<u>I.C.</u>	-	_	Hepatitis A and hepatitis
						B vaccine (HepA-
						HepB), adult dosage, for
						<u>intramuscular use</u>

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
90644	-	-	I.C.	-	-	Meningococcal conjugate vaccine, serogroups C & Y and Haemophilus influenzae type b vaccine (Hib-
						MenCY), 4 dose schedule, when administered to children 6 weeks-18 months of age, for intramuscular
90647	-	-	I.C.	-	-	use Haemophilus influenzae type b vaccine (Hib), PRP-OMP conjugate, 3 dose schedule, for intramuscular use
90648	-	-	I.C.	-	-	Haemophilus influenzae type b vaccine (Hib), PRP-T conjugate, 4 dose schedule, for intramuscular use
90649	-	-	I.C.	-	-	Human Papillomavirus vaccine, types 6, 11, 16, 18, quadrivalent (4vHPV), 3 dose schedule, for intramuscular use
90650	-	-	I.C.	-	-	Human Papillomavirus vaccine, types 16, 18, bivalent (2vHPV), 3 dose schedule, for intramuscular use
90651	-	-	I.C.	_	-	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (9vHPV), 3 dose schedule, for intramuscular use
90653	_	-	<u>I.C.</u>	-	-	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use

Code	<u>NFAC</u>	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
90654	-	-	I.C.	-	1	Influenza virus vaccine, trivalent (IIV3), split virus, preservative-free, for intradermal use
90655	-	-	I.C.	-	1	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use
90656	-	-	I.C.	-	-	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, when administered to individuals 3 years and older, for intramuscular use
90657	-	-	I.C.	-	-	Influenza virus vaccine, trivalent (IIV3), split virus, when administered to children 6-35 months of age, for intramuscular use
90658	-	-	I.C.	-	-	Influenza virus vaccine, trivalent (IIV3), split virus, when administered to individuals 3 years of age and older, for intramuscular use
90660	-	-	<u>I.C.</u>	-	-	Influenza virus vaccine, trivalent, live (LAIV3), for intranasal use
90661	-	-	I.C.	-	-	Influenza virus vaccine (ccIIV3), derived from cell cultures, subunit, preservative and antibiotic free, for intramuscular use

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
90662	_	_	<u>I.C.</u>	_	_	Influenza virus vaccine
						(IIV), split virus,
						preservative free,
						<u>enhanced</u>
						immunogenicity via
						increased antigen
						content, for
						<u>intramuscular use</u>
<u>90664</u>	-	_	<u>I.C.</u>	_	_	Influenza virus vaccine,
						live (LAIV), pandemic
						<u>formulation</u> , for
00.555			T 6			<u>intranasal use</u>
<u>90666</u>	-	_	<u>I.C.</u>	_	-	Influenza virus vaccine
						(IIV), pandemic
						formulation, split virus,
						preservative free, for
00667			T. C.			intramuscular use
<u>90667</u>	-	_	<u>I.C.</u>	_	-	Influenza virus vaccine
						(IIV), pandemic
						formulation, split virus,
						adjuvanted, for
00669			IC			intramuscular use
90668	-	-	<u>I.C.</u>	-	-	Influenza virus vaccine
						(IIV), pandemic
						formulation, split virus, for intramuscular use
90670			<u>I.C.</u>			
90070	-	-	<u>1.C.</u>	-	-	Pneumococcal conjugate vaccine, 13 valent
						(PCV13), for
						intramuscular use
90672			I.C.			Influenza virus vaccine,
<u> </u>	-	-	<u>1.C.</u>	-	-	quadrivalent, live
						(LAIV4), for intranasal
						use
90673			I.C.			Influenza virus vaccine,
20072	_	_	1.0.	_	_	trivalent (RIV3), derived
						from recombinant DNA,
						hemagglutinin (HA)
						protein only,
						preservative and
						antibiotic free, for
						intramuscular use

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90675	-	-	<u>I.C.</u>	-	_	Rabies vaccine, for intramuscular use
90676	-	-	<u>I.C.</u>	-	_	Rabies vaccine, for intradermal use
90680	-	-	I.C.	-	-	Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, live, for oral use
90681	-	-	I.C.	-	-	Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral use
90685	-	-	I.C.	-	-	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use
90686	-	-	I.C.	-	_	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, when administered to individuals 3 years of age and older, for intramuscular use
90687	-	-	I.C.	-	-	Influenza virus vaccine, quadrivalent (IIV4), split virus, when administered to children 6-35 months of age, for intramuscular use
90688	_	_	<u>I.C.</u>	_	_	Influenza virus vaccine, quadrivalent (IIV4), split virus, when administered to individuals 3 years of age and older, for intramuscular use
90690	-	-	<u>I.C.</u>	-	-	Typhoid vaccine, live, oral

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
90691	-	-	I.C.	-	-	Typhoid vaccine, Vi capsular polysaccharide (ViCPs), for intramuscular use
90696	-	-	I.C.	-	-	Diphtheria, tetanus toxoids, acellular pertussis vaccine and inactivated poliovirus vaccine (DTaP-IPV), when administered to children 4 through 6 years of age, for intramuscular use
90697	-	-	I.C.	-	-	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP- OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use
90698	-	-	I.C.	-	-	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenzae type b, and inactivated poliovirus vaccine (DTaP-IPV/Hib), for intramuscular use
90700	-	-	I.C.	-	-	Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered to individuals younger than 7 years, for intramuscular use
90702	-	-	<u>I.C.</u>	-	-	Diphtheria and tetanus toxoids adsorbed (DT) when administered to

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						individuals younger than
						7 years, for
						<u>intramuscular use</u>
<u>90707</u>	_	_	<u>I.C.</u>	_	_	Measles, mumps and
						rubella virus vaccine
						(MMR), live, for
						subcutaneous use
<u>90710</u>	_	-	<u>I.C.</u>	_	_	Measles, mumps,
						rubella, and varicella
						vaccine (MMRV), live,
00712			T.C.			for subcutaneous use
90713	_	-	<u>I.C.</u>	_	_	Poliovirus vaccine,
						inactivated (IPV), for
						subcutaneous or
90714			I.C.			intramuscular use Tetanus and diphtheria
90714	_	-	<u>1.C.</u>	-	_	toxoids adsorbed (Td),
						preservative free, when
						administered to
						individuals 7 years or
						older, for intramuscular
						use
90715			<u>I.C.</u>			Tetanus, diphtheria
	_	_		_	_	toxoids and acellular
						pertussis vaccine
						(Tdap), when
						administered to
						individuals 7 years or
						older, for intramuscular
						use
<u>90716</u>	_	-	<u>I.C.</u>	-	-	Varicella virus vaccine
						(VAR), live, for
00717			T.C.			subcutaneous use
90717	_	-	<u>I.C.</u>	_	-	Yellow fever vaccine,
						live, for subcutaneous
00723			IC			use Diphtheria, tetanus
90723	_	-	<u>I.C.</u>	_	_	toxoids, acellular
						pertussis vaccine,
						hepatitis B, and
						inactivated poliovirus
						vaccine (DTaP-HepB-
<u> </u>	1		I	<u> </u>	l	- accine (B rai Tiepb

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						IPV), for intramuscular
						<u>use</u>
90732			I.C.			Pneumococcal
	_	_		_	_	polysaccharide vaccine,
						23-valent (PPSV23),
						adult or
						immunosuppressed
						patient dosage, when
						administered to
						individuals 2 years or
						older, for subcutaneous
						or intramuscular use
90733	_	_	<u>I.C.</u>	_	_	Meningococcal
	_	_		_	_	polysaccharide vaccine,
						serogroups A, C, Y, W-
						135, quadrivalent
						(MPSV4), for
						subcutaneous use
90734	_	_	<u>I.C.</u>	_	_	Meningococcal
						conjugate vaccine,
						serogroups A, C, Y and
						W-135, quadrivalent
						(MenACWY), for
						<u>intramuscular use</u>
<u>90736</u>	_	_	<u>I.C.</u>	_	_	Zoster (shingles)
						vaccine (HZV), live, for
						subcutaneous injection
<u>90738</u>	_	_	<u>I.C.</u>	_	_	Japanese encephalitis
						virus vaccine,
						inactivated, for
						<u>intramuscular use</u>
<u>90739</u>	_	_	<u>I.C.</u>	_	_	Hepatitis B vaccine
						(HepB), adult dosage, 2
						dose schedule, for
						<u>intramuscular use</u>
<u>90740</u>	_	_	<u>I.C.</u>	_	_	Hepatitis B vaccine
						(HepB), dialysis or
						immunosuppressed
						patient dosage, 3 dose
						schedule, for

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						intramuscular use
90743	_	_	I.C.	_	_	Hepatitis B vaccine
						(HepB), adolescent, 2
						dose schedule, for
						<u>intramuscular use</u>
<u>90744</u>	_	_	<u>I.C.</u>	_	_	Hepatitis B vaccine
						<u>(HepB),</u>
						pediatric/adolescent
						dosage, 3 dose schedule,
00545						for intramuscular use
<u>90746</u>	_	_	<u>I.C.</u>	_	-	Hepatitis B vaccine
						(HepB), adult dosage, 3
						dose schedule, for
90747			I.C.			intramuscular use
90747	_	-	<u>1.C.</u>	-	_	Hepatitis B vaccine (HepB), dialysis or
						immunosuppressed
						patient dosage, 4 dose
						schedule, for
						intramuscular use
90748			I.C.			Hepatitis B and
	_	_		_	_	Haemophilus influenzae
						type b vaccine (Hib-
						HepB), for
						<u>intramuscular use</u>
<u>90749</u>	_	_	<u>I.C.</u>	_	_	<u>Unlisted vaccine/toxoid</u>
<u>90785</u>	_	_	<u>\$10.01</u>	_	_	<u>Interactive complexity</u>
						(List separately in
						addition to the code for
0.0501	00500	404 = 2				<u>primary procedure)</u>
<u>90791</u>	<u>\$95.09</u>	<u>\$91.72</u>	-	_	-	Psychiatric diagnostic
00702	¢105.05	Φ101 C0				<u>evaluation</u>
90792	<u>\$105.05</u>	<u>\$101.68</u>	-	_	_	Psychiatric diagnostic
						evaluation with medical
00022	\$45.00	\$15 C1				Services Psychotherapy 20
90832	<u>\$45.92</u>	<u>\$45.64</u>	-	_	-	Psychotherapy, 30 minutes with patient
						and/or family member
l [L					and/or ranning member

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
90833	<u>\$47.48</u>	<u>\$46.92</u>	_	_	-	Psychotherapy, 30
						minutes with patient
						and/or family member
						when performed with an
						evaluation and
						management service
						(List separately in
						addition to the code for
						<u>primary procedure</u>)
90834	<u>\$61.00</u>	<u>\$60.72</u>	_	_	_	Psychotherapy, 45
						minutes with patient
						and/or family member
90836	<u>\$60.28</u>	<u>\$59.72</u>	-	_	_	Psychotherapy, 45
						minutes with patient
						and/or family member
						when performed with an
						evaluation and
						management service
						(List separately in
						addition to the code for
00005	#01.50	\$00.00				primary procedure)
90837	<u>\$91.72</u>	<u>\$90.88</u>	-	-	-	Psychotherapy, 60
						minutes with patient
00000	Φ 7 0.40	Φ70.00				and/or family member
90838	<u>\$79.48</u>	<u>\$78.92</u>	-	_	_	Psychotherapy, 60
						minutes with patient
						and/or family member
						when performed with an
						evaluation and
						management service
						(List separately in
						addition to the code for
00020	\$05.60	¢05.05				primary procedure)
90839	<u>\$95.62</u>	<u>\$95.05</u>	-	-	-	Psychotherapy for crisis;
00840	\$15 C1	¢15.26				first 60 minutes Psychotherapy for origin
90840	<u>\$45.64</u>	<u>\$45.36</u>	-	-	-	Psychotherapy for crisis;
						each additional 30
						minutes (List separately in addition to code for
00845	\$65.07	\$65.60				primary service)
90845	<u>\$65.97</u>	<u>\$65.69</u>	_	_	_	<u>Psychoanalysis</u>

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90846	<u>\$74.08</u>	<u>\$73.52</u>	-	_	_	Family psychotherapy
						(without the patient
						<u>present)</u>
90847	<u>\$76.65</u>	<u>\$76.08</u>	_	_	_	Family psychotherapy
						(conjoint
						psychotherapy) (with
						<u>patient present)</u>
<u>90849</u>	<u>\$25.12</u>	<u>\$22.31</u>	-	_	_	Multiple-family group
20072	* 10.71	* 10.00				psychotherapy
90853	<u>\$18.51</u>	<u>\$18.23</u>	-	-	_	Group psychotherapy
						(other than of a
00062			T.C			multiple-family group)
90863	-	-	<u>I.C.</u>	_	_	<u>Pharmacologic</u>
						management, including
						prescription and review
						of medication, when performed with
						-
						psychotherapy services (List separately in
						addition to the code for
						primary procedure)
90865	\$123.27	\$93.52				Narcosynthesis for
<u> </u>	<u>φ123.27</u>	<u>ψ/3.32</u>	-	-	-	psychiatric diagnostic
						and therapeutic purposes
						(eg, sodium amobarbital
						(Amytal) interview)
90867			I.C.			Therapeutic repetitive
	_	_		_	_	transcranial magnetic
						stimulation (TMS)
						treatment; initial,
						including cortical
						mapping, motor
						threshold determination,
						delivery and
						<u>management</u>
90868	_	_	<u>I.C.</u>	_	_	Therapeutic repetitive
						transcranial magnetic
						stimulation (TMS)
						treatment; subsequent
						<u>delivery</u> and
						management, per
						<u>session</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90869	_	-	<u>I.C.</u>	-	_	Therapeutic repetitive
						transcranial magnetic
						stimulation (TMS)
						treatment; subsequent
						motor threshold re-
						determination with
						delivery and
00070	¢122.02	¢00.17				<u>management</u>
90870	<u>\$132.93</u>	<u>\$80.17</u>	-	-	-	Electroconvulsive
						therapy (includes
00075			¢44.72			necessary monitoring)
90875	-	-	<u>\$44.73</u>	-	-	Individual
						psychophysiological
						therapy incorporating biofeedback training by
						any modality (face-to-
						face with the patient),
						with psychotherapy (eg,
						insight oriented,
						behavior modifying or
						supportive
						psychotherapy); 30
						minutes
90876	\$79.27	\$70.85				Individual
20070	<u>Ψ13.21</u>	<u>Ψ70.03</u>	-	_	-	psychophysiological
						therapy incorporating
						biofeedback training by
						any modality (face-to-
						face with the patient),
						with psychotherapy (eg,
						insight oriented,
						behavior modifying or
						supportive
						psychotherapy); 45
						minutes
90880	<u>\$73.60</u>	<u>\$67.71</u>		_	_	<u>Hypnotherapy</u>
90882	_	_	<u>I.C.</u>	_	_	Environmental
						intervention for medical
						management purposes
						on a psychiatric patient's
						behalf with agencies,
						employers, or

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						institutions
90885			\$36.16			Psychiatric evaluation of
90003	_	-	\$30.10	-	-	hospital records, other
						psychiatric reports,
						psychometric and/or
						projective tests, and
						other accumulated data
						for medical diagnostic
						<u>purposes</u>
<u>90887</u>	<u>\$65.12</u>	<u>\$55.30</u>	-	_	_	Interpretation or
						explanation of results of
						psychiatric, other
						medical examinations and procedures, or other
						accumulated data to
						family or other
						responsible persons, or
						advising them how to
						assist patient
90889	_	_	<u>I.C.</u>	_	_	Preparation of report of
						patient's psychiatric
						status, history,
						treatment, or progress
						(other than for legal or
						consultative purposes)
						for other individuals, agencies, or insurance
						carriers
90899			I.C.			Unlisted psychiatric
<u> </u>	_	-	<u> </u>	_	_	service or procedure
90901	\$28.77	\$14.46	_	_	_	Biofeedback training by
						any modality
<u>90911</u>	<u>\$63.57</u>	<u>\$32.42</u>	_	_	_	Biofeedback training,
						perineal muscles,
						anorectal or urethral
						sphincter, including
						EMG and/or manometry

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
90935	-	-	\$52.89	-	-	Hemodialysis procedure with single evaluation by a physician or other qualified health care professional
90937	-	-	\$75.82	-	-	Hemodialysis procedure requiring repeated evaluation(s) with or without substantial revision of dialysis prescription
90940	-	-	I.C.	-	-	Hemodialysis access flow study to determine blood flow in grafts and arteriovenous fistulae by an indicator method
90945	-	<u>-</u>	<u>\$63.24</u>	-	<u>-</u>	Dialysis procedure other than hemodialysis (eg., peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies), with single evaluation by a physician or other qualified health care professional
90947	_	<u>-</u>	\$90.44	<u>-</u>	_	Dialysis procedure other than hemodialysis (eg, peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies) requiring repeated evaluations by a physician or other qualified health care professional, with or without substantial revision of dialysis prescription

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90951	_	1	<u>\$685.48</u>	_	_	End-stage renal disease
						(ESRD) related services
						monthly, for patients
						younger than 2 years of
						age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth
						and development, and
						counseling of parents;
						with 4 or more face-to-
						face visits by a
						physician or other
						qualified health care
:						<u>professional per month</u>
90952	_	_	<u>I.C.</u>	_	_	End-stage renal disease
						(ESRD) related services
						monthly, for patients
						younger than 2 years of
						age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth
						and development, and
						counseling of parents;
						with 2-3 face-to-face
						visits by a physician or
						other qualified health
						<u>care professional per</u>
00052			T.C.			month 1.1
90953	-	-	<u>I.C.</u>	-	-	End-stage renal disease
						(ESRD) related services
						monthly, for patients
						younger than 2 years of
						age to include
						monitoring for the
						adequacy of nutrition, assessment of growth
						and development, and
						counseling of parents;
						with 1 face-to-face visit
						by a physician or other

monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of		NFAC		<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90954 Substituting the services of the adequacy of nutrition, assessment of the adequacy of nutrition.	. 1						
(ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of							professional per month
(ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of							
(ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of							
(ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of							
(ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of							
(ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of							
(ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of							
monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of	90954	_	_	\$594.55	_	_	End-stage renal disease
11 years of age to include monitoring for the adequacy of nutrition, assessment of							(ESRD) related services
include monitoring for the adequacy of nutrition, assessment of							
the adequacy of nutrition, assessment of							
nutrition, assessment of							
							growth and
development, and							
counseling of parents; with 4 or more face-to-							
<u>with 4 of more face-to-face visits by a</u>							-
physician or other							
qualified health care							
professional per month							
90955 \$334.21 End-stage renal disease	90955			\$334.21			
		_	_	<u> </u>	_	_	(ESRD) related services
monthly, for patients 2-							
11 years of age to							
include monitoring for							
the adequacy of							
<u>nutrition, assessment of</u>							
growth and							
development, and							
counseling of parents;							
with 2-3 face-to-face							
visits by a physician or other qualified health							
other qualified health care professional per							
month							

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90956	-	-	\$233.58	-	-	End-stage renal disease (ESRD) related services monthly, for patients 2- 11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month
90957	_	_	<u>\$471.06</u>		_	End-stage renal disease (ESRD) related services monthly, for patients 12- 19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to- face visits by a physician or other qualified health care professional per month
90958	_	_	\$319.13	_	-	End-stage renal disease (ESRD) related services monthly, for patients 12- 19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 2-3 face-to-face visits by a physician or other qualified health

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						care professional per
						<u>month</u>
90959	_	_	\$217.38	_	_	End-stage renal disease
	_	_		_	_	(ESRD) related services
						monthly, for patients 12-
						19 years of age to
						include monitoring for
						the adequacy of
						nutrition, assessment of
						growth and
						development, and
						counseling of parents;
						with 1 face-to-face visit
						by a physician or other
						qualified health care
						professional per month
<u>90960</u>	_	_	<u>\$208.60</u>	_	_	End-stage renal disease
						(ESRD) related services
						monthly, for patients 20
						years of age and older;
						with 4 or more face-to-
						face visits by a
						physician or other
						qualified health care
						<u>professional per month</u>
90961	_	_	<u>\$175.56</u>	_	_	End-stage renal disease
						(ESRD) related services
						monthly, for patients 20
						years of age and older;
						with 2-3 face-to-face
						visits by a physician or
						other qualified health
						<u>care professional per</u>
						<u>month</u>

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90962	_	-	\$135.94	_	_	End-stage renal disease
						(ESRD) related services
						monthly, for patients 20
						years of age and older;
						with 1 face-to-face visit
						by a physician or other
						qualified health care
						professional per month
90963	_	_	<u>\$397.52</u>	_	_	End-stage renal disease
						(ESRD) related services
						for home dialysis per
						<u>full month</u> , for patients
						younger than 2 years of
						age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth
						and development, and
00054			фо. 4 5. 5 0			counseling of parents
<u>90964</u>	-	-	<u>\$347.72</u>	-	_	End-stage renal disease
						(ESRD) related services
						for home dialysis per
						<u>full month, for patients</u>
						2-11 years of age to
						include monitoring for
						the adequacy of
						nutrition, assessment of
						growth and
						development, and
90965			\$331.09			<u>counseling of parents</u> End-stage renal disease
<u> </u>	-	-	φ331.09	-	_	(ESRD) related services
						for home dialysis per
						full month, for patients
						12-19 years of age to
						include monitoring for
						the adequacy of
						nutrition, assessment of
						growth and
						development, and
						counseling of parents
<u> </u>						counseling of parents

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90966	-	-	\$175.12	-	-	End-stage renal disease (ESRD) related services for home dialysis per full month, for patients 20 years of age and older
90967	-	-	\$13.20	-	-	End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients younger than 2 years of age
90968	-	-	<u>\$11.36</u>	-	-	End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients 2- 11 years of age
90969	-	-	<u>\$11.10</u>	-	-	End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients 12-19 years of age
90970	-	-	\$5.71	-	-	End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients 20 years of age and older
90989	-	-	I.C.	-	-	Dialysis training, patient, including helper where applicable, any mode, completed course
90993	-	-	I.C.	-	-	Dialysis training, patient, including helper where applicable, any mode, course not completed, per training session

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
90997	_	_	\$68.19	_	_	Hemoperfusion (eg,
						with activated charcoal
						or resin)
90999	_	_	<u>I.C.</u>	-	_	<u>Unlisted dialysis</u>
						procedure, inpatient or
						outpatient
<u>91010</u>	_	_	<u>\$135.21</u>	<u>\$49.46</u>	<u>\$85.75</u>	Esophagus motility
						<u>study</u>
<u>91013</u>	_	_	<u>\$17.67</u>	<u>\$7.01</u>	<u>\$10.66</u>	Esophgl motil
						w/stim/perfus
<u>91020</u>	_	_	<u>\$180.56</u>	<u>\$55.64</u>	<u>\$124.91</u>	Gastric motility studies
<u>91022</u>	_	_	<u>\$128.05</u>	<u>\$55.49</u>	<u>\$72.56</u>	Duodenal motility study
91030	_	_	\$104.90	\$34.87	\$70.03	Acid perfusion of
						esophagus
91034	_	_	<u>\$146.76</u>	<u>\$37.71</u>	<u>\$109.04</u>	Gastroesophageal reflux
						<u>test</u>
<u>91035</u>	_	_	<u>\$374.45</u>	<u>\$61.67</u>	\$312.78	G-esoph reflx tst
						w/electrod
91037	_	-	\$123.71	<u>\$37.40</u>	\$86.31	Esoph imped function
						<u>test</u>
<u>91038</u>	_	_	<u>\$351.71</u>	<u>\$42.29</u>	<u>\$309.42</u>	Esoph imped funct test >
						<u>1hr</u>
<u>91040</u>	_	=	<u>\$340.90</u>	<u>\$37.09</u>	<u>\$303.80</u>	Esoph balloon
						<u>distension tst</u>
<u>91065</u>	_	_	<u>\$61.00</u>	<u>\$7.52</u>	<u>\$53.48</u>	<u>Breath</u>
						<u>hydrogen/methane test</u>
<u>91110</u>	_	_	<u>\$686.88</u>	<u>\$140.60</u>	<u>\$546.27</u>	Gi tract capsule
						<u>endoscopy</u>
<u>91111</u>	_	_	<u>\$569.57</u>	<u>\$38.73</u>	<u>\$530.84</u>	Esophageal capsule
						endoscopy
<u>91112</u>	_	_	<u>\$847.88</u>	<u>\$81.02</u>	<u>\$766.86</u>	Gi wireless capsule
01117			0102.27			<u>measure</u>
<u>91117</u>	_	_	<u>\$102.27</u>	_	-	Colon motility
						(manometric) study,
						minimum 6 hours
						continuous recording
						(including provocation
						tests, eg, meal,
						intracolonic balloon distension,
						pharmacologic agents, if
						performed), with

91120	Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
91122							interpretation and report
91122							
91122							
91122							
91122							
Section Sect	<u>91120</u>	_	_	<u>\$332.82</u>	<u>\$36.87</u>	<u>\$295.95</u>	Rectal sensation test
91133	<u>91122</u>	_	_	<u>\$173.66</u>	<u>\$66.15</u>	<u>\$107.51</u>	Anal pressure record
91200 \$24.06 \$9.60 \$14.47 Liver elastography 91299 L.C. Gastroenterology procedure 92018 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete 92019 S53.13 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic	<u>91132</u>	_	_	<u>\$120.08</u>	\$20.30	<u>\$99.78</u>	Electrogastrography
91200 S24.06 \$9.60 \$14.47 Liver elastography 91299 L.C. Gastroenterology 92018 S107.95 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete 92019 S53.13 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic carried the store of	<u>91133</u>	_	_	\$133.99	\$25.51	<u>\$108.48</u>	Electrogastrography
92018 - I.C Gastroenterology procedure 92018 - Silo7.95 - Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete 92019 - Silo7.95 - Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							
92018 Silon Silon	<u>91200</u>	-	_	<u>\$24.06</u>	<u>\$9.60</u>	<u>\$14.47</u>	<u>Liver elastography</u>
92018 Signature Silvanor Sil	91299	_	_	<u>I.C.</u>	_	_	
examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete 92019 \$53.13 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic				±			
evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete 92019 - \$53.13 - Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic	<u>92018</u>	-	-	<u>\$107.95</u>	-	_	
general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete 92019							
92019 \$53.13 Or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							
92019 \$53.13 Of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							_
92019 Solution of the manipulation to facilitate diagnostic examination; complete Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							
92019 \$53.13 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							
92019 State of the state of th							
92019 \$53.13 Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							
examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							examination; complete
evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic	<u>92019</u>	_	_	<u>\$53.13</u>	_	_	<u>Ophthalmological</u>
general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							
or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic							
of globe for passive range of motion or other manipulation to facilitate diagnostic							
range of motion or other manipulation to facilitate diagnostic							
manipulation to facilitate diagnostic							_
<u>facilitate diagnostic</u>							
examination: limited							examination; limited
92020 \$20.01 \$15.52 _ Gonioscopy (separate	92020	\$20.01	\$15.52				
procedure)		<u>,</u>	<u>,</u>	_	_	_	
92025 <u>\$28.92</u> \$15.01 \$13.91 Corneal topography	92025	_	_	\$28.92	\$15.01	<u>\$13.91</u>	
92060 \$49.41 \$28.49 \$20.92 Special eye evaluation	———	_	_	<u>\$49.41</u>			
92065 \$40.94 \$13.28 \$27.66 Orthoptic/pleoptic		_	_				•
training		<u>-</u>					
92071 \$28.28 \$24.91 <u>Fitting of contact lens</u>	<u>92071</u>	<u>\$28.28</u>	<u>\$24.91</u>	_	_	_	_
for treatment of ocular							for treatment of ocular

<u>Code</u>	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						surface disease
92072	\$101.21	<u>\$76.23</u>	_	_	_	Fitting of contact lens
						for management of
						keratoconus, initial
						fitting
92081	_	-	<u>\$25.67</u>	<u>\$12.05</u>	<u>\$13.63</u>	Visual field
						examination(s)
92082	_	_	<u>\$36.65</u>	<u>\$16.01</u>	<u>\$20.64</u>	Visual field
						examination(s)
<u>92083</u>	_	_	<u>\$49.32</u>	<u>\$20.82</u>	<u>\$28.50</u>	Visual field
						examination(s)
<u>92100</u>	<u>\$61.40</u>	<u>\$25.19</u>	_	_	_	Serial tonometry
						(separate procedure)
						with multiple
						measurements of
						intraocular pressure over
						an extended time period
						with interpretation and
						report, same day (eg.
						diurnal curve or medical
						treatment of acute
						<u>elevation of intraocular</u>
02122			Φ2 6 20	01447	ф10.00	<u>pressure)</u>
<u>92132</u>	_	_	<u>\$26.39</u>	<u>\$14.17</u>	<u>\$12.22</u>	Cmptr ophth dx img ant
02122			Ф22.22	Φ 2 0, 02	¢10.50	segmt
<u>92133</u>	-	-	<u>\$33.32</u>	<u>\$20.82</u>	<u>\$12.50</u>	Cmptr ophth img optic
02124			\$24.16	Φ Ω1 Ω Ω	¢10.70	nerve
<u>92134</u>	-	-	<u>\$34.16</u>	<u>\$21.38</u>	<u>\$12.78</u>	Cptr ophth dx img post
02126			\$60.71	¢22.25	\$16.16	Segmt Only the large transfer of the segmt of the segmt of the segmt of the segment of the segme
92136	- 040.25	e10.72	<u>\$69.71</u>	<u>\$23.25</u>	<u>\$46.46</u>	Ophthalmic biometry
<u>92140</u>	<u>\$48.35</u>	<u>\$19.73</u>	-	-	_	Provocative tests for
						glaucoma, with
						interpretation and report,
02145			\$11.40	¢6 10	\$5.21	without tonography Corneal hysteresis deter
92145	- #20.27	- 015.70	<u>\$11.40</u>	<u>\$6.19</u>	<u>φυ.21</u>	•
92225	<u>\$20.27</u>	<u>\$15.78</u>	-	-	-	Ophthalmoscopy,
						extended, with retinal
						drawing (eg, for retinal
						detachment, melanoma),
						with interpretation and
[report; initial

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
92226	<u>\$18.71</u>	<u>\$14.22</u>	_	_	_	Ophthalmoscopy,
						extended, with retinal
						drawing (eg, for retinal
						detachment, melanoma),
						with interpretation and
						report; subsequent
<u>92227</u>	_	_	<u>\$11.38</u>	_	_	Remote imaging for
						detection of retinal
						disease (eg, retinopathy
						in a patient with
						diabetes) with analysis
						and report under
						physician supervision,
						unilateral or bilateral
92228	_	_	<u>\$26.06</u>	<u>\$15.52</u>	<u>\$10.54</u>	Remote retinal imaging
						<u>mgmt</u>
92230	<u>\$44.18</u>	<u>\$24.81</u>	_	_	_	Fluorescein angioscopy
						with interpretation and
:						<u>report</u>
<u>92235</u>	_	_	<u>\$84.48</u>	<u>\$35.21</u>	<u>\$49.27</u>	Eye exam with photos
92240	_	_	<u>\$198.70</u>	<u>\$47.84</u>	<u>\$150.86</u>	Icg angiography
<u>92250</u>	_	_	<u>\$60.97</u>	<u>\$17.88</u>	<u>\$43.09</u>	Eye exam with photos
92260	<u>\$13.98</u>	<u>\$8.08</u>	_	_	_	<u>Ophthalmodynamometr</u>
				\$24.0	***	<u>y</u>
<u>92265</u>	_	_	<u>\$60.09</u>	<u>\$31.87</u>	<u>\$28.22</u>	Eye muscle evaluation
<u>92270</u>	_	_	<u>\$69.91</u>	<u>\$30.47</u>	<u>\$39.44</u>	Electro-oculography
<u>92275</u>	_	_	<u>\$114.45</u>	<u>\$40.33</u>	<u>\$74.12</u>	Electroretinography
<u>92283</u>	_	_	<u>\$43.11</u>	<u>\$6.75</u>	<u>\$36.36</u>	Color vision
						<u>examination</u>
<u>92284</u>	_	_	<u>\$47.71</u>	<u>\$9.11</u>	<u>\$38.60</u>	Dark adaptation eye
						<u>exam</u>
<u>92285</u>	_	_	<u>\$15.90</u>	<u>\$2.28</u>	<u>\$13.63</u>	Eye photography
<u>92286</u>	_	_	<u>\$29.08</u>	<u>\$16.57</u>	<u>\$12.50</u>	<u>Internal eye</u>
						<u>photography</u>
<u>92287</u>	_	_	<u>\$105.96</u>	<u>\$34.93</u>	<u>\$71.03</u>	<u>Internal eye</u>
						<u>photography</u>
<u>92310</u>	<u>\$72.02</u>	<u>\$43.68</u>	_	_	_	<u>Prescription of optical</u>
						and physical
						characteristics of and
						fitting of contact lens,
						with medical

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						supervision of adaptation; corneal lens, both eyes, except for aphakia
92311	<u>\$76.83</u>	<u>\$41.19</u>	-	-	-	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens for aphakia, 1 eye
92312	\$88.45	<u>\$46.92</u>	-	-	-	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens for aphakia, both eyes
92313	\$73.98	\$34.97	-	-	-	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneoscleral lens
92314	<u>\$60.67</u>	<u>\$25.59</u>	-	-	-	Prescription of optical and physical characteristics of contact lens, with medical supervision of adaptation and direction of fitting by independent technician; corneal lens, both eyes except for aphakia

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
92315	\$56.18	\$16.04	_	_	_	Prescription of optical
						and physical
						characteristics of contact
						lens, with medical
						supervision of
						adaptation and direction
						of fitting by independent
						technician; corneal lens
00011	* * * * * * * * * *	**				for aphakia, 1 eye
<u>92316</u>	<u>\$70.48</u>	<u>\$24.18</u>	-	_	-	<u>Prescription of optical</u>
						and physical
						characteristics of contact
						lens, with medical
						supervision of
						adaptation and direction
						of fitting by independent technician; corneal lens
						for aphakia, both eyes
92317	\$58.70	\$16.32				Prescription of optical
<u> </u>	ψ36.70	<u>φ10.32</u>	-	-	-	and physical
						characteristics of contact
						lens, with medical
						supervision of
						adaptation and direction
						of fitting by independent
						technician; corneoscleral
						lens
92325	_	_	\$32.99	_	_	Modification of contact
	_	_		_		lens (separate
						procedure), with
						medical supervision of
						<u>adaptation</u>
<u>92326</u>	_	_	<u>\$27.66</u>	_	_	Replacement of contact
						<u>lens</u>
92352	<u>\$30.83</u>	<u>\$13.71</u>	-	_	_	Fitting of spectacle
						prosthesis for aphakia;
						monofocal
92353	<u>\$35.72</u>	<u>\$18.60</u>	-	_	_	Fitting of spectacle
						prosthesis for aphakia;
00071			440 5 :			<u>multifocal</u>
92354	_	_	<u>\$10.54</u>	_	-	Fitting of spectacle
						mounted low vision aid;

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						single element system
92355	_	_	\$16.43	_	_	Fitting of spectacle
	_	_		_	_	mounted low vision aid;
						telescopic or other
						compound lens system
92358	_	_	\$8.86	_	_	Prosthesis service for
						aphakia, temporary
						(disposable or loan,
						<u>including materials</u>)
<u>92371</u>	_	_	<u>\$9.14</u>	_	_	Repair and refitting
						spectacles; spectacle
						prosthesis for aphakia
<u>92499</u>	_	_	<u>I.C.</u>	_	_	Eye service or procedure
<u>92502</u>	_	_	<u>\$72.65</u>	_	_	Otolaryngologic
						examination under
						general anesthesia
<u>92504</u>	<u>\$23.29</u>	<u>\$7.01</u>	_	_	_	Binocular microscopy
						(separate diagnostic
						<u>procedure</u>)
<u>92507</u>	_	_	<u>\$58.76</u>	_	_	Treatment of speech,
						language, voice,
						communication, and/or
						auditory processing
0.0.00			*1= = 0			disorder; individual
<u>92508</u>	-	-	<u>\$17.59</u>	-	-	Treatment of speech,
						language, voice,
						communication, and/or
						auditory processing
						disorder; group, 2 or
02511	¢07.04	¢20.42				more individuals
<u>92511</u>	<u>\$87.24</u>	<u>\$29.43</u>	-	-	-	Nasopharyngoscopy with and assens
						with endoscope (separate procedure)
02512	\$16.12	\$21.16				(separate procedure) Nasal function studies
92512	<u>\$46.42</u>	<u>\$21.16</u>	=	-	-	Nasal function studies (eg, rhinomanometry)
92516	\$54.42	<u>\$17.09</u>				Facial nerve function
74310	<u>φυ4.44</u>	<u>Φ17.U9</u>	-	-	-	studies (eg,
						electroneuronography)
92520	\$57.46	\$30.52				Laryngeal function
<u>72320</u>	<u>ψυ / .40</u>	ψυυ.υΔ	-	-	-	studies (ie, aerodynamic
						testing and acoustic
	1	j .				woung and acoustic

Code	NFAC	FAC	Global	PC	<u>TC</u>	Description
						testing)
92521			\$82.54			Evaluation of speech
	_	-		_	_	fluency (eg, stuttering,
						cluttering)
92522			\$68.69			Evaluation of speech
	_	-	<u> </u>	_	_	sound production (eg,
						articulation,
						phonological process,
						apraxia, dysarthria);
92523	_	_	<u>\$144.51</u>	_	_	Evaluation of speech
	_	_		_	_	sound production (eg.
						articulation,
						phonological process,
						apraxia, dysarthria);
						with evaluation of
						language comprehension
						and expression (eg,
						receptive and expressive
						<u>language)</u>
<u>92524</u>	_	_	<u>\$66.44</u>	_	_	Behavioral and
						qualitative analysis of
						voice and resonance
<u>92526</u>	_	-	<u>\$64.28</u>	_	_	Treatment of
						swallowing dysfunction
						and/or oral function for
						feeding
<u>92531</u>	_	_	<u>I.C.</u>	_	-	Spontaneous nystagmus,
00.700			T. C.			including gaze
<u>92532</u>	-	-	<u>I.C.</u>	-	-	Positional nystagmus
00500			1.0			test C. I
<u>92533</u>	-	-	<u>I.C.</u>	-	-	Caloric vestibular test,
						each irrigation (binaural,
						bithermal stimulation
02524			IC			<u>constitutes 4 tests)</u>
<u>92534</u>	-	-	<u>I.C.</u>	-	_	Optokinetic nystagmus
02527			¢20.14	\$00 F0	\$6.61	Colorio vethla test vy/ace
92537	_	_	\$30.14	\$23.53	\$6.61	Caloric vstblr test w/rec
92538	_	_	\$15.29	\$11.77	\$3.52	Caloric vstblr test w/rec
<u>92540</u>	-	-	<u>\$76.11</u>	<u>\$58.83</u>	<u>\$17.27</u>	Basic vestibular
0.0.7.1.1			0.15.05	** ** **		evaluation
<u>92541</u>	_	-	<u>\$17.85</u>	<u>\$15.45</u>	<u>\$2.40</u>	Spontaneous nystagmus

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						<u>test</u>
92542	_	_	\$20.62	<u>\$18.50</u>	\$2.12	Positional nystagmus
						<u>test</u>
<u>92544</u>	_	_	<u>\$12.28</u>	<u>\$10.44</u>	<u>\$1.84</u>	Optokinetic nystagmus
						<u>test</u>
<u>92545</u>	_	_	<u>\$11.20</u>	<u>\$9.64</u>	<u>\$1.56</u>	Oscillating tracking test
<u>92546</u>	_	_	<u>\$80.58</u>	<u>\$10.95</u>	<u>\$69.63</u>	Sinusoidal rotational test
92547	_	_	<u>\$4.77</u>	_	_	Use of vertical
						electrodes (List
						separately in addition to
						code for primary
						<u>procedure)</u>
<u>92548</u>	_	_	<u>\$79.50</u>	<u>\$19.29</u>	<u>\$60.21</u>	<u>Posturography</u>
<u>92550</u>	_	_	<u>\$15.73</u>	_	_	Tympanometry and
						reflex threshold
						<u>measurements</u>
<u>92551</u>	_	_	<u>\$9.42</u>	_	_	Screening test, pure
						tone, air only
<u>92552</u>	_	_	<u>\$24.57</u>	_	_	Pure tone audiometry
i						(threshold); air only
<u>92553</u>	_	_	<u>\$29.34</u>	_	_	Pure tone audiometry
			* 10.10			(threshold); air and bone
<u>92555</u>	-	_	<u>\$18.40</u>	_	_	Speech audiometry
0077			Φ20.24			threshold;
<u>92556</u>	-	-	<u>\$29.34</u>	-	-	Speech audiometry
						threshold; with speech
00557	#27.00	Φ04.0F				recognition
<u>92557</u>	<u>\$27.90</u>	<u>\$24.25</u>	-	-	-	<u>Comprehensive</u>
						audiometry threshold
						evaluation and speech recognition (92553 and
						92556 combined)
92558			<u>I.C.</u>			Evoked otoacoustic
<u> </u>	-	-	<u>1.C.</u>	-	-	emissions, screening
						(qualitative
						measurement of
						distortion product or
						transient evoked
						otoacoustic emissions),
						automated analysis
92559			I.C.			Audiometric testing of
	_	_		_	_	groups

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
92560	_	-	<u>I.C.</u>	-	_	Bekesy audiometry;
						screening
<u>92561</u>	_	_	<u>\$29.78</u>	_	_	Bekesy audiometry;
						<u>diagnostic</u>
<u>92562</u>	_	_	<u>\$36.64</u>	_	_	Loudness balance test,
						alternate binaural or
						<u>monaural</u>
<u>92563</u>	_	_	<u>\$24.29</u>	_	_	Tone decay test
<u>92564</u>	_	_	<u>\$22.05</u>	_	_	Short increment
						sensitivity index (SISI)
<u>92565</u>	_	_	<u>\$12.50</u>	_	_	Stenger test, pure tone
<u>92567</u>	<u>\$10.89</u>	<u>\$8.08</u>	_	_	_	<u>Tympanometry</u>
						(impedance testing)
<u>92568</u>	<u>\$11.67</u>	<u>\$11.39</u>	_	_	_	Acoustic reflex testing,
						threshold
<u>92570</u>	<u>\$23.81</u>	<u>\$22.13</u>	_	_	_	Acoustic immittance
						testing, includes
						tympanometry
						(impedance testing),
						acoustic reflex threshold
						testing, and acoustic
						reflex decay testing
<u>92571</u>	_	_	<u>\$21.48</u>	_	_	<u>Filtered speech test</u>
<u>92572</u>	_	_	<u>\$28.22</u>	_	_	Staggered spondaic
						word test
<u>92575</u>	_	_	<u>\$57.00</u>	_	_	Sensorineural acuity
						<u>level test</u>
<u>92576</u>	-	_	<u>\$28.22</u>	_	-	Synthetic sentence
00555			#10.0 5			<u>identification test</u>
<u>92577</u>	_	_	<u>\$13.06</u>	_	_	Stenger test, speech
92579	<u>\$31.05</u>	<u>\$27.40</u>	-	_	_	<u>Visual reinforcement</u>
						audiometry (VRA)
<u>92582</u>	_	_	<u>\$53.35</u>	_	-	Conditioning play
0.000			*			audiometry
<u>92583</u>	_	-	<u>\$41.41</u>	_	-	Select picture
00504			ф г .г.о.4			audiometry
92584	_	_	<u>\$57.84</u>	_		Electrocochleography
<u>92585</u>	_	_	<u>\$105.76</u>	<u>\$19.85</u>	<u>\$85.90</u>	Auditor evoke potent
						<u>compre</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
<u>92586</u>	-	-	<u>\$67.38</u>	_	_	Auditory evoked
						potentials for evoked
						response audiometry
						and/or testing of the
						<u>central nervous system;</u>
00.505			* * * * * * * *		**	limited
<u>92587</u>	-	-	<u>\$16.01</u>	<u>\$13.61</u>	<u>\$2.40</u>	Evoked auditory test
0.0.00			** • • • • •	***	**	limited
<u>92588</u>	_	-	<u>\$24.50</u>	<u>\$21.54</u>	<u>\$2.96</u>	Evoked auditory tst
			***			complete
<u>92596</u>	_	_	<u>\$33.15</u>	_	_	Ear protector attenuation
						measurements
<u>92597</u>	_	_	<u>\$53.28</u>	_	_	Evaluation for use
						and/or fitting of voice
						prosthetic device to
	****	+				supplement oral speech
<u>92601</u>	<u>\$104.85</u>	<u>\$88.02</u>	-	_	_	Diagnostic analysis of
						cochlear implant, patient
						younger than 7 years of
i						age; with programming
<u>92602</u>	<u>\$66.93</u>	<u>\$50.94</u>	_	_	_	Diagnostic analysis of
						cochlear implant, patient
						younger than 7 years of
						age; subsequent
						reprogramming
<u>92603</u>	<u>\$113.34</u>	<u>\$90.60</u>	-	_	_	Diagnostic analysis of
						cochlear implant, age 7
						years or older; with
						programming
<u>92604</u>	<u>\$67.31</u>	<u>\$50.19</u>	-	_	_	Diagnostic analysis of
						cochlear implant, age 7
						years or older;
						subsequent .
00.50.5	\$50.25					reprogramming
<u>92605</u>	<u>\$68.26</u>	<u>\$65.17</u>	-	_	-	Evaluation for
						prescription of non-
						speech-generating
						augmentative and
						alternative
						communication device,
						face-to-face with the
						patient; first hour

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
<u>92606</u>	<u>\$61.51</u>	<u>\$52.25</u>	i	_	_	Therapeutic service(s)
						for the use of non-
						speech-generating
						device, including
						programming and
						<u>modification</u>
<u>92607</u>	_	_	<u>\$94.64</u>	_	_	Evaluation for
						prescription for speech-
						generating augmentative
						and alternative
						communication device,
						face-to-face with the
						patient; first hour
<u>92608</u>	_	_	<u>\$39.72</u>	_	_	Evaluation for
						prescription for speech-
						generating augmentative
						and alternative
						communication device,
						face-to-face with the
						patient; each additional
						30 minutes (List
						separately in addition to
						code for primary
						<u>procedure)</u>
<u>92609</u>	_	_	<u>\$83.25</u>	_	_	Therapeutic services for
						the use of speech-
						generating device,
						including programming
						and modification
<u>92610</u>	<u>\$63.69</u>	<u>\$53.87</u>	_	_	_	Evaluation of oral and
						pharyngeal swallowing
						<u>function</u>
<u>92611</u>	_	_	<u>\$64.62</u>	_	_	Motion fluoroscopic
						evaluation of
						swallowing function by
						cine or video recording
<u>92612</u>	<u>\$143.78</u>	<u>\$50.32</u>	_	_	_	<u>Flexible fiberoptic</u>
						endoscopic evaluation of
						swallowing by cine or
						video recording;

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
92613	-	-	\$28.09	-	-	Flexible fiberoptic endoscopic evaluation of swallowing by cine or video recording; interpretation and report only
92614	\$111.78	<u>\$50.04</u>	-	-	-	Flexible fiberoptic endoscopic evaluation, laryngeal sensory testing by cine or video recording;
92615	\$24.89	\$24.61	-	-	-	Flexible fiberoptic endoscopic evaluation, laryngeal sensory testing by cine or video recording; interpretation and report only
92616	<u>\$159.46</u>	<u>\$74.70</u>	-	-	-	Flexible fiberoptic endoscopic evaluation of swallowing and laryngeal sensory testing by cine or video recording;
92617	-	-	\$30.83	-	-	Flexible fiberoptic endoscopic evaluation of swallowing and laryngeal sensory testing by cine or video recording; interpretation and report only
92618	<u>\$24.84</u>	\$24.28	-	-	-	Evaluation for prescription of non-speech-generating augmentative and alternative communication device, face-to-face with the patient; each additional 30 minutes (List separately in addition to code for primary procedure)

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
<u>92620</u>	<u>\$70.22</u>	<u>\$61.23</u>	_	_	_	Evaluation of central
						auditory function, with
						report; initial 60 minutes
<u>92621</u>	<u>\$16.70</u>	<u>\$14.17</u>	_	-	_	Evaluation of central
						auditory function, with
						report; each additional
						15 minutes (List
						separately in addition to
						code for primary
02625	Φ50.10	Φ46.00				procedure)
<u>92625</u>	<u>\$52.12</u>	<u>\$46.22</u>	_	-	_	Assessment of tinnitus
						(includes pitch, loudness
02626	фсс 0.4	ΦΕ <i>C</i> ΕΕ				matching, and masking)
<u>92626</u>	<u>\$66.94</u>	<u>\$56.55</u>	-	-	-	Evaluation of auditory
						rehabilitation status; first
02627	¢1.C 7.4	¢12.20				hour Francisco of an diagram
<u>92627</u>	<u>\$16.74</u>	<u>\$13.38</u>	-	-	-	Evaluation of auditory
						rehabilitation status;
						each additional 15
						minutes (List separately
						in addition to code for
92630			IC			<u>primary procedure)</u> <u>Auditory rehabilitation;</u>
92030	_	-	<u>I.C.</u>	_	-	prelingual hearing loss
92633			<u>I.C.</u>			Auditory rehabilitation;
92033	-	-	<u>1.C.</u>	-	-	postlingual hearing loss
92640	\$84.61	\$71.14				Diagnostic analysis with
<u> </u>	φ04.01	<u>Ψ/1.1+</u>	-	=	-	programming of
						auditory brainstem
						implant, per hour
92700			I.C.			Unlisted
<u> 22700</u>	_	-	<u>1.C.</u>	_	_	otorhinolaryngological
						service or procedure
92920			\$391.51			Percutaneous
	_	-	4021101	_	_	transluminal coronary
						angioplasty; single
						major coronary artery or
						branch
92921			<u>I.C.</u>			Percutaneous
	_	_		_	_	transluminal coronary
						angioplasty; each
						additional branch of a
' <u> </u>				<u> </u>		

Code	<u>NFAC</u>	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						major coronary artery (List separately in addition to code for primary procedure)
92924	-	-	<u>\$464.99</u>	-	-	Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; single major coronary artery or branch
92925	_	-	I.C.	-	_	Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)
92928	-	-	\$434.51	-	-	Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch
92929	_	-	I.C.	_	-	Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
92933	_	_	\$486.02	_	_	Percutaneous
						transluminal coronary
						atherectomy, with
						intracoronary stent, with
						coronary angioplasty
						when performed; single
						major coronary artery or
						<u>branch</u>
<u>92934</u>	_	_	<u>I.C.</u>	_	_	<u>Percutaneous</u>
						transluminal coronary
						atherectomy, with
						intracoronary stent, with
						coronary angioplasty
						when performed; each
						additional branch of a
						major coronary artery
						(List separately in
						addition to code for
						<u>primary procedure</u>)
<u>92937</u>	_	_	<u>\$434.26</u>	_	_	<u>Percutaneous</u>
						<u>transluminal</u>
						revascularization of or
						through coronary artery
						bypass graft (internal
						mammary, free arterial,
						venous), any
						combination of
						intracoronary stent,
						atherectomy and
						angioplasty, including
						distal protection when
						performed; single vessel
<u>92938</u>	_	_	<u>I.C.</u>	_	_	<u>Percutaneous</u>
						<u>transluminal</u>
						revascularization of or
						through coronary artery
						bypass graft (internal
						mammary, free arterial,
						venous), any
						combination of
						intracoronary stent,
						atherectomy and

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						angioplasty, including
						distal protection when
						performed; each
						additional branch
						subtended by the bypass
						graft (List separately in
						addition to code for
						<u>primary procedure</u>)
<u>92941</u>	_	_	<u>\$486.97</u>	_	_	<u>Percutaneous</u>
						<u>transluminal</u>
						revascularization of
						acute total/subtotal
						occlusion during acute
						myocardial infarction,
						coronary artery or
						coronary artery bypass
						graft, any combination
						of intracoronary stent,
						atherectomy and angioplasty, including
						aspiration
						thrombectomy when
						performed, single vessel
92943			\$486.81			Percutaneous
	_	_	φ.ισσίσ1	_	_	transluminal
						revascularization of
						chronic total occlusion,
						coronary artery,
						coronary artery branch,
						or coronary artery
						bypass graft, any
						combination of
						intracoronary stent,
						atherectomy and
						angioplasty; single
						<u>vessel</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
92944	_	_	<u>I.C.</u>	_	_	Percutaneous
						<u>transluminal</u>
						revascularization of
						chronic total occlusion,
						coronary artery,
						coronary artery branch,
						or coronary artery
						bypass graft, any
						combination of
						intracoronary stent,
						atherectomy and
						angioplasty; each
						additional coronary
						artery, coronary artery
						branch, or bypass graft
						(List separately in
						addition to code for
						primary procedure)
92950	\$227.30	\$135.25				Cardiopulmonary
			_	_	_	resuscitation (eg, in
						cardiac arrest)
92953			\$8.17			Temporary
	_	_		_	_	transcutaneous pacing
92960	\$156.21	\$90.26				Cardioversion, elective,
	<u> </u>	<u> </u>	_	_	_	electrical conversion of
						arrhythmia; external
92961			\$188.05			Cardioversion, elective,
	_	_	,	_	_	electrical conversion of
						arrhythmia; internal
						(separate procedure)
92970			\$135.94			Cardioassist-method of
	_	_	<u>,</u>	_	_	circulatory assist;
						internal
92971			<u>\$72.74</u>			Cardioassist-method of
	_	_		_	_	circulatory assist;
						external
92973			\$127.08			Percutaneous
======	_	_	4127100	_	_	transluminal coronary
						thrombectomy
						mechanical (List
						separately in addition to
						code for primary
l <u>L</u>						code for primary

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						<u>procedure)</u>
<u>92974</u>	_	_	<u>\$116.02</u>	_	_	<u>Transcatheter placement</u>
						of radiation delivery
						device for subsequent
						coronary intravascular
						brachytherapy (List
						separately in addition to
						code for primary procedure)
02075			\$200.00			· -
<u>92975</u>	-	-	<u>\$280.08</u>	_	-	Thrombolysis, coronary; by intracoronary
						infusion, including
						selective coronary
						angiography
92977			\$47.48			Thrombolysis, coronary;
	_	_	<u> </u>	_	_	by intravenous infusion
92978				\$69.09		Intravasc us heart add-
	_	<u>-</u>	_	<u> </u>	_	<u>on</u>
92979	_	-	_	<u>\$55.13</u>	_	Intravasc us heart add-
						<u>on</u>
<u>92986</u>	1	-	<u>\$964.35</u>	_	_	Percutaneous balloon
						valvuloplasty; aortic
						<u>valve</u>
<u>92987</u>	_	_	<u>\$995.39</u>	_	_	Percutaneous balloon
						valvuloplasty; mitral
0.000			*			<u>valve</u>
<u>92990</u>	_	-	<u>\$786.04</u>	-	_	Percutaneous balloon
						valvuloplasty;
02002			IC			<u>pulmonary valve</u>
92992	-	-	<u>I.C.</u>	-	-	Atrial septectomy or
						septostomy; transvenous method, balloon (eg,
						Rashkind type) (includes
						cardiac catheterization)
92993			I.C.			Atrial septectomy or
	_	-	<u> </u>	_	_	septostomy; blade
						method (Park
						septostomy) (includes
						cardiac catheterization)

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
92997	_		\$470.15	_	_	Percutaneous
						transluminal pulmonary
						artery balloon
						angioplasty; single
						vessel
<u>92998</u>	_	_	<u>\$231.90</u>	_	_	Percutaneous
						transluminal pulmonary
						artery balloon
						angioplasty; each
						additional vessel (List
						separately in addition to
						code for primary
						<u>procedure</u>)
<u>93000</u>	_	_	<u>\$12.80</u>	_	_	Electrocardiogram,
						routine ECG with at
						least 12 leads; with
			-			interpretation and report
<u>93005</u>	_	_	<u>\$6.61</u>	_	_	Electrocardiogram,
						routine ECG with at
						least 12 leads; tracing
						only, without
						interpretation and report
93010	_	-	<u>\$6.19</u>	_	_	Electrocardiogram,
						routine ECG with at
						least 12 leads;
						interpretation and report
00015			4.55 00			only
<u>93015</u>	-	-	<u>\$57.99</u>	_	-	<u>Cardiovascular stress</u>
						test using maximal or
						submaximal treadmill or
						bicycle exercise,
						continuous
						<u>electrocardiographic</u>
						monitoring, and/or
						pharmacological stress;
						with supervision,
02016			¢16.20			interpretation and report
<u>93016</u>	-	-	<u>\$16.32</u>	-	-	Cardiovascular stress
						test using maximal or
						submaximal treadmill or
						bicycle exercise,
I						continuous

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						<u>electrocardiographic</u>
						monitoring, and/or
						pharmacological stress;
						supervision only,
						without interpretation
						and report
93017	_	_	<u>\$31.03</u>	_	-	<u>Cardiovascular stress</u>
						test using maximal or
						submaximal treadmill or
						bicycle exercise,
						continuous
						<u>electrocardiographic</u>
						monitoring, and/or
						pharmacological stress;
						tracing only, without
02019			\$10.64			interpretation and report
93018	-	-	<u>\$10.64</u>	-	-	Cardiovascular stress
						test using maximal or submaximal treadmill or
						bicycle exercise,
						continuous
						<u>electrocardiographic</u>
						monitoring, and/or
						pharmacological stress;
						interpretation and report
						only
93024			\$85.06	\$42.09	\$42.97	Cardiac drug stress test
93025	_		\$123.94	\$26.97	\$96.98	Microvolt t-wave assess
93040	_		\$9.48			Rhythm ECG, 1-3 leads;
	_	_		_	_	with interpretation and
						report
93041	_	_	<u>\$4.36</u>	_	_	Rhythm ECG, 1-3 leads;
	-	_		_	_	tracing only without
						interpretation and report
93042	_	_	<u>\$5.12</u>	_	_	Rhythm ECG, 1-3 leads;
						interpretation and report
						<u>only</u>
93050	_	_	<u>\$13.08</u>	<u>\$6.19</u>	<u>\$6.89</u>	Art pressure waveform
						<u>analys</u>

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
93224	_	_	<u>\$70.35</u>	_	_	External
						<u>electrocardiographic</u>
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						includes recording,
						scanning analysis with
						report, review and
						interpretation by a
						physician or other
						qualified health care
						professional
<u>93225</u>	_	_	<u>\$20.92</u>	_	_	<u>External</u>
						electrocardiographic
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						recording (includes
						connection, recording,
i						and disconnection)
<u>93226</u>	_	_	<u>\$29.90</u>	_	_	External
						electrocardiographic
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						scanning analysis with
			* 10.74			report
93227	_	-	<u>\$19.52</u>	-	_	External
						<u>electrocardiographic</u>
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						review and
						interpretation by a
						physician or other
						qualified health care
						professional

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
93228	_	1	<u>\$19.11</u>	ı	_	External mobile
						<u>cardiovascular telemetry</u>
						<u>with</u>
						<u>electrocardiographic</u>
						recording, concurrent
						computerized real time
						data analysis and greater
						than 24 hours of
						accessible ECG data
						storage (retrievable with
						query) with ECG
						triggered and patient
						selected events
						transmitted to a remote
						attended surveillance
						center for up to 30 days;
						review and
						interpretation with
						report by a physician or
						other qualified health
						<u>care professional</u>
93229	_	_	<u>\$574.55</u>	_	_	External mobile
						<u>cardiovascular telemetry</u>
						with
						electrocardiographic
						recording, concurrent
						computerized real time
						data analysis and greater
						than 24 hours of
						accessible ECG data
						storage (retrievable with
						query) with ECG
						triggered and patient
						selected events
						transmitted to a remote
						attended surveillance
						center for up to 30 days;
						technical support for
						connection and patient
						instructions for use,
						attended surveillance,
						analysis and

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional
93260	-	-	<u>\$50.45</u>	\$33.18	\$17.27	Prgrmg dev eval impltbl sys
93261	_	_	\$45.80	<u>\$28.52</u>	\$17.27	Interrogate subq defib
93268	-	-	\$160.71	-	-	External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; includes transmission, review and interpretation by a physician or other qualified health care professional
93270	-	-	<u>\$7.17</u>	-	-	External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						remote download capability up to 30 days, 24-hour attended monitoring; recording (includes connection, recording, and disconnection)
93271	-	-	<u>\$134.86</u>	-	-	External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; transmission and analysis
93272	-		<u>\$18.68</u>	-	1	External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; review and interpretation by a physician or other qualified health care professional
93278	_	_	<u>\$22.99</u>	<u>\$9.08</u>	<u>\$13.91</u>	Ecg/signal-averaged
93279	-	-	\$37.32	\$23.69	\$13.63	Pm device progr eval sngl
93280	-	-	<u>\$43.63</u>	\$28.32	<u>\$15.31</u>	Pm device progr eval dual

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
93281	_	_	\$51.17	\$33.06	\$18.12	Pm device progr eval
						<u>multi</u>
93282	_	_	<u>\$47.08</u>	<u>\$31.21</u>	<u>\$15.87</u>	Prgrmg eval implantable
						<u>dfb</u>
93283	_	_	<u>\$61.10</u>	<u>\$42.42</u>	<u>\$18.68</u>	Prgrmg eval implantable
						<u>dfb</u>
<u>93284</u>	_	_	<u>\$67.46</u>	<u>\$46.26</u>	<u>\$21.20</u>	Prgrmg eval implantable
						<u>dfb</u>
<u>93285</u>	_	_	<u>\$31.74</u>	<u>\$19.24</u>	<u>\$12.50</u>	<u>Ilr device eval progr</u>
<u>93286</u>	_	_	<u>\$20.62</u>	<u>\$11.21</u>	<u>\$9.42</u>	Peri-px pacemaker
						device evl
<u>93287</u>	_	_	<u>\$27.14</u>	<u>\$16.89</u>	<u>\$10.26</u>	Peri-px device eval &
						prgr
<u>93288</u>	_	_	<u>\$27.75</u>	<u>\$15.53</u>	<u>\$12.22</u>	Pm device eval in
						<u>person</u>
<u>93289</u>	_	_	<u>\$48.88</u>	<u>\$33.57</u>	<u>\$15.31</u>	Interrog device eval
						<u>heart</u>
<u>93290</u>	_	_	<u>\$23.26</u>	<u>\$15.81</u>	<u>\$7.45</u>	<u>Icm device eval</u>
<u>93291</u>	_	_	<u>\$27.19</u>	<u>\$15.81</u>	<u>\$11.38</u>	<u>Ilr device interrogate</u>
<u>93292</u>	_	_	<u>\$24.39</u>	<u>\$15.81</u>	<u>\$8.57</u>	Wcd device interrogate
<u>93293</u>	_	_	<u>\$41.06</u>	<u>\$11.44</u>	<u>\$29.62</u>	Pm phone r-strip device
						<u>eval</u>
<u>93294</u>	_	_	<u>\$24.84</u>	_	_	Interrogation device
						evaluation(s) (remote),
						up to 90 days; single,
						dual, or multiple lead
						pacemaker system with
						interim analysis,
						review(s) and report(s)
						by a physician or other
						<u>qualified health care</u>
02205			Φ40 21			<u>professional</u>
93295	-	_	<u>\$49.31</u>	-	_	Interrogation device
						evaluation(s) (remote),
						up to 90 days; single,
						dual, or multiple lead implantable defibrillator
						system with interim
						analysis, review(s) and
						report(s) by a physician
						or other qualified health
						care professional
			1			care professional

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
93296	_	ı	\$20.36	_	_	Interrogation device
						evaluation(s) (remote),
						up to 90 days; single,
						dual, or multiple lead
						pacemaker system or
						implantable defibrillator
						system, remote data
						acquisition(s), receipt of
						transmissions and
						technician review,
						technical support and
						<u>distribution of results</u>
<u>93297</u>	_	_	<u>\$19.40</u>	_	_	<u>Interrogation device</u>
						evaluation(s), (remote)
						up to 30 days;
						<u>implantable</u>
						cardiovascular monitor
						system, including
						analysis of 1 or more
						recorded physiologic
						cardiovascular data
						elements from all
						internal and external
						sensors, analysis,
						review(s) and report(s)
						by a physician or other
						qualified health care
						professional
<u>93298</u>	_	_	<u>\$19.40</u>	_	_	<u>Interrogation device</u>
						evaluation(s), (remote)
						up to 30 days;
						implantable loop
						recorder system,
						including analysis of
						recorded heart rhythm
						data, analysis, review(s)
						and report(s) by a
						physician or other
						qualified health care
						professional

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
93299	_	_	<u>I.C.</u>	_	_	<u>Interrogation device</u>
						evaluation(s), (remote)
						up to 30 days;
						implantable
						cardiovascular monitor
						system or implantable
						loop recorder system,
						remote data
						acquisition(s), receipt of
						transmissions and
						technician review, technical support and
						distribution of results
93303			\$184.80	\$46.98	\$137.82	Echo transthoracic
:	_	_				Echo transthoracic
93304	_	_	\$121.14	\$26.97	\$94.17	
93306	_	_	\$176.38	\$46.70	\$129.68	Tte w/doppler complete
93307	-	-	<u>\$100.51</u>	\$33.29	<u>\$67.23</u>	Tte w/o doppler
02200			ф0 7 11	Φ10.02	ф 7 0.1 7	<u>complete</u>
93308	_	_	<u>\$97.11</u>	\$18.93	\$78.17	Tte f-up or lmtd
93312	_	_	<u>\$234.58</u>	<u>\$89.03</u>	<u>\$145.56</u>	Echo transesophageal
93313	_	_	<u>\$16.21</u>	_	_	Echocardiography,
						transesophageal, real-
						time with image
						documentation (2D)
						(with or without M-
						mode recording); placement of
						transesophageal probe
						only
93314			\$229.91	\$75.38	\$154.54	Echo transesophageal
: <u> </u>	-	-	Ψ227.71	\$103.97	<u>φ154.54</u>	
93315	-	_	- -	<u>φ103.97</u>	_	Echo transesophageal
93316	-	-	<u>\$27.63</u>	-	-	Transesophageal
						echocardiography for
						congenital cardiac anomalies; placement of
						transesophageal probe
						only
93317				\$76.55		Echo transesophageal
93317	_	-	_	\$84.87	_	Echo transesophageal
75510	-	-	-	φο4.07	-	intraop
93320			\$41.88	\$13.53	\$28.34	Doppler echo exam
<u> 33320</u>	_	_	φ41.00	$\frac{\varphi_1 \Im . \Im \Im}{}$	φ20.34	Dopplet echo exam

Code	NFAC	FAC	Global	PC	TC	Description
						heart
93321	_	_	\$21.12	<u>\$5.40</u>	<u>\$15.72</u>	Doppler echo exam
						<u>heart</u>
<u>93325</u>	_	_	<u>\$20.03</u>	<u>\$2.35</u>	<u>\$17.68</u>	Doppler color flow add-
						<u>on</u>
<u>93350</u>	_	_	<u>\$186.37</u>	<u>\$52.48</u>	<u>\$133.89</u>	Stress tte only
<u>93351</u>	_	_	<u>\$209.26</u>	<u>\$62.59</u>	<u>\$146.68</u>	Stress tte complete
93352	_	_	<u>\$26.22</u>	_	_	<u>Use of</u>
						<u>echocardiographic</u>
						contrast agent during
						stress echocardiography
						(List separately in
						addition to code for
93355			\$165.00			<u>primary procedure)</u> <u>Echocardiography,</u>
<u> 93333</u>	-	_	\$105.00	-	_	transesophageal (TEE)
						for guidance of a
						transcatheter
						intracardiac or great
						vessel(s) structural
						intervention(s)
						(eg,TAVR,
						transcathether
						<u>pulmonary valve</u>
						replacement, mitral
						valve repair,
						paravalvular
						regurgitation repair, left
						atrial appendage
						occlusion/closure, ventricular septal defect
						closure) (peri-and intra-
						procedural), real-time
						image acquisition and
						documentation,
						guidance with
						quantitative
						measurements, probe
						manipulation,
						interpretation, and
						report, including
						diagnostic

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						transesophageal
						echocardiography and,
						when performed,
						administration of
						ultrasound contrast,
						Doppler, color flow, and 3D
1						<u>3D</u>
93451	_	1	<u>\$609.73</u>	\$103.83	\$505.89	Right heart cath
93452	_	I	<u>\$679.00</u>	<u>\$181.65</u>	<u>\$497.35</u>	Left hrt cath
						w/ventrclgrphy
<u>93453</u>	-	-	<u>\$874.85</u>	<u>\$239.55</u>	<u>\$635.30</u>	R&l hrt cath
<u> </u>						w/ventriclgrphy
93454	_	_	<u>\$688.81</u>	<u>\$183.60</u>	<u>\$505.21</u>	Coronary artery angio
00.155			4004.00	001011	4.700.04	<u>s&i</u>
93455	-	_	<u>\$801.99</u>	<u>\$212.16</u>	<u>\$589.83</u>	Coronary art/grft angio
02456			ΦΩ <2 41	Φ025.54	ф. СО С 00	<u>s&i</u>
<u>93456</u>	-	_	<u>\$862.41</u>	<u>\$235.54</u>	<u>\$626.88</u>	R hrt coronary artery
02457			\$075.06	\$262.00	\$711.07	angio D. bet out/out angio
93457	_	_	\$975.06	\$263.99 \$224.27	\$711.07 \$601.62	R hrt art/grft angio
93458	-	-	\$825.89	<u>\$224.27</u>	<u>\$601.62</u>	L hrt artery/ventricle
93459			\$911.97	\$252.82	<u>\$659.15</u>	angio L hrt art/grft angio
93460	_	-	\$977.01	\$281.66	\$695.35	R&l hrt art/ventricle
75700	-	-	Ψ///.01	Ψ201.00	<u>ψυνυίου</u>	angio
93461			\$1,118.69	\$310.65	\$808.04	R&l hrt art/ventricle
 	_	_	<u>#1,110.07</u>	4210.02	<u> </u>	angio
93462			\$150.42			Left heart
	_	_		_	_	catheterization by
						transseptal puncture
						through intact septum or
						by transapical puncture
						(List separately in

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						addition to code for
						<u>primary procedure</u>)
93463	_	_	\$72.32	_	_	Pharmacologic agent
						administration (eg,
						inhaled nitric oxide,
						intravenous infusion of
						<u>nitroprusside</u> ,
						dobutamine, milrinone,
						or other agent) including
						assessing hemodynamic
						measurements before,
						during, after and repeat
						pharmacologic agent administration, when
						performed (List
						separately in addition to
						code for primary
						procedure)
93464			\$212.23	\$64.30	\$147.93	Exercise
	_	_	,	4000	4 - 1112	w/hemodynamic meas
93503	_	_	\$93.56	_	_	Insertion and placement
	_	_		_	_	of flow directed catheter
						(eg, Swan-Ganz) for
						monitoring purposes
<u>93505</u>	_	ı	<u>\$585.58</u>	<u>\$167.24</u>	<u>\$418.33</u>	Biopsy of heart lining
<u>93530</u>	_	_	_	<u>\$159.64</u>	_	Rt heart cath congenital
<u>93531</u>	_	_	_	\$313.01	_	R & I heart cath
						<u>congenital</u>
<u>93532</u>	_	_	_	<u>\$382.85</u>	_	R & 1 heart cath
						<u>congenital</u>
93533	_	_	_	<u>\$255.59</u>	_	R & 1 heart cath
				*		<u>congenital</u>
<u>93561</u>	_	-	_	<u>\$18.63</u>	-	Cardiac output
007.55				A = - :		<u>measurement</u>
<u>93562</u>	_	-	_	<u>\$5.94</u>	-	Card output measure
						<u>subsq</u>

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
93563	_	_	<u>\$42.35</u>	_	_	Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and
						report; for selective
						coronary angiography
						during congenital heart
						catheterization (List
						separately in addition to
						code for primary
						<u>procedure)</u>
93564	_	_	<u>\$43.92</u>	_	_	Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and
						report; for selective
						opacification of
						aortocoronary venous or
						arterial bypass graft(s)
						(eg, aortocoronary
						saphenous vein, free
						radial artery, or free
						mammary artery graft)
						to one or more coronary
						arteries and in situ
						arterial conduits (eg,
						internal mammary),
						whether native or used
						for bypass to one or
						more coronary arteries
						during congenital heart
						catheterization, when
						performed (List
						separately in addition to
						code for primary
						<u>procedure)</u>

<u>Code</u>	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
93565	_	_	\$33.08	_	_	Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and
						report; for selective left
						ventricular or left atrial
						angiography (List
						separately in addition to
						code for primary
						<u>procedure)</u>
<u>93566</u>	<u>\$131.90</u>	\$33.11	-	_	_	<u>Injection procedure</u>
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and
						report; for selective right
						ventricular or right atrial
						angiography (List
						separately in addition to
						code for primary
02567	\$107.40	\$37.52				procedure)
93567	<u>\$107.40</u>	<u>\$31.32</u>	-	-	-	Injection procedure during cardiac
						catheterization including
						imaging supervision,
						interpretation, and
						report; for supravalvular
						aortography (List
						separately in addition to
						code for primary
						procedure)
93568	\$117.82	\$33.91				Injection procedure
			_	_	_	during cardiac
						catheterization including
						imaging supervision,
						interpretation, and
						report; for pulmonary
						angiography (List
						separately in addition to
						code for primary
						<u>procedure)</u>

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
93571	_	-	_	\$68.81	1	Heart flow reserve
						<u>measure</u>
<u>93572</u>	_	_	_	<u>\$55.13</u>	_	<u>Heart flow reserve</u>
						<u>measure</u>
<u>93580</u>	_	_	<u>\$703.41</u>	_	_	Percutaneous
						transcatheter closure of
						congenital interatrial
						communication (ie,
						Fontan fenestration,
						atrial septal defect) with
02501			Φ077 10			implant
93581	_	-	<u>\$955.18</u>	-	_	<u>Percutaneous</u>
						transcatheter closure of
						a congenital ventricular septal defect with
						implant
93582			\$479.84			Percutaneous Percutaneous
<u> </u>	-	-	<u>\$477.64</u>	-	-	transcatheter closure of
						patent ductus arteriosus
93583			\$542.61			Percutaneous
30000	_	=	φε :2:01	-	_	transcatheter septal
						reduction therapy (eg,
						alcohol septal ablation)
						including temporary
						pacemaker insertion
						when performed
<u>93600</u>	-	-	_	<u>\$85.39</u>	-	Bundle of his recording
<u>93602</u>	_	_	_	<u>\$83.55</u>	_	Intra-atrial recording
93603	_	_	_	<u>\$83.55</u>	_	Right ventricular
						recording
93609	_	_	_	<u>\$199.89</u>	_	Map tachycardia add-on
93610	_	-	_	<u>\$118.65</u>	_	Intra-atrial pacing
93612	_	_	_	\$117.66	_	Intraventricular pacing
93613	_	-	\$286.12		_	Intracardiac
	_	_		_	_	electrophysiologic 3-
						dimensional mapping
						(List separately in
						addition to code for
						primary procedure)
<u>93615</u>	_		_	<u>\$38.88</u>	_	Esophageal recording
<u>93616</u>	_	_	_	<u>\$46.82</u>	_	Esophageal recording

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
<u>93618</u>	_	-	_	<u>\$170.75</u>	-	Heart rhythm pacing
93619	_	-	_	<u>\$291.30</u>	-	Electrophysiology
						evaluation
<u>93620</u>	_	_	_	<u>\$462.30</u>	_	Electrophysiology
						evaluation
<u>93621</u>	_	_	_	<u>\$84.31</u>	_	Electrophysiology
00.600				ф122.12		evaluation
93622	-	-	_	<u>\$123.13</u>	_	Electrophysiology
02622				Φ114.77		evaluation
93623	_	_	_	\$114.55	-	Stimulation pacing heart
<u>93624</u>	_	-	_	<u>\$188.94</u>	_	Electrophysiologic study
<u>93631</u>	_	ı	_	<u>\$285.15</u>	-	Heart pacing mapping
<u>93640</u>	_	_	_	<u>\$138.40</u>	_	Evaluation heart device
<u>93641</u>	_	-	_	<u>\$235.63</u>	-	Electrophysiology
						<u>evaluation</u>
<u>93642</u>	_	_	<u>\$315.68</u>	<u>\$195.51</u>	<u>\$120.17</u>	Electrophysiology
						<u>evaluation</u>
<u>93644</u>	_	_	<u>\$211.56</u>	<u>\$128.46</u>	<u>\$83.10</u>	Electrophysiology
						<u>evaluation</u>
<u>93650</u>	_	_	<u>\$434.92</u>	_	_	Intracardiac catheter
						<u>ablation of</u>
						atrioventricular node
						function, atrioventricular
						conduction for creation
						of complete heart block,
						with or without
						temporary pacemaker
						<u>placement</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
93653	_	_	<u>\$610.51</u>	1	_	Comprehensive
						<u>electrophysiologic</u>
						evaluation including
						insertion and
						repositioning of multiple
						electrode catheters with
						induction or attempted
						induction of an
						arrhythmia with right
						atrial pacing and
						recording, right
						ventricular pacing and
						recording (when
						necessary), and His
						bundle recording (when
						necessary) with
						intracardiac catheter
						ablation of
						arrhythmogenic focus;
						with treatment of
						supraventricular
						tachycardia by ablation
						of fast or slow
						atrioventricular
						pathway, accessory
						atrioventricular
						connection, cavo-
						tricuspid isthmus or
						other single atrial focus
						or source of atrial re-
						<u>entry</u>

Code	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
93654	_	1	<u>\$813.13</u>	ı	_	Comprehensive
						electrophysiologic
						evaluation including
						insertion and
						repositioning of multiple
						electrode catheters with
						induction or attempted
						induction of an
						arrhythmia with right
						atrial pacing and
						recording, right
						ventricular pacing and
						recording (when
						necessary), and His
						bundle recording (when
						necessary) with
						intracardiac catheter
						ablation of
						arrhythmogenic focus;
						with treatment of
						ventricular tachycardia
						or focus of ventricular
						ectopy including
						<u>intracardiac</u>
						electrophysiologic 3D
						mapping, when
						performed, and left
						ventricular pacing and
						recording, when
						<u>performed</u>
<u>93655</u>	_	_	<u>\$305.25</u>	_	_	Intracardiac catheter
						ablation of a discrete
						mechanism of
						arrhythmia which is
						distinct from the
						primary ablated
						mechanism, including
						repeat diagnostic
						maneuvers, to treat a
						spontaneous or induced
						arrhythmia (List
						separately in addition to

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						code for primary
						<u>procedure</u>)
93656			\$813.65			Comprehensive
<u> </u>	-	-	φοτσ.σσ	_	-	electrophysiologic
						evaluation including
						transseptal
						catheterizations,
						insertion and
						repositioning of multiple
						electrode catheters with
						induction or attempted
						induction of an
						arrhythmia including left
						or right atrial
						pacing/recording when
						necessary, right
						ventricular
						pacing/recording when
						necessary, and His
						bundle recording when
						necessary with
						intracardiac catheter
						ablation of atrial
						<u>fibrillation by</u>
						pulmonary vein isolation
93657	_	_	\$305.13	_	_	Additional linear or
						<u>focal intracardiac</u>
						<u>catheter ablation of the</u>
						<u>left or right atrium for</u>
						treatment of atrial
						fibrillation remaining
						after completion of
						<u>pulmonary vein isolation</u>
						(List separately in
						addition to code for
02660			ф140.40	Φ.CO. 44	#40.00	primary procedure)
<u>93660</u>	_	_	<u>\$119.40</u>	<u>\$69.41</u>	<u>\$49.98</u>	Tilt table evaluation

Code	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>93662</u>	_	_	_	<u>\$105.53</u>	_	Intracardiac ecg (ice)
93668	_	_	\$15.03	_	_	Peripheral arterial
						disease (PAD)
						rehabilitation, per
						<u>session</u>
<u>93701</u>	_	_	<u>\$18.96</u>	_	_	Bioimpedance-derived
						physiologic
						cardiovascular analysis
<u>93702</u>	_	_	<u>\$85.47</u>	_	_	<u>Bioimpedance</u>
						spectroscopy (BIS),
						extracellular fluid
						analysis for
						<u>lymphedema</u>
						assessment(s)
<u>93724</u>	-	-	<u>\$200.61</u>	<u>\$178.56</u>	<u>\$22.05</u>	Analyze pacemaker
0.07.10			* * * * * * * * * * * * * * * * * * *			<u>system</u>
93740	-	-	<u>\$5.94</u>	_	-	Temperature gradient
0.07.1.7			- ~			studies
<u>93745</u>	-	-	<u>I.C.</u>	_	-	Set-up cardiovert-
00550	* * * * * * * * * *	\$22.72				<u>defibrill</u>
<u>93750</u>	<u>\$40.83</u>	<u>\$33.53</u>	-	_	_	Interrogation of
						ventricular assist device
						(VAD), in person, with
						physician or other
						qualified health care
						professional analysis of
						device parameters (eg, drivelines, alarms,
						power surges), review of
						device function (eg,
						flow and volume status,
						septum status, recovery),
						with programming, if
						performed, and report
93770			\$5.94			Determination of venous
23110	-	-	<u>ψυ.ντ</u>	-	-	pressure
93784			\$41.35			Ambulatory blood
	-	-	Ψ11.00	-	-	pressure monitoring,
						utilizing a system such
						as magnetic tape and/or
						computer disk, for 24
						hours or longer;
l [mosile of forgot,

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						including recording, scanning analysis,
						interpretation and report
93786	-	-	<u>\$23.45</u>	-	-	Ambulatory blood pressure monitoring,
						utilizing a system such
						as magnetic tape and/or computer disk, for 24
						hours or longer;
93788			\$4.0 <u>8</u>			recording only Ambulatory blood
<u> </u>	-	_	<u>ψ4.00</u>	_	-	pressure monitoring,
						utilizing a system such as magnetic tape and/or
						computer disk, for 24
						hours or longer; scanning analysis with
0.2700			Ф12.02			<u>report</u>
93790	-	-	<u>\$13.82</u>	-	-	Ambulatory blood pressure monitoring,
						utilizing a system such
						as magnetic tape and/or computer disk, for 24
						hours or longer; review with interpretation and
						<u>report</u>
93797	\$12.34	<u>\$6.45</u>	-	-	_	Physician or other qualified health care
						professional services for
						outpatient cardiac rehabilitation; without
						continuous ECG
93798	\$18.99	\$10.29	_	_	_	monitoring (per session) Physician or other
			_	_	_	qualified health care
						professional services for outpatient cardiac
						rehabilitation; with continuous ECG
						monitoring (per session)

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
93799		_	I.C.	_	_	Cardiovascular
						<u>procedure</u>
<u>93880</u>	_	_	<u>\$149.01</u>	<u>\$29.15</u>	<u>\$119.86</u>	Extracranial bilat study
<u>93882</u>	_	_	<u>\$101.04</u>	<u>\$18.10</u>	<u>\$82.94</u>	Extracranial uni/ltd
						study
<u>93886</u>	_	_	<u>\$154.48</u>	<u>\$34.77</u>	<u>\$119.71</u>	Intracranial complete
02000			Φ11C 01	Φ10.7C	Φ0 7.0 6	study
93888	-	-	<u>\$116.01</u>	<u>\$18.76</u>	<u>\$97.26</u>	Intracranial limited
93890			\$158.03	\$38.05	\$119.99	study Tcd vasoreactivity study
93892	_	_	\$116.63	\$44.63	\$72.00	Tcd emboli detect w/o
<u> </u>	-	_	φ110.03	ψ44.03	<u>Ψ12.00</u>	ini
93893			\$115.88	\$43.88	\$72.00	Tcd emboli detect w/inj
93895	_	_	I.C.	4	4	Carotid intima atheroma
	_	_		_	_	eval
93922	_	_	\$69.89	<u>\$9.11</u>	\$60.77	Upr/l xtremity art 2
						<u>levels</u>
<u>93923</u>	_	_	<u>\$108.59</u>	<u>\$16.23</u>	<u>\$92.36</u>	<u>Upr/lxtr art stdy 3+ lvls</u>
<u>93924</u>	_	_	<u>\$136.53</u>	<u>\$18.07</u>	<u>\$118.46</u>	Lwr xtr vasc stdy bilat
93925	_	_	<u>\$148.42</u>	<u>\$28.72</u>	<u>\$119.71</u>	Lower extremity study
<u>93926</u>	_	_	<u>\$120.25</u>	<u>\$17.51</u>	<u>\$102.74</u>	<u>Lower extremity study</u>
<u>93930</u>	_	_	<u>\$148.89</u>	<u>\$29.03</u>	<u>\$119.86</u>	<u>Upper extremity study</u>
<u>93931</u>	_	_	<u>\$101.30</u>	<u>\$18.07</u>	<u>\$83.22</u>	<u>Upper extremity study</u>
<u>93965</u>	_	_	<u>\$94.34</u>	<u>\$12.80</u>	<u>\$81.54</u>	Extremity study
<u>93970</u>	_	_	<u>\$145.17</u>	<u>\$25.31</u>	<u>\$119.86</u>	Extremity study
<u>93971</u>	_	_	<u>\$94.53</u>	<u>\$16.35</u>	<u>\$78.17</u>	Extremity study
<u>93975</u>	_	_	<u>\$161.91</u>	<u>\$42.20</u>	<u>\$119.71</u>	Vascular study
<u>93976</u>	_	_	<u>\$127.50</u>	<u>\$29.40</u>	<u>\$98.10</u>	Vascular study
<u>93978</u>	_	_	<u>\$148.76</u>	<u>\$28.90</u>	<u>\$119.86</u>	Vascular study
93979	_	_	<u>\$93.87</u>	<u>\$17.95</u>	<u>\$75.93</u>	Vascular study
93980	_	_	<u>\$92.16</u>	<u>\$45.14</u>	<u>\$47.02</u>	Penile vascular study
93981	_	_	<u>\$56.54</u>	<u>\$15.97</u>	<u>\$40.57</u>	Penile vascular study
93982	_	_	\$33.00	_	_	Noninvasive physiologic
						study of implanted
						wireless pressure sensor
						<u>in aneurysmal sac</u>
						following endovascular
						repair, complete study
						including recording, analysis of pressure and
	<u> </u>					anarysis or pressure allu

PC Description
waveform tracings,
<u>interpretation and report</u>
7.70 \$71.72 Doppler flow testing
_ <u>Unlisted noninvasive</u>
vascular diagnostic
<u>study</u>
<u>Ventilation assist and</u>
management, initiation
of pressure or volume
preset ventilators for
assisted or controlled
breathing; hospital
inpatient/observation,
<u>initial day</u>
<u>Ventilation assist and</u>
management, initiation
of pressure or volume
preset ventilators for
assisted or controlled
breathing; hospital
inpatient/observation,
each subsequent day
_ <u>Ventilation assist and</u>
management, initiation
of pressure or volume
preset ventilators for
assisted or controlled
breathing; nursing facility, per day
_ Home ventilator
management care plan
oversight of a patient
(patient not present) in
home, domiciliary or
rest home (eg, assisted
living) requiring review
of status, review of
laboratories and other
studies and revision of

Code	NFAC	<u>FAC</u>	Global	PC PC	<u>TC</u>	Description
						orders and respiratory
						care plan (as
						appropriate), within a
						calendar month, 30
						minutes or more
94010			<u>\$27.96</u>	\$6.19	\$21.76	Breathing capacity test
94011		_	\$75.13			Measurement of
<u> </u>	_	=	φτοιτο	=	_	spirometric forced
						expiratory flows in an
						infant or child through 2
						years of age
94012			\$115.27			Measurement of
	_	_	<u>·</u>	_	_	spirometric forced
						expiratory flows, before
						and after bronchodilator,
						in an infant or child
						through 2 years of age
94013	_	_	\$24.50	_	_	Measurement of lung
						volumes (ie, functional
						residual capacity [FRC],
						forced vital capacity
						[FVC], and expiratory
						reserve volume [ERV])
						in an infant or child
						through 2 years of age
<u>94014</u>	_	_	<u>\$42.97</u>	_	_	Patient-initiated
						spirometric recording
						per 30-day period of
						time; includes reinforced
						education, transmission
						of spirometric tracing,
						data capture, analysis of
						transmitted data,
						periodic recalibration
						and review and
						interpretation by a
						physician or other
						qualified health care
						professional

Code	<u>NFAC</u>	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
94015	_	_	\$24.29	_	_	Patient-initiated
						spirometric recording
						per 30-day period of
						time; recording
						(includes hook-up,
						reinforced education,
						data transmission, data
						capture, trend analysis,
						and periodic recalibration)
94016			\$18.68			Patient-initiated
<u>94010</u>	-	-	\$10.00	-	-	spirometric recording
						per 30-day period of
						time; review and
						interpretation only by a
						physician or other
						qualified health care
						professional
94060	_	_	<u>\$47.36</u>	<u>\$9.60</u>	<u>\$37.76</u>	Evaluation of wheezing
<u>94070</u>	_	_	<u>\$45.45</u>	<u>\$21.16</u>	<u>\$24.29</u>	Evaluation of wheezing
<u>94150</u>	_	_	<u>\$19.50</u>	<u>\$2.79</u>	<u>\$16.71</u>	Vital capacity test
94200	_	_	<u>\$19.40</u>	<u>\$4.09</u>	<u>\$15.31</u>	Lung function test
						(mbc/mvv)
94250	_	_	<u>\$20.25</u>	<u>\$3.81</u>	<u>\$16.43</u>	Expired gas collection
<u>94375</u>	_	_	<u>\$30.14</u>	<u>\$10.90</u>	<u>\$19.24</u>	Respiratory flow volume
						loop
94400	_	_	<u>\$42.98</u>	<u>\$14.48</u>	<u>\$28.50</u>	Co2 breathing response
0.4.4.7.0			***	** • • • • • • • • • • • • • • • • • •	***	curve
94450	_	_	<u>\$52.81</u>	<u>\$14.76</u>	\$38.04	Hypoxia response curve
94452	_	_	<u>\$44.73</u>	\$10.62	\$34.11	Hast w/report
94453	_	_	<u>\$62.07</u>	<u>\$13.92</u>	<u>\$48.14</u>	<u>Hast w/oxygen titrate</u>
<u>94610</u>	_	_	<u>\$43.70</u>	_	_	Intrapulmonary
						surfactant administration
						by a physician or other
						qualified health care
						professional through
04620			040.55	¢00.47	#20.00	endotracheal tube
<u>94620</u>	-	-	<u>\$42.55</u>	<u>\$22.47</u>	<u>\$20.08</u>	Pulmonary stress
04621			¢105 17	¢50.77	¢74.40	test/simple Dulm stress test/sompley
<u>94621</u>	_	_	<u>\$125.17</u>	<u>\$50.77</u>	<u>\$74.40</u>	Pulm stress test/complex

Code	NFAC	FAC	Global	<u>PC</u>	TC	Description
<u>94640</u>	_	_	<u>\$14.47</u>	_	_	Pressurized or
						nonpressurized
						inhalation treatment for
						acute airway obstruction
						for therapeutic purposes
						and/or for diagnostic
						purposes such as sputum
						induction with an
						aerosol generator,
						nebulizer, metered dose
						inhaler or intermittent
						positive pressure
						breathing (IPPB) device
94642	_	_	<u>I.C.</u>	_	_	Aerosol inhalation of
						pentamidine for
						pneumocystis carinii
						pneumonia treatment or
						<u>prophylaxis</u>
94644	_	_	<u>\$34.67</u>	_	_	Continuous inhalation
						treatment with aerosol
						medication for acute
						airway obstruction; first
						<u>hour</u>
94645	_	_	<u>\$11.10</u>	_	_	Continuous inhalation
						treatment with aerosol
						medication for acute
						airway obstruction; each
						additional hour (List
						separately in addition to
						code for primary
						procedure)
94660	<u>\$47.62</u>	\$27.69	_	_	_	Continuous positive
						airway pressure
						ventilation (CPAP),
						initiation and
						<u>management</u>
<u>94662</u>	_	_	<u>\$27.00</u>	_	_	Continuous negative
						pressure ventilation
						(CNP), initiation and
						management

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>94664</u>	-	-	<u>\$13.63</u>	_	_	Demonstration and/or
						evaluation of patient
						utilization of an aerosol
						generator, nebulizer,
						metered dose inhaler or
						<u>IPPB device</u>
<u>94667</u>	_	_	<u>\$20.52</u>	_	_	Manipulation chest wall,
						such as cupping,
						percussing, and
						vibration to facilitate
						lung function; initial
						demonstration and/or
0.1.5.0			***			<u>evaluation</u>
<u>94668</u>	-	-	<u>\$22.76</u>	_	-	Manipulation chest wall,
						such as cupping,
						percussing, and
						vibration to facilitate
						lung function;
			***			subsequent
<u>94669</u>	_	-	<u>\$25.85</u>	_	_	Mechanical chest wall
						oscillation to facilitate
						lung function, per
0.4600				Φ0.24	Ф25.22	session
94680	_	_	\$44.57	\$9.34	\$35.23	Exhaled air analysis o2
<u>94681</u>	_	_	<u>\$41.07</u>	<u>\$7.24</u>	<u>\$33.83</u>	Exhaled air analysis
0.4.500			***		****	<u>o2/co2</u>
94690	_	_	<u>\$39.15</u>	<u>\$2.79</u>	<u>\$36.36</u>	Exhaled air analysis
<u>94726</u>	_	_	<u>\$40.93</u>	<u>\$9.06</u>	<u>\$31.87</u>	<u>Pulm funct tst</u>
						plethysmograp
<u>94727</u>	_	_	<u>\$32.51</u>	<u>\$9.06</u>	<u>\$23.45</u>	<u>Pulm function test by</u>
					4.5	gas
94728	_	_	<u>\$31.10</u>	<u>\$9.34</u>	<u>\$21.76</u>	<u>Pulm funct test</u>
						oscillometry
<u>94729</u>	_	_	<u>\$42.50</u>	<u>\$6.70</u>	<u>\$35.80</u>	<u>Co/membane diffuse</u>
						capacity
<u>94750</u>	_	_	<u>\$63.17</u>	<u>\$8.29</u>	<u>\$54.88</u>	<u>Pulmonary compliance</u>
						<u>study</u>
<u>94760</u>	_	_	<u>\$2.40</u>	_	_	Noninvasive ear or pulse
						oximetry for oxygen
						saturation; single
						<u>determination</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
94761	-	-	<u>\$3.80</u>	_	ı	Noninvasive ear or pulse
						oximetry for oxygen
						saturation; multiple
						determinations (eg.
						during exercise)
<u>94762</u>	_	_	<u>\$19.24</u>	_	_	Noninvasive ear or pulse
						oximetry for oxygen
						saturation; by
						continuous overnight
						monitoring (separate
						<u>procedure)</u>
<u>94770</u>	_	_	<u>\$5.40</u>	_	_	Carbon dioxide, expired
						gas determination by
<u> </u>						<u>infrared analyzer</u>
<u>94772</u>	_	_	<u>I.C.</u>	_	_	Breath recording infant
<u>94774</u>	_	_	<u>I.C.</u>	_	_	Pediatric home apnea
						monitoring event
						recording including
						respiratory rate, pattern
						and heart rate per 30-day
						period of time; includes
						monitor attachment,
						download of data,
						review, interpretation,
						and preparation of a
						report by a physician or
						other qualified health
						care professional
<u>94775</u>	_	-	<u>I.C.</u>	_	_	Pediatric home apnea
						monitoring event
						recording including
						respiratory rate, pattern
						and heart rate per 30-day
						period of time; monitor
						attachment only
						(includes hook-up,
						initiation of recording
						and disconnection)

<u>Code</u>	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
94776	-	-	I.C.	-	-	Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart rate per 30-day period of time; monitoring, download of information, receipt of transmission(s) and
						analyses by computer only
94777	-	1	<u>I.C.</u>	-	-	Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart rate per 30-day period of time; review, interpretation and preparation of report only by a physician or other qualified health care professional
94780	\$42.94	<u>\$16.56</u>	-	-	-	Car seat/bed testing for airway integrity, neonate, with continual nursing observation and continuous recording of pulse oximetry, heart rate and respiratory rate, with interpretation and report; 60 minutes
94781	<u>\$17.70</u>	<u>\$6.19</u>	-	-	-	Car seat/bed testing for airway integrity, neonate, with continual nursing observation and continuous recording of pulse oximetry, heart rate and respiratory rate, with interpretation and report; each additional full 30 minutes (List separately in addition to

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						code for primary
						procedure)
94799			<u>I.C.</u>			Pulmonary
<u> </u>	-	-	<u>1.C.</u>	-	-	service/procedure
95004			<u>\$5.18</u>			Percutaneous tests
<u> 93004</u>	-	-	<u>φ3.16</u>	-	-	(scratch, puncture,
						prick) with allergenic
						extracts, immediate type
						reaction, including test
						interpretation and report,
						specify number of tests
95012			<u>\$15.03</u>			Nitric oxide expired gas
<u> </u>	-	_	<u>Ψ13.03</u>	_	-	determination
95017	<u>\$5.88</u>	\$2.51				Allergy testing, any
<u> </u>	Ψ3.00	Ψ2.31	-	_	-	combination of
						percutaneous (scratch,
						puncture, prick) and
						intracutaneous
						(intradermal), sequential
						and incremental, with
						venoms, immediate type
						reaction, including test
						interpretation and report,
						specify number of tests
95018	\$15.81	\$5.14				Allergy testing, any
1	+	42.12.1	-	_	_	combination of
						percutaneous (scratch,
						puncture, prick) and
						intracutaneous
						(intradermal), sequential
						and incremental, with
						drugs or biologicals,
						immediate type reaction,
						including test
						interpretation and report,
						specify number of tests

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
95024	<u>\$6.02</u>	<u>\$0.69</u>	1	_	_	<u>Intracutaneous</u>
						(intradermal) tests with
						allergenic extracts,
						immediate type reaction,
						including test
						interpretation and report,
i						specify number of tests
<u>95027</u>	_	_	<u>\$3.50</u>	_	_	Intracutaneous
						(intradermal) tests,
						sequential and
						incremental, with
						allergenic extracts for
						<u>airborne allergens,</u>
						immediate type reaction,
						including test
						interpretation and report,
0.5000			410 71			specify number of tests
95028	_	_	<u>\$10.54</u>	_	_	Intracutaneous
						(intradermal) tests with
						allergenic extracts,
						delayed type reaction,
						including reading,
			*			specify number of tests
<u>95044</u>	_	_	<u>\$4.36</u>	_	_	Patch or application
						test(s) (specify number
:						of tests)
<u>95052</u>	_	_	<u>\$5.21</u>	_	_	Photo patch test(s)
						(specify number of tests)
<u>95056</u>	_	_	<u>\$34.83</u>	_	_	Photo tests
<u>95060</u>	_	_	<u>\$27.66</u>	_	_	Ophthalmic mucous
						membrane tests
<u>95065</u>	_	_	<u>\$20.08</u>	_	_	<u>Direct nasal mucous</u>
						membrane test
<u>95070</u>	_	_	<u>\$23.88</u>	_	_	Inhalation bronchial
						<u>challenge testing (not</u>
						including necessary
						<u>pulmonary function</u>
						tests); with histamine,
						methacholine, or similar
						compounds

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
95071	-	-	\$27.53	-	-	Inhalation bronchial challenge testing (not including necessary pulmonary function tests); with antigens or gases, specify
95076	\$87.90	\$53.94	-	-	-	Ingestion challenge test (sequential and incremental ingestion of test items, eg, food, drug or other substance); initial 120 minutes of testing
95079	<u>\$61.65</u>	\$49.31	-	-	-	Ingestion challenge test (sequential and incremental ingestion of test items, eg, food, drug or other substance); each additional 60 minutes of testing (List separately in addition to code for primary procedure)
95115	-	-	<u>\$6.89</u>	-	-	Professional services for allergen immunotherapy not including provision of allergenic extracts; single injection
95117	-	-	\$8.01	-	-	Professional services for allergen immunotherapy not including provision of allergenic extracts; 2 or more injections
95120	_	_	<u>I.C.</u>	-	-	Professional services for allergen immunotherapy in the office or institution of the prescribing physician or other qualified health care professional, including provision of allergenic extract; single injection

<u>Code</u>	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
95125	-	-	I.C.	-	-	Professional services for allergen immunotherapy in the office or institution of the prescribing physician or other qualified health care professional, including provision of allergenic extract; 2 or more injections
95130	-	-	I.C.	-	-	Professional services for allergen immunotherapy in the office or institution of the prescribing physician or other qualified health care professional, including provision of allergenic extract; single stinging insect venom
95131	-	-	I.C.	-	-	Professional services for allergen immunotherapy in the office or institution of the prescribing physician or other qualified health care professional, including provision of allergenic extract; 2 stinging insect venoms
95132	-	-	I.C.	-	-	Professional services for allergen immunotherapy in the office or institution of the prescribing physician or other qualified health care professional, including provision of allergenic extract; 3 stinging insect venoms

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
95133	-	-	I.C.	-	-	Professional services for allergen immunotherapy in the office or institution of the prescribing physician or other qualified health care professional, including provision of allergenic extract; 4
95134	-	-	I.C.	-	-	Professional services for allergen immunotherapy in the office or institution of the prescribing physician or other qualified health care professional, including provision of allergenic extract; 5 stinging insect venoms
95144	<u>\$9.55</u>	\$2.25	-	-	-	Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials)
95145	<u>\$16.85</u>	\$2.25	-	-	-	Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single stinging insect venom
95146	\$30.60	\$2.25	-	-	-	Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						doses); 2 single stinging
						<u>insect venoms</u>
<u>95147</u>	<u>\$27.51</u>	<u>\$2.25</u>	_	_	_	<u>Professional services for</u>
						the supervision of
						preparation and
						provision of antigens for
						allergen immunotherapy
						(specify number of
						doses); 3 single stinging insect venoms
95148	\$40.98	\$2.25				Professional services for
75140	ψ+υ.20	<u>ψΔ.ΔJ</u>	-	-	_	the supervision of
						preparation and
						provision of antigens for
						allergen immunotherapy
						(specify number of
						doses); 4 single stinging
						<u>insect venoms</u>
<u>95149</u>	<u>\$55.29</u>	<u>\$2.25</u>	_	_	_	<u>Professional services for</u>
						the supervision of
						preparation and
						provision of antigens for
						allergen immunotherapy
						(specify number of
						doses); 5 single stinging
95165	\$9.83	\$2.25				<u>insect venoms</u> <u>Professional services for</u>
75105	<u>φ2.03</u>	<u>φ4.43</u>	-	-	_	the supervision of
						preparation and
						provision of antigens for
						allergen
						immunotherapy; single
						or multiple antigens
						(specify number of
						doses)
<u>95170</u>	<u>\$7.30</u>	<u>\$2.25</u>	_	_	_	<u>Professional services for</u>
						the supervision of
						preparation and
						provision of antigens for
						allergen

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						immunotherapy; whole body extract of biting insect or other arthropod (specify number of doses)
95180	\$100.14	<u>\$74.61</u>	-	-	-	Rapid desensitization procedure, each hour (eg, insulin, penicillin, equine serum)
95199	-	-	<u>I.C.</u>	-	-	Unlisted allergy/clinical immunologic service or procedure
95250	-		<u>\$124.66</u>		-	Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; sensor placement, hook-up, calibration of monitor, patient training, removal of sensor, and printout of recording
95251	-	-	\$31.81	-	-	Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; interpretation and report
95782	-	1	<u>\$804.95</u>	\$93.14	<u>\$711.81</u>	Polysom <6 yrs 4/> paramtrs
95783	-	-	<u>\$843.93</u>	\$103.34	<u>\$740.59</u>	Polysom <6 yrs cpap/bilvl
<u>95800</u>	_	_	<u>\$138.24</u>	<u>\$38.17</u>	<u>\$100.06</u>	Slp stdy unattended
<u>95801</u>	_	_	<u>\$68.64</u>	<u>\$36.21</u>	<u>\$32.43</u>	Slp stdy unatnd w/anal
<u>95803</u>	_	_	<u>\$109.42</u>	<u>\$32.09</u>	<u>\$77.33</u>	Actigraphy testing
95805	-	-	\$334.84	<u>\$43.57</u>	\$291.27	Multiple sleep latency test
<u>95806</u>	-	-	<u>\$129.76</u>	<u>\$44.85</u>	<u>\$84.91</u>	Sleep study unatt&resp efft

S807 S494.38 S45.78 S329.15 Sleep study attended	Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
95810	<u>95807</u>	_	-	<u>\$374.93</u>	<u>\$45.78</u>	<u>\$329.15</u>	Sleep study attended
95810	<u>95808</u>	_	_	<u>\$494.38</u>	<u>\$64.89</u>	<u>\$429.49</u>	Polysom any age 1-3>
95811							
95812	<u>95810</u>	_	_	<u>\$486.12</u>	<u>\$89.58</u>	<u>\$396.53</u>	•
Section Sec	0.7011			\$510.00	00011	* * * * * * * * * * * * * * * * * *	
\$2812	<u>95811</u>	-	-	<u>\$510.88</u>	<u>\$93.14</u>	<u>\$417.74</u>	
S813	05012			¢272.02	¢40.60	¢220.21	
See See		_	_				
Since Sinc		_	-				
\$2822		_	_				
95824	-	_	_				
S5827		_	_	<u>\$292.29</u>		<u>\$249.67</u>	
Section Sect		_	_	_		_	
95830 \$189.12 \$67.60		_	-				
95830 \$189.12 \$67.60	<u>95829</u>	_	_	<u>\$1,471.90</u>	<u>\$247.39</u>	<u>\$1,224.51</u>	
95831 \$22.08 \$11.42 - Muscle testing, manual (separate procedure) with report; hand, with or without comparison with normal side 95833 \$28.06 \$15.71 - Muscle testing, manual (separate procedure) with report; total evaluation of body, excluding hands 95834 \$38.72 \$23.00 Muscle testing, manual (separate procedure)	0.70.20	* 100.1 *					
Separate procedure Separate procedure	<u>95830</u>	<u>\$189.12</u>	<u>\$67.60</u>	_	_	-	
Sphenoidal electrodes for electroencephalographic (EEG) recording							
Section Sect							
Section Sect							_
Second S							l
95831 \$23.07 \$11.00							
Separate procedure with report; extremity (excluding hand) or trunk	95831	\$23.07	\$11.00				•
95832 \$22.08 \$11.42				_	_	_	
95832 \$22.08 \$11.42							with report; extremity
95832 \$22.08 \$11.42							(excluding hand) or
Separate procedure with report; hand, with or without comparison with normal side							
95833 \$28.06 \$15.71	<u>95832</u>	<u>\$22.08</u>	<u>\$11.42</u>	_	_	_	
95833 \$28.06 \$15.71							
95833 \$28.06 \$15.71 Muscle testing, manual (separate procedure) with report; total evaluation of body, excluding hands 95834 \$38.72 \$23.00 Muscle testing, manual (separate procedure)							
95833 \$28.06 \$15.71							
Separate procedure with report; total evaluation of body, excluding hands 95834 \$38.72 \$23.00	05833	\$28.06	¢15 71				i
with report; total evaluation of body, excluding hands 95834 \$38.72 \$23.00 Muscle testing, manual (separate procedure)	75055	<u>φ∠σ.υυ</u>	$\frac{\phi 1 \mathcal{J} \cdot I 1}{2}$	-	-	_	
95834 \$38.72 \$23.00 Evaluation of body, excluding hands Muscle testing, manual (separate procedure)							
95834 \$38.72 \$23.00							
95834 \$38.72 \$23.00 Muscle testing, manual (separate procedure)							•
(separate procedure)	95834	\$38.72	\$23.00	_	_	_	
with report; total					_	_	
, , , , , , , , , , , , , , , , , , ,							with report; total

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						evaluation of body,
						including hands
<u>95851</u>	\$14.08	<u>\$5.66</u>	_	_	_	Range of motion
						measurements and
						report (separate
						procedure); each
						extremity (excluding
						hand) or each trunk
0.70.70	010.71	* 1.0 0				section (spine)
<u>95852</u>	<u>\$12.51</u>	<u>\$4.38</u>	-	_	-	Range of motion
						measurements and
						report (separate procedure); hand, with
						or without comparison
						with normal side
95857	\$41.14	\$21.77				Cholinesterase inhibitor
<u> </u>	ψ+1.1+	Ψ21.77	-	-	-	challenge test for
						myasthenia gravis
95860			\$93.84	\$38.40	\$55.44	Muscle test one limb
95861	_	_	\$131.08	\$61.32	\$69.75	Muscle test 2 limbs
<u>95863</u>	_	_	\$163.10	<u>\$73.98</u>	\$89.12	Muscle test 3 limbs
<u>95864</u>	_	_	<u>\$184.07</u>	<u>\$79.80</u>	<u>\$104.27</u>	Muscle test 4 limbs
<u>95865</u>	_	_	<u>\$109.14</u>	<u>\$62.40</u>	<u>\$46.74</u>	Muscle test larynx
<u>95866</u>	_	_	\$102.26	<u>\$49.91</u>	<u>\$52.35</u>	Muscle test
						<u>hemidiaphragm</u>
<u>95867</u>	_	_	<u>\$72.36</u>	<u>\$30.96</u>	<u>\$41.41</u>	Muscle test cran nerv
						<u>unilat</u>
<u>95868</u>	_	_	<u>\$101.34</u>	<u>\$46.74</u>	<u>\$54.60</u>	Muscle test cran nerve
						bilat
<u>95869</u>	-	_	<u>\$72.52</u>	<u>\$14.84</u>	<u>\$57.69</u>	Muscle test thor
0.5050			Φ50.70	44.7 6	4.55.05	paraspinal
<u>95870</u>	-	_	<u>\$72.52</u>	<u>\$14.56</u>	<u>\$57.97</u>	Muscle test
05070			Φ1 <i>4C 55</i>	¢112 50	#22 OO	nonparaspinal Musala test one fiber
95872	_	_	\$146.55	\$113.56	\$32.99	Muscle test one fiber
<u>95873</u>	-	-	<u>\$57.34</u>	<u>\$14.96</u>	<u>\$42.38</u>	Guide nerv destr elec
05974			\$56.02	\$11 O1	\$42.10	Stim Guida parv dastr paedla
<u>95874</u>	-	-	<u>\$56.93</u>	<u>\$14.84</u>	<u>\$42.10</u>	Guide nerv destr needle
95875			<u>\$95.36</u>	\$43.57	\$51.79	emg Limb exercise test
: L	_	-				
<u>95885</u>	_	_	<u>\$45.48</u>	<u>\$14.04</u>	<u>\$31.43</u>	Musc tst done w/nerv tst

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						<u>lim</u>
95886	_	_	<u>\$69.79</u>	<u>\$34.43</u>	\$35.36	Musc test done w/n test
						comp
<u>95887</u>	_	_	<u>\$62.02</u>	<u>\$28.06</u>	<u>\$33.96</u>	Musc tst done w/n tst
						<u>nonext</u>
<u>95905</u>	-	-	<u>\$55.19</u>	<u>\$2.00</u>	<u>\$53.20</u>	Motor &/ sens nrve cndj
0.500.5			470.57	#20.70	Φ22.00	<u>test</u>
95907	_	_	\$72.57	\$39.58	\$32.99	Nvr cndj tst 1-2 studies
95908	_	_	\$90.07	<u>\$49.50</u>	<u>\$40.57</u>	Nrv cndj tst 3-4 studies
<u>95909</u>	_	-	<u>\$109.81</u>	<u>\$59.43</u>	<u>\$50.39</u>	Nrv endj tst 5-6 studies
<u>95910</u>	_	_	<u>\$146.38</u>	<u>\$79.43</u>	<u>\$66.95</u>	Nrv cndj test 7-8 studies
<u>95911</u>	_	_	<u>\$176.61</u>	<u>\$99.28</u>	<u>\$77.33</u>	Nrv cndj test 9-10
						studies
<u>95912</u>	-	_	<u>\$196.90</u>	<u>\$117.60</u>	<u>\$79.29</u>	Nrv cndj test 11-12
05012			Φ224.00	Φ120.1 7	Φ05.75	studies
<u>95913</u>	-	-	<u>\$224.90</u>	<u>\$139.15</u>	<u>\$85.75</u>	Nrv endj test 13/>
95921			\$65.64	\$33.49	\$32.15	studies Autonomic nrv parasym
93921	-	-	<u>\$03.04</u>	<u>\$33.49</u>	<u>Φ32.13</u>	inervj
95922			\$77.00	\$35.87	\$41.13	Autonomic nrv adrenrg
<u> </u>	_	-	<u>Ψ77.00</u>	φ33.07	Ψ11.13	inervj
95923			\$127.13	\$34.08	\$93.05	Autonomic nrv syst funj
	_	<u>-</u>		<u> </u>	<u></u>	test
95924	_	_	\$112.40	\$65.66	\$46.74	Ans parasymp & symp
						<u>w/tilt</u>
<u>95925</u>	-	ı	<u>\$121.53</u>	<u>\$20.75</u>	<u>\$100.78</u>	Somatosensory testing
<u>95926</u>	1	-	<u>\$107.22</u>	<u>\$20.19</u>	<u>\$87.03</u>	Somatosensory testing
<u>95927</u>	_	_	<u>\$110.74</u>	<u>\$20.19</u>	<u>\$90.55</u>	Somatosensory testing
95928	_	ı	\$173.39	<u>\$59.30</u>	<u>\$114.09</u>	C motor evoked uppr
						<u>limbs</u>
<u>95929</u>	_	_	<u>\$174.55</u>	<u>\$59.61</u>	<u>\$114.94</u>	C motor evoked lwr
						<u>limbs</u>
<u>95930</u>	_	-	<u>\$101.48</u>	<u>\$13.89</u>	<u>\$87.59</u>	Visual evoked potential
0.5000			Φ=====	Φ00.17	Ф0.4.00	test Charles Charles
<u>95933</u>	_	_	\$57.55	\$23.15	\$34.39	Blink reflex test
<u>95937</u>	_	-	<u>\$62.45</u>	<u>\$25.53</u>	<u>\$36.92</u>	Neuromuscular junction
05000			Φ 0. (7.00	Φ24.02	ф000 07	test
<u>95938</u>	_	-	\$267.98	\$34.03	\$233.96	Somatosensory testing
<u>95939</u>	-	-	<u>\$389.85</u>	<u>\$88.67</u>	<u>\$301.18</u>	C motor evoked
]			<u>upr&lwr limbs</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
<u>95940</u>	_	-	\$24.00	_	_	Continuous
						<u>intraoperative</u>
						neurophysiology
						monitoring in the
						operating room, one on
						one monitoring
						requiring personal
						attendance, each 15
						minutes (List separately
						in addition to code for
						<u>primary procedure)</u>
<u>95941</u>	_	-	<u>I.C.</u>	_	_	Continuous
						intraoperative
						neurophysiology
						monitoring, from
						outside the operating
						room (remote or nearby)
						or for monitoring of
						more than one case
						while in the operating
						room, per hour (List
						separately in addition to code for primary
						procedure)
95943			I.C.			Parasymp&symp hrt rate
33343	-	-	<u>1.C.</u>	-	-	test
95950			\$257.59	\$59.28	\$198.32	Ambulatory eeg
<u> </u>	-	-	<u>Φ231.37</u>	<u>ψ37.20</u>	<u>Ψ170.32</u>	monitoring
95951				\$236.54		Eeg
<u> </u>	-	_	-	Ψ230.34	_	monitoring/videorecord
95953			\$324.89	\$121.24	\$203.65	Eeg
<u> </u>	_	-	<u> </u>		4200.00	monitoring/computer
95954			\$349.54	\$91.98	\$257.56	Eeg monitoring/giving
	_	_	, , , , , , , ,	12.322		drugs
95955	_		\$168.39	\$39.99	\$128.41	Eeg during surgery
95956		_	\$1,289.81	\$141.58	\$1,148.23	Eeg monitor technol
	_	_		<u>·</u>		attended
<u>95957</u>	_	_	<u>\$243.56</u>	<u>\$77.67</u>	\$165.89	Eeg digital analysis
95958	_	_	\$439.71	\$166.56	\$273.15	Eeg monitoring/function
	_	<u>-</u>				test
<u>95961</u>	_	_	\$222.72	\$118.73	\$103.99	Electrode stimulation
						<u>brain</u>

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
<u>95962</u>	_	-	<u>\$197.35</u>	<u>\$127.87</u>	<u>\$69.47</u>	Electrode stim brain
						add-on
<u>95965</u>	_	-	_	<u>\$310.76</u>	-	Meg spontaneous
<u>95966</u>	_	-	_	<u>\$157.51</u>	_	Meg evoked single
95967	_	_	_	<u>\$137.23</u>	_	Meg evoked each addl
95970	\$52.28	<u>\$17.48</u>	_	_	Ī	Electronic analysis of
						<u>implanted</u>
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient compliance
						measurements); simple
						or complex brain, spinal
						cord, or peripheral (ie,
						cranial nerve, peripheral
						nerve, sacral nerve,
						neuromuscular)
						<u>neurostimulator pulse</u>
						generator/transmitter,
05071	¢27.06	¢20.76				without reprogramming
<u>95971</u>	<u>\$37.06</u>	<u>\$29.76</u>	-	-	_	Electronic analysis of
						implanted
						<u>neurostimulator pulse</u> generator system (eg,
						rate, pulse amplitude, pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient compliance
						measurements); simple
						spinal cord, or
						peripheral (ie, peripheral
						nerve, sacral nerve,
l <u></u>	l					mer ve, sacrar ner ve,

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						neuromuscular)
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
						subsequent
						programming
<u>95972</u>	<u>\$43.34</u>	<u>\$30.43</u>	_	_	_	Electronic analysis of
						<u>implanted</u>
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient compliance
						measurements);
						complex spinal cord, or
						peripheral (ie, peripheral
						nerve, sacral nerve,
						neuromuscular) (except
						<u>cranial nerve</u>)
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
						<u>subsequent</u>
						programming

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
<u>95974</u>	<u>\$154.30</u>	<u>\$119.78</u>	1	_	_	Electronic analysis of
						<u>implanted</u>
						neurostimulator pulse
						generator system (eg.
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient compliance
						measurements);
						complex cranial nerve
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
						<u>subsequent</u>
						programming, with or
						without nerve interface
						testing, first hour
<u>95975</u>	<u>\$82.91</u>	<u>\$68.04</u>	_	_	_	Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg.
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient compliance
						measurements);
						complex cranial nerve
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
						<u>subsequent</u>
						programming, each
						additional 30 minutes
						after first hour (List

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						separately in addition to
						code for primary
						<u>procedure)</u>
0.50.70	φ10 5 0 1	ф1.40.0 7				
<u>95978</u>	<u>\$185.31</u>	<u>\$140.97</u>	-	-	-	Electronic analysis of implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude
						and duration, battery
						status, electrode
						selectability and
						polarity, impedance and
						patient compliance
						measurements), complex deep brain
						neurostimulator pulse
						generator/transmitter,
						with initial or
						subsequent
						programming; first hour
<u>95979</u>	<u>\$80.25</u>	<u>\$65.66</u>	-	-	_	Electronic analysis of
						implanted
						neurostimulator pulse generator system (eg.
						rate, pulse amplitude
						and duration, battery
						status, electrode
						selectability and
						polarity, impedance and
						patient compliance
						measurements), complex
						deep brain

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						neurostimulator pulse generator/transmitter, with initial or subsequent programming; each additional 30 minutes after first hour (List separately in addition to code for primary procedure)
95980	-		\$32.95	-	-	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements) gastric neurostimulator pulse generator/transmitter; intraoperative, with programming
95981	<u>\$24.02</u>	<u>\$13.07</u>	-	-	-	Electronic analysis of implanted neurostimulator pulse generator system (eg. rate, pulse amplitude and duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements) gastric neurostimulator

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						pulse generator/transmitter; subsequent, without reprogramming
95982	\$39.09	<u>\$26.46</u>	-	-	-	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements) gastric neurostimulator pulse generator/transmitter; subsequent, with reprogramming
95990	-	-	\$72.31	-	-	Refilling and maintenance of implantable pump or reservoir for drug delivery, spinal (intrathecal, epidural) or brain (intraventricular), includes electronic analysis of pump, when performed;

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
<u>95991</u>	<u>\$93.62</u>	<u>\$29.07</u>	ı	_	_	Refilling and
						maintenance of
						implantable pump or
						reservoir for drug
						<u>delivery</u> , <u>spinal</u>
						(intrathecal, epidural) or
						brain (intraventricular),
						includes electronic
						analysis of pump, when
						performed; requiring
						skill of a physician or
						other qualified health
						care professional
95992	\$31.90	<u>\$27.41</u>	_	_	_	Canalith repositioning
						procedure(s) (eg, Epley
						maneuver, Semont
						maneuver), per day
95999	_	_	I.C.	_	_	Unlisted neurological or
	_	_		_	_	neuromuscular
						diagnostic procedure
96000	_	_	\$69.85	_	_	Comprehensive
						computer-based motion
						analysis by video-taping
						and 3D kinematics;
96001	_	_	<u>\$77.28</u>	_	_	Comprehensive
						computer-based motion
						analysis by video-taping
						and 3D kinematics; with
						dynamic plantar
						pressure measurements
						during walking
96002	_	_	\$16.02	_	_	Dynamic surface
						electromyography,
						during walking or other
						functional activities, 1-
						12 muscles
96003	_	_	\$12.72	_	_	Dynamic fine wire
						electromyography,
						during walking or other
						functional activities, 1
						muscle

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
96004		_	\$85.91	_	_	Review and
						interpretation by
						physician or other
						qualified health care
						professional of
						comprehensive
						computer-based motion
						analysis, dynamic
						plantar pressure
						measurements, dynamic
						surface
						electromyography
						during walking or other
						functional activities, and
						dynamic fine wire
						electromyography, with
						written report
96020				\$120.07		Functional brain
	_	_	_		_	mapping
96040	_	_	\$36.67	_	_	Medical genetics and
	_	_		_	_	genetic counseling
						services, each 30
						minutes face-to-face
						with patient/family
96101	\$57.70	\$57.42	_	_	_	Psychological testing
			_	_	_	(includes
						psychodiagnostic
						assessment of
						emotionality, intellectual
						abilities, personality and
						psychopathology, eg,
						MMPI, Rorschach,
						WAIS), per hour of the
						psychologist's or
						physician's time, both
						face-to-face time
						administering tests to
						the patient and time
						interpreting these test
						results and preparing the
						report

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>96102</u>	<u>\$48.63</u>	<u>\$16.92</u>	-	_	_	Psychological testing
						<u>(includes</u>
						<u>psychodiagnostic</u>
						assessment of
						emotionality, intellectual
						abilities, personality and
						psychopathology, eg,
						MMPI and WAIS), with
						qualified health care
						professional
						interpretation and report,
						administered by
						technician, per hour of
						technician time, face-to-
						<u>face</u>
<u>96103</u>	<u>\$20.14</u>	<u>\$19.58</u>	_	_	_	Psychological testing
						<u>(includes</u>
						psychodiagnostic
						assessment of
						emotionality, intellectual
						abilities, personality and
						psychopathology, eg,
						MMPI), administered by
						a computer, with
						qualified health care
						professional
						interpretation and report
<u>96105</u>	_	_	\$79.73	_	_	Assessment of aphasia
	_	_		_	_	(includes assessment of
						expressive and receptive
						speech and language
						function, language
						comprehension, speech
						production ability,
						reading, spelling,
						writing, eg, by Boston
						Diagnostic Aphasia
						Examination) with
						interpretation and report,
						per hour

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
96110	-	-	\$9.73	-	-	Developmental screening (eg, developmental milestone survey, speech and language delay screen), with
0.5140			40.72			scoring and documentation, per standardized instrument
<u>96110</u>	-	11	<u>\$9.73</u>		11	Developmental screening (eg., developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument
96111	<u>\$94.42</u>	\$89.37	-	-	-	Developmental testing, (includes assessment of motor, language, social, adaptive, and/or cognitive functioning by standardized developmental instruments) with interpretation and report
<u>96116</u>	<u>\$67.71</u>	\$63.22	-	-	-	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities), per hour of the psychologist's or physician's time, both face-to-face time with the patient and time interpreting test results

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						and preparing the report
96118	\$72.01	\$56.86				Neuropsychological
<u> 90116</u>	\$72.01	<u>φυσ.σσ</u>	-	-	-	testing (eg, Halstead-
						Reitan
						Neuropsychological
						Battery, Wechsler
						Memory Scales and
						Wisconsin Card Sorting
						Test), per hour of the
						psychologist's or
						physician's time, both
						face-to-face time
						administering tests to
						the patient and time
						<u>interpreting these test</u>
						results and preparing the
i						<u>report</u>
<u>96119</u>	<u>\$61.82</u>	<u>\$17.20</u>	_	_	_	Neuropsychological
						testing (eg, Halstead-
						Reitan
						Neuropsychological
						Battery, Wechsler
						Memory Scales and
						Wisconsin Card Sorting Test), with qualified
						health care professional
						interpretation and report,
						administered by
						technician, per hour of
						technician time, face-to-
						face

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>96120</u>	<u>\$36.41</u>	<u>\$19.01</u>	-	-	_	Neuropsychological
						testing (eg, Wisconsin
						Card Sorting Test),
						administered by a
						computer, with qualified
						health care professional
						interpretation and report
<u>96125</u>	_	_	<u>\$87.84</u>	_	_	Standardized cognitive
						performance testing (eg.
						Ross Information
						<u>Processing Assessment)</u>
						per hour of a qualified
						<u>health care</u>
						professional's time, both
						face-to-face time
						administering tests to
						the patient and time
						interpreting these test
						results and preparing the
						<u>report</u>
<u>96127</u>	-	_	<u>\$9.73</u>	-	_	<u>Brief</u>
						emotional/behavioral
						assessment (eg.
						depression inventory,
						attention-
						deficit/hyperactivity
						disorder [ADHD] scale),
						with scoring and
						documentation, per
	***	***				standardized instrument
<u>96150</u>	<u>\$15.64</u>	<u>\$15.36</u>	-	_	_	Health and behavior
						assessment (eg, health-
						focused clinical
						interview, behavioral
						observations,
						psychophysiological
						monitoring, health-
						oriented questionnaires),
						each 15 minutes face-to-
						face with the patient;
						<u>initial assessment</u>

96151 \$14.85 \$14.57 Health and behavior assessment (eg. health-focused clinical interview, behavioral observations, psychophysiological monitoring, health-oriented questionnaires), each 15 minutes face-to-face with the patient, reassessment	Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
Interview, behavioral observations, psychophysiological monitoring, health-oriented questionnaires), each 15 minutes face-to-face with the patient; reassessment	<u>96151</u>	<u>\$14.85</u>	<u>\$14.57</u>	-	-	-	
Second S							
Second							
Side							
Section Sect							_
Section Sect	96152	\$14.34	\$14.06				
96153		<u>·</u>	<u> </u>	-	_	-	
96153							minutes, face-to-face;
Section Sect							<u>individual</u>
	<u>96153</u>	_	_	<u>\$3.28</u>	_	_	
Section Sect							
Patients Patients Patients Patients Patients Patients Patients Patient							
Second							
Section Sect	0.61.5.4	ф14 OO	Φ12 OO				
minutes, face-to-face; family (with the patient present) 96155	<u>96154</u>	<u>\$14.08</u>	<u>\$13.80</u>	-	-	-	
Second S							
96360 96361 96365							-
96360 96361 96365							-
Separately in addition to code for primary procedure) Separately in sintusion, for therapy, prophylaxis, or	96155			\$16.50			1 -
minutes, face-to-face; family (without the patient present) 96360		_	_	<u>,</u>	_	-	
96360 Substitute of the patient present present of the patient present of the patient present present of the patient present present pre							
96360 Substitute of the procedure of the rapy, prophylaxis, or substitute of the procedure							family (without the
96361 \$11.72 Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure) 96365 \$53.71 Intravenous infusion, for therapy, prophylaxis, or							
96361 S11.72 Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure) 96365 Intravenous infusion, for therapy, prophylaxis, or	<u>96360</u>	_	_	<u>\$44.39</u>	_	_	
96361 \$11.72							
hydration; each additional hour (List separately in addition to code for primary procedure) 96365 _ \$53.71 Intravenous infusion, for therapy, prophylaxis, or	0.0001			¢11.70			
96365 \$53.71 Separately in addition to code for primary procedure) Intravenous infusion, for therapy, prophylaxis, or	<u>96361</u>	-	-	<u>\$11.72</u>	-	-	
96365 _ \$53.71 _ Intravenous infusion, for therapy, prophylaxis, or							
96365 \$53.71 Intravenous infusion, for therapy, prophylaxis, or							
96365 _ \$53.71 _ Intravenous infusion, for therapy, prophylaxis, or							
96365 _ \$53.71 _ Intravenous infusion, for therapy, prophylaxis, or							-
therapy, prophylaxis, or	96365	_	_	<u>\$53</u> .71	_		
		_	_		_	_	
·, · · · · · · · · · · · · · · · · · ·							

<u>Code</u>	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						substance or drug);
						initial, up to 1 hour
1						
<u>96366</u>	-	_	<u>\$14.31</u>	_	-	<u>Intravenous infusion, for</u>
						therapy, prophylaxis, or
						diagnosis (specify substance or drug); each
						additional hour (List
						separately in addition to
						code for primary
						procedure)
96367	_	_	<u>\$23.42</u>	_	_	Intravenous infusion, for
						therapy, prophylaxis, or
						diagnosis (specify
						substance or drug);
						additional sequential
						infusion of a new drug/substance, up to 1
						hour (List separately in
						addition to code for
						primary procedure)
96368	_	_	\$15.73	_	_	Intravenous infusion, for
	_	_		_		therapy, prophylaxis, or
						diagnosis (specify
						substance or drug);
						concurrent infusion (List
						separately in addition to
						code for primary procedure)
96369			\$151.21			Subcutaneous infusion
70307	_	-	Ψ131,21	-	-	for therapy or
						prophylaxis (specify
						substance or drug);
						initial, up to 1 hour,
						including pump set-up
						and establishment of
						subcutaneous infusion
06270			¢11.00			site(s) Subautaneous infusion
<u>96370</u>	-	-	<u>\$11.22</u>	-	-	Subcutaneous infusion for therapy or
						prophylaxis (specify
						substance or drug); each
1						substance of drug, eden

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						additional hour (List separately in addition to code for primary procedure)
96371	-	-	<u>\$57.53</u>	-	-	Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); additional pump set-up with establishment of new subcutaneous infusion site(s) (List separately in addition to code for primary procedure)
96372	-	-	<u>\$19.38</u>	-	-	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular
96373	-	-	\$14.89	-	-	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intra-arterial
96374	-	-	<u>\$43.96</u>	-	-	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug
96375	_	-	<u>\$17.31</u>	-	-	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of a new substance/drug (List separately in addition to

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						code for primary
						procedure)
96376			<u>I.C.</u>			Therapeutic,
20370	_	_	<u>1.C.</u>	_	_	prophylactic, or
						diagnostic injection
						-
						(specify substance or
						drug); each additional
						sequential intravenous
						push of the same
						substance/drug provided
						in a facility (List
						separately in addition to
						code for primary
						procedure)
<u>96379</u>	-	_	<u>I.C.</u>	_	_	<u>Unlisted therapeutic</u> ,
						prophylactic, or
						diagnostic intravenous
						or intra-arterial injection
						<u>or infusion</u>
<u>96401</u>	_	_	<u>\$57.79</u>	_	_	Chemotherapy
						administration,
						subcutaneous or
						intramuscular; non-
						hormonal anti-neoplastic
<u>96402</u>	_	_	<u>\$24.82</u>	_	_	Chemotherapy
						administration,
						subcutaneous or
						intramuscular; hormonal
						anti-neoplastic
96405	<u>\$63.17</u>	\$22.20	_	_	_	Chemotherapy
						administration;
						intralesional, up to and
						including 7 lesions
96406	\$89.74	\$34.45				Chemotherapy
			_	_	_	administration;
						intralesional, more than
						7 lesions
96409			\$86.09			Chemotherapy
20.00	_	_	<u> </u>	_	_	administration;
I [<u> </u>

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						intravenous, push
						technique, single or
						initial substance/drug
<u>96411</u>	_	_	<u>\$48.12</u>	_	_	Chemotherapy
						administration;
						intravenous, push
						technique, each
						additional
						substance/drug (List
						separately in addition to
						code for primary
0.544.0			#105.22			procedure)
<u>96413</u>	_	_	<u>\$105.23</u>	_	-	Chemotherapy
						administration,
						<u>intravenous infusion</u>
						technique; up to 1 hour,
						single or initial
06415			Ф21.72			substance/drug
<u>96415</u>	-	-	<u>\$21.73</u>	-	_	Chemotherapy
						administration,
						intravenous infusion
						technique; each
						additional hour (List
						separately in addition to
						code for primary
06416			\$109.61			<u>procedure</u>)
<u>96416</u>	-	_	\$109.01	_	-	<u>Chemotherapy</u> administration,
						intravenous infusion
						technique; initiation of
						prolonged chemotherapy
						infusion (more than 8
						hours), requiring use of
						a portable or
						implantable pump
96417			<u>\$48.38</u>			<u>Chemotherapy</u>
	_	_	<u>, 332 2</u>	_	_	administration,
						intravenous infusion
						technique; each
						additional sequential
						infusion (different
						substance/drug), up to 1

Section Sect	Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
Primary procedure Primary procedure							
96420 96422 96423 96423 96423 96423 96424 96425 96425 96425 96440 96440 9645 96440							·
96422 S S S S S S S S S S S S S S S S S S							<u>primary procedure</u>)
96422 S S S S S S S S S S S S S S S S S S							
96422 S S S S S S S S S S S S S S S S S S	,						
96422 Chemotherapy administration, intra- arterial; infusion technique, up to 1 hour 96423 Chemotherapy administration, intra- arterial; infusion technique, up to 1 hour Chemotherapy administration, intra- arterial; infusion technique, each additional hour (List separately in addition to code for primary procedure) 96425 Chemotherapy administration, intra- arterial; infusion technique, each additional hour (List separately in addition to code for primary procedure) 96425 Chemotherapy administration intra- arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 96440 \$657.33 \$99.70 Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter	<u>96420</u>	_	_	<u>\$82.05</u>	_	_	
96422 . \$132.47 . Chemotherapy administration, intra- arterial; infusion technique, up to 1 hour 96423 \$60.98 . Chemotherapy administration, intra- arterial; infusion technique, acch additional hour (List separately in addition to code for primary procedure) 96425 \$141.48 . Chemotherapy administration, intra- arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 96440 \$657.33 \$99.70 Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72							
administration, intra- arterial; infusion technique, up to 1 hour Section 1 Section 2 Section 3 Section 3 Section 3 Section 4 Section 4 Section 4 Section 4 Section 4 Section 5 Section 8 Section 8 Section 8 Section 9	0.5100			* * * * * * * *			
96423 - \$60.98 - Chemotherapy administration, intra-arterial; infusion technique, each additional hour (List separately in addition to code for primary procedure) 96425 - \$141.48 - Chemotherapy administration, intra-arterial; infusion technique, each additional hour (List separately in addition to code for primary procedure) 96425 - \$141.48 - Chemotherapy administration intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 96440 \$657.33 \$99.70 - Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 - Chemotherapy administration into the peritoneal cavity via indwelling port or catheter	96422	-	-	<u>\$132.47</u>	-	_	
96423 Section 1							
96423 Section 1 Section 2 Section 3 Section 4 Section 3 Section 4 Section 3 Section 4 Section 3 Section 4 Section 4 Section 4 Section 4 Section 4 Section 3 Section 4 Sect							
administration, intra- arterial; infusion technique, each additional hour (List separately in addition to code for primary procedure) 96425 Separately in addition to code for primary procedure) Chemotherapy administration, intra- arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 96440 \$657.33 \$99.70 Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter	06422			\$60.09			
96425 96425 96425 96426 96440 96440 96440 96440 96440 96446 \$154.55 \$18.72 96446 \$154.55 \$18.72 96446 \$154.55 \$18.72 975	70423	-	-	<u>φυυ. 9δ</u>	-	_	
Separately in addition to code for primary procedure) Separately in addition to code for primary procedure)							
96425 96425 96440 96440 96440 96446							
Separately in addition to code for primary procedure) 96425							
96425 - \$141.48 - Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 96440 \$657.33 \$99.70 - Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 - Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
96425 96425 Sample of the procedure of							
administration, intra- arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 96440 \$657.33 \$99.70 Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 96440 \$657.33 \$99.70 - Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 - Chemotherapy administration into the peritoneal cavity via indwelling port or catheter	96425	_	_	<u>\$141.48</u>	_	_	Chemotherapy
Second							administration, intra-
96440 \$657.33 \$99.70 . Chemotherapy administration into pleural cavity, requiring and including thoracentesis. 96446 \$154.55 \$18.72 . Chemotherapy administration into the peritoneal cavity via indwelling port or catheter.							<u> </u>
96440 \$657.33 \$99.70 - Chemotherapy administration into pleural cavity, requiring thoracentesis 96446 \$154.55 \$18.72 - Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
96440 \$657.33 \$99.70 - Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 - Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
96440 \$657.33 \$99.70 - Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 - Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
96440 \$657.33 \$99.70 Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
96440 \$657.33 \$99.70 Chemotherapy administration into pleural cavity, requiring and including thoracentesis 96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter	06440	\$657.22	¢00.70				ļ
96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter	90440	<u>\$037.33</u>	<u>\$99.70</u>	-	-	-	
96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							-
96446 \$154.55 \$18.72 Chemotherapy administration into the peritoneal cavity via indwelling port or catheter							
administration into the peritoneal cavity via indwelling port or catheter	96446	\$154.55	\$18.72				
peritoneal cavity via indwelling port or catheter		\$101.00	<u> </u>	_	_	_	
indwelling port or catheter							
<u>catheter</u>							
							<u> </u>
96450 \$138.99 \$59.29 _ Chemotherapy	96450	\$138.99	\$59.29	_	_	_	Chemotherapy
<u>administration, into</u>							
CNS (eg, intrathecal),							CNS (eg, intrathecal),

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						requiring and including
						spinal puncture
<u>96521</u>	_	_	<u>\$107.78</u>	_	_	Refilling and
						maintenance of portable
						<u>pump</u>
<u>96522</u>	_	_	<u>\$88.01</u>	_	_	Refilling and
						maintenance of
						implantable pump or
						reservoir for drug
						delivery, systemic (eg,
						intravenous, intra-
06502			¢10.42			arterial)
<u>96523</u>	-	-	<u>\$19.42</u>	-	-	Irrigation of implanted
						venous access device for
96542	\$93.38	\$31.08				drug delivery systems Chemotherapy injection,
90342	\$73.36	<u>\$31.08</u>	-	-	_	subarachnoid or
						intraventricular via
						subcutaneous reservoir,
						single or multiple agents
96549			I.C.			Unlisted chemotherapy
<u> </u>	_	_	<u> </u>	_	_	procedure
96567			\$106.67			Photodynamic therapy
	_	_		_	_	by external application
						of light to destroy
						premalignant and/or
						malignant lesions of the
						skin and adjacent
						mucosa (eg, lip) by
						activation of
						photosensitive drug(s),
						each phototherapy
0.6550			0.44.40			exposure session
<u>96570</u>	_	_	<u>\$41.10</u>	-	_	Photodynamic therapy
						by endoscopic
						application of light to
						ablate abnormal tissue via activation of
						photosensitive drug(s);
						first 30 minutes (List
						separately in addition to
						separatery in addition to

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						code for endoscopy or
						bronchoscopy
						procedures of lung and
						gastrointestinal tract)
96571			\$19.63			Photodynamic therapy
	_	_		_	_	by endoscopic
						application of light to
						ablate abnormal tissue
						via activation of
						photosensitive drug(s);
						each additional 15
						minutes (List separately
						in addition to code for
						endoscopy or
						bronchoscopy
						procedures of lung and
						gastrointestinal tract)
<u>96900</u>	_	_	<u>\$16.15</u>	_	_	<u>Actinotherapy</u>
						(ultraviolet light)
<u>96902</u>	<u>\$15.86</u>	<u>\$15.30</u>	_	_	_	<u>Microscopic</u>
						examination of hairs
						plucked or clipped by
						the examiner (excluding
						hair collected by the
						patient) to determine
						telogen and anagen
						counts, or structural hair
						shaft abnormality
<u>96904</u>	-	_	<u>\$49.42</u>	_	_	Whole body
						integumentary
						photography, for
						monitoring of high risk
						patients with dysplastic
						nevus syndrome or a
						history of dysplastic
						nevi, or patients with a
						personal or familial
						history of melanoma

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
96910	-	-	\$56.28	-	-	Photochemotherapy; tar and ultraviolet B (Goeckerman treatment) or petrolatum and ultraviolet B
96912	-	-	\$72.00	-	-	Photochemotherapy; psoralens and ultraviolet A (PUVA)
96913	-	-	\$103.18	-	-	Photochemotherapy (Goeckerman and/or PUVA) for severe photoresponsive dermatoses requiring at least 4-8 hours of care under direct supervision of the physician (includes application of medication and dressings)
96920	<u>\$119.62</u>	<u>\$49.75</u>	-	-	-	Laser treatment for inflammatory skin disease (psoriasis); total area less than 250 sq cm
96921	\$131.60	<u>\$56.39</u>	-	-	-	Laser treatment for inflammatory skin disease (psoriasis); 250 sq cm to 500 sq cm
96922	<u>\$181.49</u>	<u>\$90.85</u>	-	-	-	Laser treatment for inflammatory skin disease (psoriasis); over 500 sq cm
96931	-	_	<u>I.C.</u>	-	-	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, first lesion
96932	-	-	<u>I.C.</u>	-	-	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						acquisition only, first
						<u>lesion</u>
96933	_	_	<u>I.C.</u>	_	_	Reflectance confocal
		_		_	_	microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin;
						interpretation and report
						only, first lesion
<u>96934</u>	_	_	<u>I.C.</u>	_	_	Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin; image
						acquisition and
						interpretation and report,
						each additional lesion
						(List separately in
						addition to code for
0.5025			T.C.			primary procedure)
<u>96935</u>	_	-	<u>I.C.</u>	-	-	Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin; image
						acquisition only, each
						additional lesion (List separately in addition to
						code for primary
						procedure)
96936			I.C.			Reflectance confocal
<u> </u>	-	-	<u>1.C.</u>	_	-	microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin;
						interpretation and report
						only, each additional
						lesion (List separately in
						addition to code for
						primary procedure)
96999	_	_	<u>I.C.</u>	_	_	Unlisted special
		_		_	_	dermatological service
						or procedure
97001	_	_	<u>\$55.92</u>	_	_	Physical therapy
						evaluation

Code	<u>NFAC</u>	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
97002	-	-	\$31.39	-	-	Physical therapy re- evaluation
97003	-	-	<u>\$63.50</u>	-	-	Occupational therapy evaluation
97004	-	-	\$39.81	-	-	Occupational therapy re- evaluation
97005	-	-	<u>I.C.</u>	-	-	Athletic training evaluation
<u>97006</u>	-	-	<u>I.C.</u>	-	-	Athletic training re- evaluation
97010	-	-	<u>\$4.50</u>	-	-	Application of a modality to 1 or more areas; hot or cold packs
97012	-	-	\$11.89	-	-	Application of a modality to 1 or more areas; traction, mechanical
97014	-	-	<u>\$12.06</u>	-	-	Application of a modality to 1 or more areas; electrical stimulation (unattended)
<u>97016</u>	-	-	<u>\$14.59</u>	-	-	Application of a modality to 1 or more areas; vasopneumatic devices
<u>97018</u>	-	-	<u>\$8.43</u>	-	-	Application of a modality to 1 or more areas; paraffin bath
97022	-	-	\$17.98	-	-	Application of a modality to 1 or more areas; whirlpool
97024	-	-	<u>\$4.78</u>	-	-	Application of a modality to 1 or more areas; diathermy (eg, microwave)
<u>97026</u>	-	-	<u>\$4.50</u>	-	-	Application of a modality to 1 or more areas; infrared
97028	-	-	<u>\$5.57</u>	-	-	Application of a modality to 1 or more areas; ultraviolet

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
97032	-	-	\$14.42	-	-	Application of a modality to 1 or more areas; electrical stimulation (manual),
97033	-	-	\$20.00	-	-	each 15 minutes Application of a modality to 1 or more areas; iontophoresis, each 15 minutes
97034	-	-	\$13.67	-	-	Application of a modality to 1 or more areas; contrast baths, each 15 minutes
97035	-	-	<u>\$9.46</u>	-	-	Application of a modality to 1 or more areas; ultrasound, each 15 minutes
97036	-	-	\$25.29	-	-	Application of a modality to 1 or more areas; Hubbard tank, each 15 minutes
97039	-	-	<u>I.C.</u>	-	-	Unlisted modality (specify type and time if constant attendance)
97110	-	-	\$24.18	-	-	Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility
97112	-	_	\$25.31	-	-	Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
97113	-	-	\$32.75	-	-	Therapeutic procedure, 1 or more areas, each 15 minutes; aquatic therapy with therapeutic exercises
<u>97116</u>	-	-	\$21.34	-	-	Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)
97124	-	-	<u>\$19.78</u>	-	-	Therapeutic procedure, 1 or more areas, each 15 minutes; massage, including effleurage, petrissage and/or tapotement (stroking, compression, percussion)
97139	-	-	<u>I.C.</u>	-	-	<u>Unlisted therapeutic</u> <u>procedure (specify)</u>
97140	-	-	\$22.39	-	-	Manual therapy techniques (eg, mobilization/ manipulation, manual lymphatic drainage, manual traction), 1 or more regions, each 15 minutes
97150	-	-	<u>\$12.91</u>	-	-	Therapeutic procedure(s), group (2 or more individuals)
97530	-	-	\$26.30	-	-	Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities to improve functional performance), each 15 minutes
97532	-	-	\$19.84	-	-	Development of cognitive skills to improve attention, memory, problem solving (includes

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						compensatory training), direct (one-on-one) patient contact, each 15 minutes
97533	-	-	\$21.81	-	-	Sensory integrative techniques to enhance sensory processing and promote adaptive responses to environmental demands, direct (one-on-one) patient contact, each 15 minutes
97535	-	-	\$26.43	-	-	Self-care/home management training (eg, activities of daily living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one- on-one contact, each 15 minutes
97537	-	-	\$22.50	-	-	Community/work reintegration training (eg, shopping, transportation, money management, avocational activities and/or work environment/modificatio n analysis, work task analysis, use of assistive technology device/adaptive equipment), direct one- on-one contact, each 15 minutes

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
<u>97542</u>	_	_	<u>\$23.06</u>	_	_	Wheelchair management
						(eg, assessment, fitting,
						training), each 15
						<u>minutes</u>
<u>97545</u>	_	_	<u>I.C.</u>	_	_	<u>Work</u>
						hardening/conditioning;
						<u>initial 2 hours</u>
<u>97546</u>	_	_	<u>I.C.</u>	_	_	<u>Work</u>
						hardening/conditioning;
						each additional hour
						(List separately in
						addition to code for
						<u>primary procedure</u>)
<u>97597</u>	<u>\$57.99</u>	<u>\$17.02</u>	_	_	-	Debridement (eg, high
						<u>pressure waterjet</u>
						with/without suction,
						sharp selective
						debridement with
						scissors, scalpel and
						forceps), open wound,
						(eg, fibrin, devitalized
						epidermis and/or dermis,
						exudate, debris,
						biofilm), including
						topical application(s),
						wound assessment, use
						of a whirlpool, when
						performed and
						instruction(s) for
						ongoing care, per
						session, total wound(s)
						surface area; first 20 sq
						cm or less

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>97598</u>	<u>\$18.65</u>	<u>\$7.99</u>	_	_	_	Debridement (eg, high
						pressure waterjet
						with/without suction,
						sharp selective
						debridement with
						scissors, scalpel and
						forceps), open wound,
						(eg, fibrin, devitalized
						epidermis and/or dermis,
						exudate, debris,
						biofilm), including
						topical application(s),
						wound assessment, use
						of a whirlpool, when
						performed and
						instruction(s) for
						ongoing care, per
						session, total wound(s)
						surface area; each
						additional 20 sq cm, or
						part thereof (List
						separately in addition to
						code for primary
						<u>procedure)</u>
<u>97602</u>	_	_	<u>I.C.</u>	_	_	Removal of devitalized
						tissue from wound(s),
						non-selective
						debridement, without
						anesthesia (eg, wet-to-
						moist dressings,
						enzymatic, abrasion),
						including topical
						application(s), wound
						assessment, and
						instruction(s) for
						ongoing care, per
						<u>session</u>

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
97605	\$30.95	\$18.32	_	_	_	Negative pressure
						wound therapy (eg.
						vacuum assisted
						drainage collection),
						utilizing durable medical
						equipment (DME),
						including topical
						application(s), wound
						assessment, and
						instruction(s) for
						ongoing care, per
						session; total wound(s)
						surface area less than or
						equal to 50 square
						<u>centimeters</u>
<u>97606</u>	<u>\$36.72</u>	<u>\$19.89</u>	_	_	_	Negative pressure
						wound therapy (eg,
						vacuum assisted
						drainage collection),
						utilizing durable medical
						equipment (DME),
						including topical
						application(s), wound
						assessment, and
						instruction(s) for
						ongoing care, per
						session; total wound(s)
						surface area greater than
						50 square centimeters
<u>97607</u>	_	_	<u>I.C.</u>	_	_	Negative pressure
						wound therapy, (eg.
						vacuum assisted
						drainage collection),
						utilizing disposable,
						non-durable medical
						equipment including
						provision of exudate
						management collection
						system, topical
						application(s), wound
						assessment, and
						instructions for ongoing

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						care, per session; total
						wound(s) surface area
						less than or equal to 50
						square centimeters
<u>97608</u>			I.C.			Negative pressure
	_	_		_	_	wound therapy, (eg,
						vacuum assisted
						drainage collection),
						utilizing disposable,
						non-durable medical
						equipment including
						provision of exudate
						management collection
						system, topical
						application(s), wound
						assessment, and
						instructions for ongoing
						care, per session; total
						wound(s) surface area
						greater than 50 square
						<u>centimeters</u>
<u>97610</u>	<u>\$93.59</u>	<u>\$11.64</u>	_	_	_	Low frequency, non-
						contact, non-thermal
						ultrasound, including
						topical application(s),
						when performed, wound
						assessment, and
						instruction(s) for
						ongoing care, per day
<u>97750</u>	_	_	<u>\$24.74</u>	_	-	Physical performance
						test or measurement (eg,
						musculoskeletal,
						functional capacity),
						with written report, each
						15 minutes

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
97755	-	-	\$26.57	-	-	Assistive technology assessment (eg, to restore, augment or compensate for existing function, optimize functional tasks and/or
						maximize environmental accessibility), direct one-on-one contact, with written report, each 15 minutes
97760	-		\$28.67	-	-	Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(s), lower extremity(s) and/or trunk, each 15 minutes
<u>97761</u>	-	-	<u>\$24.74</u>	_	-	Prosthetic training, upper and/or lower extremity(s), each 15 minutes
97762	-	-	\$36.87	-	-	Checkout for orthotic/prosthetic use, established patient, each 15 minutes
97799	-	-	<u>I.C.</u>	-	-	Unlisted physical medicine/rehabilitation service or procedure
97802	<u>\$25.95</u>	<u>\$24.27</u>	-	_	-	Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes
97803	\$22.50	\$20.53	-	-	-	Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
97804	<u>\$11.89</u>	<u>\$11.33</u>	-	-	-	Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes
97810	<u>\$26.93</u>	\$22.44	-	-	-	Acupuncture, 1 or more needles; without electrical stimulation, initial 15 minutes of personal one-on-one contact with the patient
97811	\$20.01	<u>\$18.60</u>	-	-	-	Acupuncture, 1 or more needles; without electrical stimulation, each additional 15 minutes of personal one-on-one contact with the patient, with re-insertion of needle(s) (List separately in addition to code for primary procedure)
97813	\$28.77	\$24.28	-	-	-	Acupuncture, 1 or more needles; with electrical stimulation, initial 15 minutes of personal one-on-one contact with the patient
97814	\$22.69	<u>\$20.44</u>	-	-	-	Acupuncture, 1 or more needles; with electrical stimulation, each additional 15 minutes of personal one-on-one contact with the patient, with re-insertion of needle(s) (List separately in addition to code for primary procedure)
98925	\$23.47	<u>\$17.30</u>	-	-	-	Osteopathic manipulative treatment (OMT); 1-2 body regions involved

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
98926	\$33.96	\$26.38	-	-	-	Osteopathic manipulative treatment (OMT); 3-4 body regions involved
98927	\$43.88	<u>\$34.62</u>	-	-	-	Osteopathic manipulative treatment (OMT); 5-6 body regions involved
98928	<u>\$53.81</u>	\$43.71	-	-	-	Osteopathic manipulative treatment (OMT); 7-8 body regions involved
98929	<u>\$64.29</u>	<u>\$52.51</u>	-	-	-	Osteopathic manipulative treatment (OMT); 9-10 body regions involved
98940	\$21.07	<u>\$16.58</u>	-	-	-	Chiropractic manipulative treatment (CMT); spinal, 1-2 regions
98941	\$30.28	<u>\$25.51</u>	-	-	-	Chiropractic manipulative treatment (CMT); spinal, 3-4 regions
98942	<u>\$39.36</u>	\$34.31	-	-	-	Chiropractic manipulative treatment (CMT); spinal, 5 regions
98943	\$20.10	<u>\$17.30</u>	-	-	-	Chiropractic manipulative treatment (CMT); extraspinal, 1 or more regions
98960	_	_	\$21.92	-	-	Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; individual

<u>Code</u>	NFAC	<u>FAC</u>	Global	PC PC	<u>TC</u>	Description
						patient
<u>98961</u>	_	_	<u>\$10.54</u>	_	_	Education and training
						for patient self-
						management by a
						qualified, nonphysician
						health care professional
						using a standardized
						curriculum, face-to-face
						with the patient (could
						<u>include</u>
						caregiver/family) each
						30 minutes; 2-4 patients
98962	_	_	<u>\$7.73</u>	_	_	Education and training
		_		_	_	for patient self-
						management by a
						qualified, nonphysician
						health care professional
						using a standardized
						curriculum, face-to-face
						with the patient (could
						include
						caregiver/family) each
						30 minutes; 5-8 patients
98966	\$10.21	\$9.36				Telephone assessment
<u> </u>	Ψ10.21	<u>φ2.50</u>	-	-	_	and management service
						provided by a qualified
						nonphysician health care
						professional to an
						established patient,
						parent, or guardian not
						originating from a
						related assessment and
						management service provided within the
						-
						previous 7 days nor
						<u>leading to an assessment</u>
						and management service

<u>Code</u>	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						or procedure within the
						next 24 hours or soonest
						available appointment;
						5-10 minutes of medical
						discussion
<u>98967</u>	<u>\$19.73</u>	\$18.60	_	_	_	Telephone assessment
						and management service
						provided by a qualified
						nonphysician health care
						professional to an
						established patient,
						parent, or guardian not
						originating from a
						related assessment and
						management service
						provided within the
						previous 7 days nor leading to an assessment
						and management service
						or procedure within the
						next 24 hours or soonest
						available appointment;
						11-20 minutes of
						medical discussion
<u>98968</u>	\$28.81	<u>\$27.97</u>	_	_	_	Telephone assessment
			-	_	_	and management service
						provided by a qualified
						nonphysician health care
						professional to an
						established patient,
						parent, or guardian not
						originating from a
						related assessment and
						management service
						provided within the
						previous 7 days nor
[<u> </u>						<u>leading to an assessment</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion
98969	-	-	I.C.	-	-	Online assessment and management service provided by a qualified nonphysician health care professional to an established patient or guardian, not originating from a related assessment and management service provided within the previous 7 days, using the Internet or similar electronic communications network
99000	-	-	I.C.	-	-	Handling and/or conveyance of specimen for transfer from the office to a laboratory
99001	_	_	I.C.	_	_	Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>Code</u> <u>99002</u>	NFAC	FAC	Global I.C.	PC -	<u>TC</u>	Handling, conveyance, and/or any other service in connection with the implementation of an order involving devices (eg, designing, fitting, packaging, handling, delivery or mailing) when devices such as orthotics, protectives, prosthetics are fabricated by an outside laboratory or shop but which items have been designed, and are to be fitted and adjusted by the attending physician or other qualified health care professional
99024	-	1	<u>I.C.</u>	-	-	Postoperative follow-up visit, normally included in the surgical package, to indicate that an evaluation and management service was performed during a postoperative period for a reason(s) related to the original procedure
99026	-	-	<u>I.C.</u>	-	-	Hospital mandated on call service; in-hospital, each hour
99027	-	-	<u>I.C.</u>	-	-	Hospital mandated on call service; out-of-hospital, each hour
99050	-	-	I.C.	-	-	Services provided in the office at times other than regularly scheduled office hours, or days when the office is normally closed (eg, holidays, Saturday or

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						Sunday), in addition to
						basic service
99051			I.C.			Service(s) provided in
	_	<u>-</u>		_	_	the office during
						regularly scheduled
						evening, weekend, or
						holiday office hours, in
						addition to basic service
99053	_	_	<u>I.C.</u>	_	_	Service(s) provided
						between 10:00 PM and
						8:00 AM at 24-hour
						facility, in addition to
						<u>basic service</u>
<u>99056</u>	_	_	<u>I.C.</u>	_	_	Service(s) typically
						provided in the office,
						provided out of the
						office at request of
						patient, in addition to
						basic service
<u>99058</u>	_	_	<u>I.C.</u>	_	_	Service(s) provided on
						an emergency basis in
						the office, which
						disrupts other scheduled
						office services, in
00000			T 6			addition to basic service
<u>99060</u>	_	-	<u>I.C.</u>	-	_	Service(s) provided on
						an emergency basis, out
						of the office, which
						disrupts other scheduled
						office services, in
00070			IC			addition to basic service
<u>99070</u>	_	-	<u>I.C.</u>	-	-	Supplies and materials (avent spectagles)
						(except spectacles), provided by the
						physician or other qualified health care
						professional over and
						above those usually
						included with the office
l <u> </u>				1		included with the office

Code	<u>NFAC</u>	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						visit or other services rendered (list drugs, trays, supplies, or materials provided)
99071	-	-	I.C.	-	-	Educational supplies, such as books, tapes, and pamphlets, for the patient's education at cost to physician or other qualified health care professional
<u>99075</u>	_	-	<u>I.C.</u> <u>I.C.</u>	_	_	Medical testimony
99078	-	-	I.C.	-	-	Physician or other qualified health care professional qualified by education, training, licensure/regulation (when applicable) educational services rendered to patients in a group setting (eg, prenatal, obesity, or diabetic instructions)
99080	_	-	<u>I.C.</u>	-	-	Special reports such as insurance forms, more than the information conveyed in the usual medical communications or standard reporting form
99082	_	_	<u>I.C.</u>	-		Unusual travel (eg. transportation and escort of patient)
99090	-	-	I.C.	-	-	Analysis of clinical data stored in computers (eg, ECGs, blood pressures, hematologic data)

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99091	-	-	<u>\$41.04</u>	-	-	Collection and interpretation of physiologic data (eg,
						ECG, blood pressure,
						glucose monitoring)
						digitally stored and/or
						transmitted by the
						patient and/or caregiver to the physician or other
						qualified health care
						professional, qualified
						by education, training,
						<u>licensure/regulation</u>
						(when applicable)
						requiring a minimum of
99100			<u>I.C.</u>			30 minutes of time Anesthesia for patient of
99100	-	-	<u>1.C.</u>	-	-	extreme age, younger
						than 1 year and older
						than 70 (List separately
						in addition to code for
						<u>primary anesthesia</u>
00116			1.0			procedure)
<u>99116</u>	-	-	<u>I.C.</u>	-	_	Anesthesia complicated
						by utilization of total body hypothermia (List
						separately in addition to
						code for primary
						anesthesia procedure)
<u>99135</u>	_	_	<u>I.C.</u>	_	_	Anesthesia complicated
						by utilization of
						controlled hypotension
						(List separately in addition to code for
						primary anesthesia
						procedure)
<u>99140</u>	_	_	I.C.	_	_	Anesthesia complicated
	_	_	<u></u>	_	_	by emergency
						conditions (specify)
						(List separately in
						addition to code for
						primary anesthesia

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						procedure)
99143			I.C.			Moderate sedation
	_	-		_	_	services (other than
						those services described
						by codes 00100-01999)
						provided by the same
						physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
						the sedation supports,
						requiring the presence of
						an independent trained
						observer to assist in the
						monitoring of the
						patient's level of
						consciousness and
						physiological status;
						younger than 5 years of
						age, first 30 minutes
00111			* 0			intra-service time
<u>99144</u>	-	-	<u>I.C.</u>	-	_	Moderate sedation
						services (other than
						those services described
						by codes 00100-01999)
						provided by the same physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
						the sedation supports,
						requiring the presence of
						an independent trained
						observer to assist in the
						monitoring of the
						patient's level of
						consciousness and
						physiological status; age

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						5 years or older, first 30
						minutes intra-service
						<u>time</u>
00145			IC			Modernte andetier
<u>99145</u>	-	-	<u>I.C.</u>	-	-	Moderate sedation services (other than
						those services described
						by codes 00100-01999)
						provided by the same
						physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
						the sedation supports,
						requiring the presence of
						an independent trained
						observer to assist in the
						monitoring of the
						patient's level of
						consciousness and
						physiological status;
						each additional 15
						minutes intra-service
						time (List separately in
						addition to code for
						<u>primary service)</u>

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
99149	NFAC _	<u>FAC</u>	Global I.C.	<u>PC</u>	<u>TC</u>	Moderate sedation services (other than those services described by codes 00100-01999), provided by a physician or other qualified health care professional other than the health care professional performing the diagnostic or therapeutic service that the sedation supports; younger than 5 years of age, first 30 minutes intra-service time Moderate sedation
<u>99149</u>	_	_	<u>I.C.</u>	_	_	services (other than those services described by codes 00100-01999), provided by a physician or other qualified health care professional other than the health care professional performing the diagnostic or therapeutic service that the sedation supports; age 5 years or older, first 30 minutes intra-service time
99150	-	-	I.C.	-	-	Moderate sedation services (other than those services described by codes 00100-01999), provided by a physician or other qualified health care professional other than the health care professional performing the diagnostic or therapeutic service that the sedation supports;

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	PC PC	<u>TC</u>	Description
						each additional 15 minutes intra-service time (List separately in addition to code for primary service)
99170	\$131.84	<u>\$65.33</u>	-	-	-	Anogenital examination, magnified, in childhood for suspected trauma, including image recording when performed
99172	-	-	I.C.	-	-	Visual function screening, automated or semi-automated bilateral quantitative determination of visual acuity, ocular alignment, color vision by pseudoisochromatic plates, and field of vision (may include all or some screening of the determination[s] for contrast sensitivity, vision under glare)
99174	-	-	I.C.	-	-	Instrument-based ocular screening (eg, photoscreening, automated-refraction), bilateral; with remote analysis and report
99175	-	-	<u>\$13.35</u>	-	-	Ipecac or similar administration for individual emesis and continued observation until stomach adequately emptied of poison

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99177	-	-	I.C.	-	-	Instrument-based ocular screening (eg, photoscreening, automated-refraction), bilateral; with on-site analysis
99183	-	-	<u>\$79.53</u>	-	-	Physician or other qualified health care professional attendance and supervision of hyperbaric oxygen therapy, per session
99184	-	-	<u>\$167.70</u>	-	-	Initiation of selective head or total body hypothermia in the critically ill neonate, includes appropriate patient selection by review of clinical, imaging and laboratory data, confirmation of esophageal temperature probe location, evaluation of amplitude EEG, supervision of controlled hypothermia, and assessment of patient tolerance of cooling
99188	-	-	I.C.	-	-	Application of topical fluoride varnish by a physician or other qualified health care professional
99190	-	-	I.C.	-	-	Assembly and operation of pump with oxygenator or heat exchanger (with or without ECG and/or pressure monitoring); each hour

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>99191</u>	_	-	<u>I.C.</u>	_	_	Assembly and operation
						of pump with
						oxygenator or heat
						exchanger (with or
						without ECG and/or
						pressure monitoring); 45
						<u>minutes</u>
<u>99192</u>	_	_	<u>I.C.</u>	_	_	Assembly and operation
						of pump with
						oxygenator or heat
						exchanger (with or
						without ECG and/or
						pressure monitoring); 30
						<u>minutes</u>
<u>99195</u>	_	_	<u>\$78.39</u>	_	_	Phlebotomy, therapeutic
						(separate procedure)
99199	_	_	<u>I.C.</u>	_	_	<u>Unlisted special service</u> ,
						procedure or report
99201	\$32.71	\$19.24	_	_	_	Office or other
						outpatient visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are self
						limited or minor.

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
Couc			Global		<u>10</u>	Typically, 10 minutes are spent face-to-face with the patient and/or family.
99202	\$55.65	\$36.57		_	_	Office or other
<u> </u>	<u>ψ33.03</u>	<u>930.31</u>	-	_		outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 20 minutes are spent face-to-face

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						with the patient and/or
						<u>family.</u>
1						
99203	<u>\$79.95</u>	<u>\$55.53</u>	_	_	_	Office or other
						outpatient visit for the
						evaluation and
						management of a new patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination;
						Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of
						moderate severity.
						Typically, 30 minutes
						are spent face-to-face

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						with the patient and/or family.
99204	\$121.49	\$94.27		_	_	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						to-face with the patient and/or family.
99205	\$151.92	\$122.45		_	_	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent face-

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						to-face with the patient
						and/or family.
<u>99211</u>	<u>\$15.15</u>	<u>\$6.73</u>	_	_	-	Office or other
						outpatient visit for the
						evaluation and
						management of an
						established patient, that may not require the
						presence of a physician
						or other qualified health
						care professional.
						Usually, the presenting
						problem(s) are minimal.
						Typically, 5 minutes are spent performing or
						supervising these
						services.

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99212	\$32.56	<u>\$18.25</u>	_	1	_	Office or other
						outpatient visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A problem
						focused history; A
						<u>problem focused</u>
						examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are self
						limited or minor.
						Typically, 10 minutes
						are spent face-to-face
						with the patient and/or
						<u>family.</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99213	<u>\$54.27</u>	<u>\$37.15</u>	_	_	_	Office or other
						outpatient visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: An
						expanded problem
						focused history; An
						expanded problem
						focused examination;
						Medical decision
						making of low
						complexity. Counseling
						and coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of low to
						moderate severity.
						Typically, 15 minutes
						are spent face-to-face
						with the patient and/or
						<u>family.</u>

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
99214	<u>\$79.82</u>	<u>\$57.09</u>	_	_	_	Office or other
						outpatient visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A detailed
						history; A detailed
						examination; Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of
						moderate to high
						severity. Typically, 25
						minutes are spent face-
						to-face with the patient
						and/or family.

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99215	<u>\$107.16</u>	<u>\$80.78</u>	-	-	_	Office or other
						outpatient visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A
						comprehensive history;
						<u>A comprehensive</u>
						examination; Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of
						moderate to high
						severity. Typically, 40
						minutes are spent face-
						to-face with the patient
						and/or family.
<u>99217</u>	_	_	<u>\$53.26</u>	_	_	Observation care
						discharge day
						management (This code
						is to be utilized to report
						all services provided to a
						patient on discharge
						from "observation
						status" if the discharge
						is on other than the
						initial date of
						"observation status." To
						report services to a

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						patient designated as "observation status" or "inpatient status" and discharged on the same date, use the codes for Observation or Inpatient Care Services [including Admission and Discharge Services, 99234-99236 as appropriate.])
99218		_	\$72.27	_	_	Initial observation care, per day, for the evaluation and management of a patient which requires these 3 key components: A detailed or comprehensive history; A detailed or comprehensive examination; and Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to "observation status" are of low severity. Typically, 30 minutes

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	are spent at the bedside and on the patient's hospital floor or unit.
99219	_	_	\$98.57	_	_	Initial observation care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to

Code	NFAC	FAC	Global	PC	<u>TC</u>	Description
						"observation status" are
						of moderate severity.
						Typically, 50 minutes
						are spent at the bedside
						and on the patient's
						hospital floor or unit.
99220	_	_	<u>\$134.75</u>	_	_	Initial observation care,
						per day, for the
						evaluation and
						management of a
						patient, which requires
						these 3 key components:
						<u>A comprehensive</u>
						history; A
						<u>comprehensive</u>
						examination; and
						Medical decision
						making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the problem(s) requiring
						admission to
						"observation status" are
1						observation status are

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						of high severity. Typically, 70 minutes are spent at the bedside and on the patient's hospital floor or unit.
99221	_	_	<u>\$73.17</u>		_	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components: A detailed or comprehensive history; A detailed or comprehensive examination; and Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of low

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						severity. Typically, 30 minutes are spent at the bedside and on the patient's hospital floor or unit.
99222	_	_	\$99.29			Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of moderate severity. Typically, 50 minutes

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						are spent at the bedside and on the patient's hospital floor or unit.
99223		-	<u>\$147.13</u>	-	-	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of high severity. Typically, 70 minutes are spent at the bedside and on the

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						patient's hospital floor or
						unit.
<u>99224</u>	_	_	<u>\$28.81</u>	_	_	Subsequent observation
						care, per day, for the
						evaluation and
						management of a
						patient, which requires
						at least 2 of these 3 key
						components: Problem
						focused interval history;
						Problem focused examination; Medical
						decision making that is
						straightforward or of
						low complexity.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the patient is stable, recovering, or
						improving. Typically, 15
						minutes are spent at the
						minutes are spent at the

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						bedside and on the patient's hospital floor or unit.
99225		-	<u>\$52.99</u>		-	Subsequent observation care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is responding inadequately to therapy

<u>Code</u>	NFAC	<u>FAC</u>	Global	PC PC	<u>TC</u>	Description
						or has developed a
						minor complication.
						Typically, 25 minutes
						are spent at the bedside
						and on the patient's
[]						hospital floor or unit.
99226			\$76.53			Subsequent observation
	_	-	<u>, , , , , , , , , , , , , , , , , , , </u>	_	_	care, per day, for the
						evaluation and
						management of a
						patient, which requires
						at least 2 of these 3 key
						components: A detailed
						interval history; A
						detailed examination;
						Medical decision
						making of high
						complexity. Counseling and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the patient is unstable or
						has developed a
						significant complication

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						or a significant new problem. Typically, 35 minutes are spent at the bedside and on the patient's hospital floor or unit.
99231	_	_	\$28.53	_	_	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: A problem focused interval history; A problem focused examination; Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is stable, recovering or improving. Typically, 15

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						minutes are spent at the bedside and on the patient's hospital floor or unit.
99232	-	-	<u>\$52.43</u>	-	-	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is responding

<u>Code</u> <u>NFAC</u> <u>FAC</u> <u>Global</u>	<u>PC</u>	<u>TC</u>	Description
			inadequately to therapy
			or has developed a
			minor complication.
			Typically, 25 minutes
			are spent at the bedside
			and on the patient's
			hospital floor or unit.
99233 _ \$75.56			Subsequent hospital
<u> </u>	-	-	care, per day, for the
			evaluation and
			management of a
			patient, which requires
			at least 2 of these 3 key
			components: A detailed
			interval history; A
			detailed examination;
			Medical decision
			making of high
			complexity. Counseling
			and/or coordination of
			care with other
			physicians, other
			qualified health care
			professionals, or agencies are provided
			consistent with the
			nature of the problem(s)
			and the patient's and/or
			family's needs. Usually,
			the patient is unstable or
			has developed a
			significant complication

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						or a significant new problem. Typically, 35 minutes are spent at the bedside and on the patient's hospital floor or unit.
99234	_	-	<u>\$97.01</u>		_	Observation or inpatient hospital care, for the evaluation and management of a patient including admission and discharge on the same date, which requires these 3 key components: A detailed or comprehensive history; A detailed or comprehensive examination; and Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or

Code	NFAC	<u>FAC</u>	<u>Global</u>	PC PC	<u>TC</u>	Description
						family's needs. Usually the presenting problem(s) requiring admission are of low severity. Typically, 40 minutes are spent at the bedside and on the patient's hospital floor or unit.
99235		_	<u>\$122.75</u>	_		Observation or inpatient hospital care, for the evaluation and management of a patient including admission and discharge on the same date, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						family's needs. Usually
						the presenting
						<u>problem(s) requiring</u>
						admission are of
						moderate severity.
						Typically, 50 minutes
						are spent at the bedside
						and on the patient's
						hospital floor or unit.
99236			\$158.09			Observation or inpatient
99230	_	-	<u>φ138.09</u>	-	-	hospital care, for the
						evaluation and
						management of a patient
						including admission and
						discharge on the same
						date, which requires
						these 3 key components:
						A comprehensive
						history; A
						comprehensive
						examination; and
						Medical decision
						making of high
						complexity. Counseling
						and/or coordination of care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	PC PC	<u>TC</u>	Description
						the presenting
						problem(s) requiring
						admission are of high severity. Typically, 55
						minutes are spent at the
						bedside and on the
						patient's hospital floor or
						unit.
99238			\$53.11			Hospital discharge day
	_	_	<u>, </u>	_	-	management; 30
						minutes or less
<u>99239</u>	_	_	<u>\$78.58</u>	_	_	Hospital discharge day
						management; more than
00241	\$25.52	¢00.75				30 minutes
99241	<u>\$35.53</u>	<u>\$23.75</u>	-	-	-	Office consultation for a new or established
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination;
						and Straightforward
						medical decision
						making. Counseling and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or

Code	NFAC	FAC	<u>Global</u>	PC PC	<u>TC</u>	Description
						family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.
99242	<u>\$66.43</u>	<u>\$49.87</u>	_	_	_	Office consultation for a new or established patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 30 minutes are spent faceto-face with the patient and/or family.

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
99243	\$90.83	<u>\$69.78</u>	-	1	_	Office consultation for a
						new or established
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination;
						and Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually, the presenting
						problem(s) are of
						moderate severity.
						Typically, 40 minutes
						are spent face-to-face
						with the patient and/or
						family.
99244	\$135.14	\$112.13				Office consultation for a
<u> </u>	φ100/1 .	<u>Ψ112/10</u>	-	-	_	new or established
						patient, which requires
						these 3 key components:
						A comprehensive
						history; A
						comprehensive
						examination; and
						Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent faceto-face with the patient and/or family.
99245	\$164.51	\$138.69	-	_	_	Office consultation for a new or established patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 80 minutes are spent faceto-face with the patient

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						and/or family.
99251		_	\$35.52		_	Inpatient consultation for a new or established patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 20 minutes are spent at the bedside and on the patient's hospital floor or unit.

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99252	_	_	<u>\$54.40</u>	_	_	<u>Inpatient consultation</u>
						for a new or established
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						<u>focused examination;</u>
						and Straightforward
						medical decision
						making. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of low
						severity. Typically, 40
						minutes are spent at the
						bedside and on the
						patient's hospital floor or
						unit.
99253	-	_	<u>\$83.72</u>	_	_	Inpatient consultation
						for a new or established
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination;
						and Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of
						moderate severity. Typically, 55 minutes are spent at the bedside and on the patient's hospital floor or unit.
99254			\$121.72			Inpatient consultation for a new or established patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 80 minutes are spent at the bedside and on the patient's hospital floor or

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						unit.
00255			φ1.4.c.57			
99255			<u>\$146.57</u>		-	Inpatient consultation for a new or established patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 110 minutes are spent at the bedside and on the

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						patient's hospital floor or
						<u>unit.</u>
99281			\$15.23			Emergency department
	_	_	<u>, , , , , , , , , , , , , , , , , , , </u>	_	_	visit for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination;
						and Straightforward
						medical decision
						making. Counseling and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						<u>nature of the problem(s)</u>
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are self
						<u>limited or minor.</u>

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99282	ı	1	<u>\$29.67</u>	1	ı	Emergency department
						<u>visit for the evaluation</u>
						and management of a
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination;
						and Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of low to
00000			* 4.4.22			moderate severity.
99283	-	_	<u>\$44.32</u>	-	-	Emergency department
						visit for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination;
						and Medical decision
						making of moderate
						complexity. Counseling and/or coordination of
						care with other
						physicians, other
						*
						qualified health care
[<u> </u>						professionals, or

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or family's needs. Usually,
						the presenting
						problem(s) are of
						moderate severity.
"						
99284	-	_	<u>\$84.01</u>	_	_	Emergency department
						visit for the evaluation
						and management of a
						patient, which requires
						these 3 key components: A detailed history; A
						detailed examination;
						and Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of high
						severity, and require
						urgent evaluation by the
						physician, or other
						qualified health care
						professionals but do not
						pose an immediate

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						significant threat to life or physiologic function.
1						or physiologic function.
<u>99285</u>	_	-	<u>\$123.80</u>	-	-	Emergency department
						visit for the evaluation and management of a
						patient, which requires
						these 3 key components
						within the constraints imposed by the urgency
						of the patient's clinical
						condition and/or mental
						status: A comprehensive history; A
						comprehensive
						examination; and
						Medical decision making of high
						complexity. Counseling
						and/or coordination of
						care with other physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						the presenting
						problem(s) are of high
						severity and pose an
						immediate significant
						threat to life or
						physiologic function.
00200			IC			Dhysisian on other
99288	-	-	<u>I.C.</u>	_	-	Physician or other qualified health care
						professional direction of
						emergency medical
						systems (EMS)
						emergency care,
						advanced life support
<u>99291</u>	<u>\$201.56</u>	<u>\$161.15</u>	_	_	_	Critical care, evaluation
						and management of the
						critically ill or critically
						injured patient; first 30-
						74 minutes
99292	<u>\$89.20</u>	<u>\$80.78</u>	-	_	_	Critical care, evaluation
						and management of the
						critically ill or critically
						injured patient; each
						additional 30 minutes
						(List separately in addition to code for
						primary service)
	<u> </u>					primary service)

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99304	-	1	<u>\$67.00</u>	1	-	Initial nursing facility
						care, per day, for the
						evaluation and
						management of a
						patient, which requires
						these 3 key components:
						A detailed or
						comprehensive history;
						A detailed or
						comprehensive
						examination; and
						Medical decision
						making that is
						straightforward or of
						low complexity.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the problem(s) requiring
						admission are of low
						severity. Typically, 25
						minutes are spent at the
						bedside and on the
						patient's facility floor or
						<u>unit.</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99305	_	1	<u>\$95.35</u>	1	-	Initial nursing facility
						care, per day, for the
						evaluation and
						management of a
						patient, which requires
						these 3 key components:
						<u>A comprehensive</u>
						history; A
						<u>comprehensive</u>
						examination; and
						Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the problem(s) requiring
						admission are of
						moderate severity.
						Typically, 35 minutes
						are spent at the bedside
						and on the patient's
						facility floor or unit.

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99306	-	-	<u>\$121.45</u>	1	1	Initial nursing facility
						care, per day, for the
						evaluation and
						management of a
						patient, which requires
						these 3 key components:
						<u>A comprehensive</u>
						history; A
						comprehensive
						examination; and
						Medical decision
						making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the problem(s) requiring
						admission are of high
						severity. Typically, 45
						minutes are spent at the bedside and on the
						patient's facility floor or
						<u>unit.</u>

Code	<u>NFAC</u>	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99307	_	1	\$32.87	1	-	Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a
						patient, which requires
						at least 2 of these 3 key
						components: A problem
						<u>focused interval history;</u>
						A problem focused
						examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the patient is stable,
						recovering, or
						improving. Typically, 10
						minutes are spent at the
						bedside and on the
						patient's facility floor or
						<u>unit.</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99308	_	1	<u>\$50.87</u>	1	-	Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a
						patient, which requires
						at least 2 of these 3 key
						components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the patient is responding
						inadequately to therapy
						or has developed a
						minor complication.
						Typically, 15 minutes
						are spent at the bedside
						and on the patient's
						facility floor or unit.

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99309	-	1	<u>\$67.07</u>	1	-	Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a
						patient, which requires
						at least 2 of these 3 key
						components: A detailed
						interval history; A
						detailed examination;
						Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the patient has
						developed a significant
						complication or a
						significant new problem.
						Typically, 25 minutes
						are spent at the bedside
						and on the patient's
						facility floor or unit.

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
99310	_		\$99.43	_	_	Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a
						patient, which requires
						at least 2 of these 3 key
						components: A
						comprehensive interval
						history; A
						comprehensive
						examination; Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. The
						patient may be unstable
						or may have developed a
						significant new problem
						requiring immediate
						physician attention.
						Typically, 35 minutes
						are spent at the bedside
						and on the patient's
						facility floor or unit.
99315	_	_	<u>\$53.67</u>	_	_	Nursing facility
						discharge day
						management; 30
						minutes or less
<u>99316</u>	_	_	<u>\$77.34</u>	_	_	Nursing facility
						discharge day
						management; more than
						30 minutes

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99318	_	1	<u>\$70.20</u>	1	_	Evaluation and
						management of a patient
						involving an annual
						nursing facility
						assessment, which
						requires these 3 key
						components: A detailed
						interval history; A
						<u>comprehensive</u>
						examination; and
						Medical decision
						making that is of low to
						moderate complexity.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the patient is stable,
						recovering, or
						improving. Typically, 30
						minutes are spent at the
						bedside and on the
						patient's facility floor or
						<u>unit.</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99324	_	1	<u>\$40.42</u>	1	-	Domiciliary or rest
						home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination;
						and Straightforward
						medical decision
						making. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						<u>nature of the problem(s)</u>
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of low
						severity. Typically, 20
						minutes are spent with
						the patient and/or family
						or caregiver.

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99325	_	1	<u>\$58.72</u>	1	_	Domiciliary or rest
						home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination;
						and Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of
						moderate severity.
						Typically, 30 minutes
						are spent with the
						patient and/or family or
						caregiver.

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99326	_	_	<u>\$101.42</u>		_	Domiciliary or rest
						home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination;
						and Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						<u>problem(s)</u> are of
						moderate to high
						severity. Typically, 45
						minutes are spent with
						the patient and/or family
						or caregiver.

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99327	-	_	<u>\$135.52</u>	1	1	Domiciliary or rest
						home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A comprehensive
						history; A
						<u>comprehensive</u>
						examination; and
						Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of high
						severity. Typically, 60
						minutes are spent with
						the patient and/or family
						or caregiver.

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99328	_	_	<u>\$158.17</u>		_	Domiciliary or rest
						home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						<u>A comprehensive</u>
						history; A
						comprehensive
						examination; and
						Medical decision
						making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the patient is unstable or
						has developed a
						significant new problem
						requiring immediate
						physician attention.
						Typically, 75 minutes
						are spent with the
						patient and/or family or
<u> </u>						caregiver.

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99334	_	1	<u>\$44.20</u>	1	-	Domiciliary or rest
						home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A problem
						<u>focused interval history;</u>
						A problem focused
						examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are self-
						limited or minor.
						Typically, 15 minutes
						are spent with the
						patient and/or family or
						caregiver.

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99335	_	1	<u>\$69.61</u>	1	-	Domiciliary or rest
						home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of low to
						moderate severity.
						Typically, 25 minutes
						are spent with the
						patient and/or family or
						<u>caregiver.</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99336	_	1	\$98.32	1	_	Domiciliary or rest
						home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A detailed
						interval history; A
						detailed examination;
						Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of
						moderate to high
						severity. Typically, 40
						minutes are spent with
						the patient and/or family
						or caregiver.

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99337	_		\$140.59		_	Domiciliary or rest
						home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A
						comprehensive interval
						history; A
						comprehensive
						examination; Medical
						decision making of
						moderate to high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of
						moderate to high
						severity. The patient
						may be unstable or may
						have developed a
						significant new problem
						requiring immediate
						physician attention.
						Typically, 60 minutes
						are spent with the
						patient and/or family or
						<u>caregiver.</u>

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99339			\$57.23			Individual physician
						supervision of a patient
						(patient not present) in
						home, domiciliary or
						rest home (eg, assisted
						living facility) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular physician
						development and/or
						revision of care plans,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health
						care professional(s),
						family member(s),
						surrogate decision
						maker(s) (eg, legal
						guardian) and/or key
						caregiver(s) involved in
						patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within
						a calendar month; 15-29
						<u>minutes</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99340			\$80.08		_	Individual physician
						supervision of a patient
						(patient not present) in
						home, domiciliary or
						rest home (eg, assisted
						living facility) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular physician
						development and/or
						revision of care plans,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health
						care professional(s),
						family member(s),
						surrogate decision
						maker(s) (eg, legal
						guardian) and/or key
						caregiver(s) involved in
						patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within
						a calendar month; 30
						minutes or more

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99341	_	-	<u>\$40.14</u>	_	_	Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination;
						and Straightforward
						medical decision
						making. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of low
						severity. Typically, 20
						minutes are spent face-
						to-face with the patient
00242			\$57.60			and/or family. Home visit for the
99342	-	-	<u>\$37.00</u>	_	-	evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination;
						and Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
I	l .					physicians, other

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.
99343		-	\$94.37	-		Home visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent faceto-face with the patient and/or family.

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99344	_	_	\$132.79		_	Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						<u>A comprehensive</u>
						history; A
						comprehensive
						examination; and
						Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of high
						severity. Typically, 60
						minutes are spent face-
						to-face with the patient
						and/or family.

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99345	_	_	<u>\$160.88</u>	1	_	Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A comprehensive
						history; A
						<u>comprehensive</u>
						examination; and
						Medical decision
						making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						<u>nature of the problem(s)</u>
						and the patient's and/or
						family's needs. Usually,
						the patient is unstable or
						has developed a
						significant new problem
						requiring immediate
						physician attention.
						Typically, 75 minutes
						are spent face-to-face
						with the patient and/or
						<u>family.</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99347	-	-	<u>\$40.45</u>	1	1	Home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A problem
						focused interval history;
						A problem focused
						examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care
						with other physicians,
						other qualified health
						care professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are self
						limited or minor.
						Typically, 15 minutes
						are spent face-to-face
						with the patient and/or
						<u>family.</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99348	_	1	<u>\$61.30</u>	1	_	Home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision
						making of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of low to
						moderate severity.
						Typically, 25 minutes
						are spent face-to-face
						with the patient and/or
						<u>family.</u>

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99349	_	ı	\$93.59	1	-	Home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A detailed
						interval history; A
						detailed examination;
						Medical decision
						making of moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						<u>problem(s)</u> are moderate
						to high severity.
						Typically, 40 minutes
						are spent face-to-face
						with the patient and/or
						<u>family.</u>

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99350	_	_	<u>\$129.67</u>	_	_	Home visit for the
						evaluation and
						management of an
						established patient,
						which requires at least 2
						of these 3 key
						components: A
						comprehensive interval
						history; A
						comprehensive
						examination; Medical
						decision making of
						moderate to high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or
						agencies are provided
						consistent with the
						nature of the problem(s)
						and the patient's and/or
						family's needs. Usually,
						the presenting
						problem(s) are of
						moderate to high
						severity. The patient
						may be unstable or may
						have developed a
						significant new problem
						requiring immediate
						physician attention.
						Typically, 60 minutes
						are spent face-to-face
						with the patient and/or
						<u>family.</u>

<u>Code</u>	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
<u>99354</u>	<u>\$73.17</u>	<u>\$67.55</u>		_	_	Prolonged evaluation
						and management or
						psychotherapy service(s)
						(beyond the typical
						service time of the
						primary procedure) in
						the office or other
						outpatient setting
						requiring direct patient
						contact beyond the usual
						service; first hour (List
						separately in addition to
						code for office or other
						outpatient Evaluation
						and Management or
						<u>psychotherapy service</u>)
<u>99355</u>	<u>\$71.05</u>	<u>\$65.43</u>	_	_	_	<u>Prolonged evaluation</u>
						and management or
						psychotherapy service(s)
						(beyond the typical
						service time of the
						primary procedure) in
						the office or other
						outpatient setting
						requiring direct patient
						contact beyond the usual
						service; each additional
						30 minutes (List
						separately in addition to
						code for prolonged
						service)
<u>99356</u>	_	_	<u>\$67.11</u>	_	_	<u>Prolonged service in the</u>
						inpatient or observation
						setting, requiring
						unit/floor time beyond
						the usual service; first
						hour (List separately in
						addition to code for
						inpatient Evaluation and
						Management service)

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99357	-	-	<u>\$66.55</u>	-	-	Prolonged service in the inpatient or observation setting, requiring unit/floor time beyond the usual service; each additional 30 minutes (List separately in addition to code for prolonged service)
99358	-	-	<u>\$79.22</u>	-	-	Prolonged evaluation and management service before and/or after direct patient care; first hour
99359	-	-	\$38.33	-	-	Prolonged evaluation and management service before and/or after direct patient care; each additional 30 minutes (List separately in addition to code for prolonged service)
99360	-	-	<u>\$44.73</u>	-	-	Standby service, requiring prolonged attendance, each 30 minutes (eg, operative standby, standby for frozen section, for cesarean/high risk delivery, for monitoring EEG)
99363	<u>\$95.16</u>	<u>\$61.49</u>	-	-	-	Anticoagulant management for an outpatient taking warfarin, physician review and interpretation of International Normalized Ratio (INR) testing, patient instructions, dosage adjustment (as needed), and ordering of

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						additional tests; initial 90 days of therapy (must include a minimum of 8 INR measurements)
99364	\$32.19	\$23.49	-	-	-	Anticoagulant management for an outpatient taking warfarin, physician review and interpretation of International Normalized Ratio (INR) testing, patient instructions, dosage adjustment (as needed), and ordering of additional tests; each subsequent 90 days of therapy (must include a minimum of 3 INR measurements)
99366	\$31.32	\$30.48	-	-	-	Medical team conference with interdisciplinary team of health care professionals, face-to- face with patient and/or family, 30 minutes or more, participation by nonphysician qualified health care professional
99367	-	-	<u>\$41.04</u>	-	-	Medical team conference with interdisciplinary team of health care professionals, patient and/or family not present, 30 minutes or

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						more; participation by
						<u>physician</u>
99368	_	_	\$26.92	_	_	Medical team
	_	_		_	_	conference with
						interdisciplinary team of
						health care
						professionals, patient
						and/or family not
						present, 30 minutes or
						more; participation by
						nonphysician qualified
						health care professional
<u>99374</u>	<u>\$51.71</u>	<u>\$41.04</u>	_	_	-	Supervision of a patient
						under care of home
						health agency (patient
						not present) in home,
						domiciliary or
						equivalent environment
						(eg, Alzheimer's facility)
						requiring complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status, review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health
						care professional(s),
						family member(s),
						surrogate decision
						maker(s) (eg, legal
						guardian) and/or key

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						caregiver(s) involved in
						patient's care,
						integration of new
						information into the medical treatment plan
						and/or adjustment of
						medical therapy, within
						a calendar month; 15-29
						minutes
00000	***					~
<u>99375</u>	<u>\$77.29</u>	<u>\$64.38</u>	_	-	_	Supervision of a patient
						under care of home
						health agency (patient not present) in home,
						domiciliary or
						equivalent environment
						(eg, Alzheimer's facility)
						requiring complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual, review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health
						care professional(s),

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						family member(s),
						surrogate decision
						maker(s) (eg, legal
						guardian) and/or key
						caregiver(s) involved in
						patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within
						a calendar month; 30
						minutes or more
99377	\$51.71	\$41.04				Supervision of a hospice
<u> </u>	<u>φε 1.7.1</u>	<u>φ11101</u>	-	-	_	patient (patient not
						present) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health
						care professional(s),
						<u>family member(s)</u> ,
						surrogate decision
						maker(s) (eg, legal
						guardian) and/or key

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						caregiver(s) involved in patient's care, integration of new information into the medical treatment plan and/or adjustment of medical therapy, within a calendar month; 15-29 minutes
99378	\$77.29	<u>\$64.38</u>	_	-	-	Supervision of a hospice patient (patient not present) requiring complex and multidisciplinary care modalities involving regular development and/or revision of care plans by that individual, review of subsequent reports of patient status, review of related laboratory and other studies, communication (including telephone calls) for purposes of assessment or care decisions with health care professional(s), family member(s), surrogate decision maker(s) (eg, legal guardian) and/or key caregiver(s) involved in patient's care,

Code	NFAC	<u>FAC</u>	Global	PC	<u>TC</u>	Description
						integration of new information into the medical treatment plan and/or adjustment of medical therapy, within a calendar month; 30 minutes or more
99379	<u>\$51.71</u>	<u>\$41.04</u>	_	_	_	Supervision of a nursing facility patient (patient not present) requiring complex and multidisciplinary care modalities involving regular development and/or revision of care plans by that individual, review of subsequent reports of patient status, review of related laboratory and other studies, communication (including telephone calls) for purposes of assessment or care decisions with health care professional(s), family member(s), surrogate decision maker(s) (eg, legal guardian) and/or key caregiver(s) involved in patient's care,

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	PC	<u>TC</u>	Description
						integration of new information into the medical treatment plan and/or adjustment of medical therapy, within a calendar month; 15-29 minutes
99380	\$77.29	<u>\$64.38</u>	-	_	-	Supervision of a nursing facility patient (patient not present) requiring complex and multidisciplinary care modalities involving regular development and/or revision of care plans by that individual, review of subsequent reports of patient status, review of related laboratory and other studies, communication (including telephone calls) for purposes of assessment or care decisions with health care professional(s), family member(s), surrogate decision maker(s) (eg, legal guardian) and/or key caregiver(s) involved in patient's care,

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						integration of new
						<u>information into the</u>
						medical treatment plan
						and/or adjustment of
						medical therapy, within
						a calendar month; 30
						minutes or more
99381	\$82.19	\$55.81				Initial comprehensive
		<u> </u>	_	-	_	preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						<u>laboratory/diagnostic</u>
						procedures, new patient;
						infant (age younger than
						<u>1 year)</u>
<u>99382</u>	<u>\$85.87</u>	<u>\$59.49</u>	_	_	_	<u>Initial comprehensive</u>
						<u>preventive medicine</u>
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory

Code	<u>NFAC</u>	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						early childhood (age 1
IJ						through 4 years)
<u>99383</u>	<u>\$89.43</u>	<u>\$63.33</u>	-	-	-	<u>Initial comprehensive</u>
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history, examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						late childhood (age 5
						through 11 years)
99384	\$100.79	<u>\$74.41</u>	_	_	_	<u>Initial comprehensive</u>
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of laboratory/diagnostic
						procedures, new patient;
						adolescent (age 12
						through 17 years)

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>99385</u>	<u>\$97.46</u>	<u>\$71.36</u>	ı	_	_	Initial comprehensive
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						<u>laboratory/diagnostic</u>
						procedures, new patient;
						<u>18-39 years</u>
<u>99386</u>	<u>\$112.92</u>	<u>\$86.82</u>	_	_	_	<u>Initial comprehensive</u>
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						<u>40-64 years</u>
<u>99387</u>	<u>\$122.48</u>	<u>\$93.29</u>	-	_	_	<u>Initial comprehensive</u>
						<u>preventive medicine</u>
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of

Code	<u>NFAC</u>	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						laboratory/diagnostic
						procedures, new patient;
IJ						65 years and older
<u>99391</u>	<u>\$73.93</u>	<u>\$50.92</u>	-	_	-	Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; infant (age
						younger than 1 year)
99392	<u>\$78.82</u>	<u>\$55.81</u>	-	_	-	Periodic comprehensive
						<u>preventive medicine</u>
						reevaluation and
						management of an individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; early childhood
						(age 1 through 4 years)

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99393	<u>\$78.54</u>	<u>\$55.81</u>	_	-	_	Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						<u>laboratory/diagnostic</u>
						procedures, established
						patient; late childhood
						(age 5 through 11 years)
99394	<u>\$86.06</u>	<u>\$63.33</u>	_	_	_	Periodic comprehensive
						<u>preventive medicine</u>
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; adolescent (age
00205	¢07.00	Φ <i>CE</i> 17				12 through 17 years)
<u>99395</u>	<u>\$87.90</u>	<u>\$65.17</u>	-	-	-	Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; 18-39 years
99396	\$93.58	\$70.85	_	_	_	Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; 40-64 years
<u>99397</u>	<u>\$100.79</u>	<u>\$74.41</u>	_	_	_	Periodic comprehensive
						<u>preventive medicine</u>
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; 65 years and
						<u>older</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>99401</u>	<u>\$27.07</u>	<u>\$17.81</u>	_	_	_	Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
						to an individual
						(separate procedure);
						approximately 15
						<u>minutes</u>
<u>99402</u>	<u>\$45.67</u>	<u>\$36.41</u>	_	_	_	Preventive medicine
						counseling and/or risk
						<u>factor reduction</u>
						intervention(s) provided
						to an individual
						(separate procedure);
						approximately 30
00402	Ф <i>с</i> 2.40	Φ 5 4.50				<u>minutes</u>
<u>99403</u>	<u>\$63.48</u>	<u>\$54.50</u>	-	-	_	Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
						to an individual
						(separate procedure); approximately 45
						minutes
99404	\$81.83	\$72.85				Preventive medicine
<u>99404</u>	<u>\$61.65</u>	<u>\$12.63</u>	_	-	_	counseling and/or risk
						factor reduction
						intervention(s) provided
						to an individual
						(separate procedure);
						approximately 60
						minutes
99406	\$10.39	\$8.98				Smoking and tobacco
	<u>+ - 0.07</u>	+ 5.20	_	_	-	use cessation counseling
						visit; intermediate,
						greater than 3 minutes
						up to 10 minutes
99407	<u>\$55.05</u>	<u>\$51.22</u>	_	_		Smoking and tobacco
			_	_	_	use cessation counseling
						visit; intensive, greater
						than 10 minutes

<u>Code</u>	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>99408</u>	<u>\$25.69</u>	<u>\$24.28</u>	_	_		Alcohol and/or
						substance (other than
						tobacco) abuse
						structured screening (eg.
						AUDIT, DAST), and
						brief intervention (SBI)
						services; 15 to 30
1						<u>minutes</u>
<u>99409</u>	<u>\$49.97</u>	<u>\$48.57</u>	_	_	_	Alcohol and/or
						substance (other than
						tobacco) abuse
						structured screening (eg,
						AUDIT, DAST), and
						brief intervention (SBI)
						services; greater than 30
00.111	* 1 * 1 *	4.7. 40				minutes
<u>99411</u>	<u>\$12.42</u>	<u>\$5.68</u>	-	-	_	Preventive medicine
						counseling and/or risk
						<u>factor reduction</u>
						intervention(s) provided
						to individuals in a group
						setting (separate
						procedure);
						approximately 30
00412	Φ1.C.1.O.	Φ0.26				minutes 1: :
<u>99412</u>	<u>\$16.10</u>	<u>\$9.36</u>	-	-	-	Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
						to individuals in a group
						setting (separate procedure);
						approximately 60
						minutes
99415			<u>\$6.89</u>			Prolonged clinical staff
<u>//+1J</u>	-	-	<u>ψυ.σσ</u>	-	_	service (the service
						beyond the typical
						service time) during an
						evaluation and
						management service in
						the office or outpatient
						setting, direct patient
!						string, all our patient

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						contact with physician
						supervision; first hour
						(List separately in
						addition to code for
						outpatient Evaluation
						and Management
						service)
99416			\$3.80			Prolonged clinical staff
	_	_		_	_	service (the service
						beyond the typical
						service time) during an
						evaluation and
						management service in
						the office or outpatient
						setting, direct patient
						contact with physician
						supervision; each
						additional 30 minutes
						(List separately in
						addition to code for
						prolonged service)
<u>99420</u>	_	_	<u>\$8.57</u>	_	_	Administration and
						interpretation of health
						<u>risk assessment</u>
						instrument (eg, health
						<u>hazard appraisal)</u>
<u>99429</u>	_	_	<u>I.C.</u>	_	_	<u>Unlisted preventive</u>
						medicine service
<u>99441</u>	<u>\$10.21</u>	<u>\$9.36</u>	_	_	_	<u>Telephone evaluation</u>
						and management service
						by a physician or other
						qualified health care
						professional who may
						report evaluation and
						management services
						provided to an
						established patient,
						parent, or guardian not
						originating from a
						related E/M service
						provided within the

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						previous 7 days nor
						leading to an E/M
						service or procedure
						within the next 24 hours
						or soonest available
						appointment; 5-10
						minutes of medical
						discussion
99442	\$19.73	\$18.60				Telephone evaluation
	<u>, </u>		-	_	-	and management service
						by a physician or other
						qualified health care
						professional who may
						report evaluation and
						management services
						provided to an
						established patient,
						parent, or guardian not
						originating from a
						related E/M service provided within the
						previous 7 days nor
						leading to an E/M
						service or procedure
						within the next 24 hours
						or soonest available
						appointment; 11-20
						minutes of medical
						discussion

Code	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99443	<u>\$28.81</u>	<u>\$27.97</u>	_	_	_	<u>Telephone evaluation</u>
						and management service
						by a physician or other
						qualified health care
						professional who may
						report evaluation and
						management services
						provided to an
						established patient,
						parent, or guardian not
						originating from a
						related E/M service
						provided within the
						previous 7 days nor
						leading to an E/M
						service or procedure
						within the next 24 hours
						or soonest available
						appointment; 21-30
						minutes of medical
						discussion
<u>99444</u>	_	_	<u>I.C.</u>	_	_	Online evaluation and
						management service
						provided by a physician
						or other qualified health
						care professional who
						may report evaluation
						and management
						services provided to an
						established patient or
						guardian, not originating
						from a related E/M
						service provided within
						the previous 7 days,
						using the Internet or
						similar electronic
						communications
						<u>network</u>

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99446	ı	-	<u>I.C.</u>	_	_	Interprofessional
						telephone/Internet
						assessment and
						management service
						provided by a
						consultative physician
						including a verbal and
						written report to the
						<u>patient's</u>
						treating/requesting
						physician or other
						qualified health care
						professional; 5-10
						minutes of medical
						consultative discussion
						and review
99447	_	_	<u>I.C.</u>	_	_	Interprofessional
						telephone/Internet
						assessment and
						management service
						provided by a
						consultative physician
						including a verbal and
						written report to the
						<u>patient's</u>
						treating/requesting
						physician or other
						qualified health care
						professional; 11-20
						minutes of medical
						consultative discussion
00440			T.C.			and review
<u>99448</u>	_	-	<u>I.C.</u>	-	_	<u>Interprofessional</u>
						telephone/Internet
						assessment and
						management service
						provided by a
						consultative physician
						including a verbal and
						written report to the
						patient's
						treating/requesting

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						physician or other qualified health care professional; 21-30 minutes of medical consultative discussion and review
99449	-	-	I.C.	-	-	Interprofessional telephone/Internet assessment and management service provided by a consultative physician including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 31 minutes or more of medical consultative discussion and review
99450		-	I.C.	-	<u>-</u>	Basic life and/or disability examination that includes: Measurement of height, weight, and blood pressure; Completion of a medical history following a life insurance pro forma; Collection of blood sample and/or urinalysis complying with "chain of custody" protocols; and Completion of necessary documentation/certificat es.

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99455	_	1	<u>I.C.</u>	-	_	Work related or medical
						disability examination
						by the treating physician
						that includes:
						Completion of a medical
						history commensurate
						with the patient's
						condition; Performance
						of an examination
						commensurate with the
						patient's condition;
						Formulation of a
						diagnosis, assessment of
						capabilities and stability,
						and calculation of
						impairment;
						Development of future
						medical treatment plan;
						and Completion of
						necessary
						documentation/certificat
						es and report.
<u>99456</u>	_	_	<u>I.C.</u>	_	_	Work related or medical
						disability examination
						by other than the
						treating physician that
						includes: Completion of
						a medical history
						commensurate with the
						patient's condition;
						Performance of an
						examination
						commensurate with the
						patient's condition;
						Formulation of a
						diagnosis, assessment of
						capabilities and stability,
						and calculation of
						impairment;
						Development of future
						medical treatment plan;
						and Completion of

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						<u>necessary</u>
						documentation/certificat
						es and report.
,						
<u>99460</u>	_	_	<u>\$95.73</u>	_	_	<u>Initial hospital or</u>
						birthing center care, per
						day, for evaluation and
						management of normal newborn infant
99461	\$68.31	\$45.86				Initial care, per day, for
<u> </u>	φου.51	<u>Ψ13.00</u>	_	_	=	evaluation and
						management of normal
						newborn infant seen in
						other than hospital or
						<u>birthing center</u>
<u>99462</u>	_	_	<u>\$41.54</u>	_	_	Subsequent hospital
						care, per day, for
						evaluation and
						management of normal
99463			<u>\$119.20</u>			newborn Initial hospital or
77703	-	-	<u>Ψ117.20</u>	_	_	birthing center care, per
						day, for evaluation and
						management of normal
						newborn infant admitted
						and discharged on the
						same date
<u>99464</u>	-	-	<u>\$51.63</u>	-	_	Attendance at delivery
						(when requested by the
						delivering physician or other qualified health
						care professional) and
						initial stabilization of
						newborn
L	I			I	l	

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99465	_	_	\$152.06	_	_	Delivery/birthing room
						resuscitation, provision
						of positive pressure
						ventilation and/or chest
						compressions in the
						presence of acute
						inadequate ventilation
						and/or cardiac output
<u>99466</u>	_	_	\$166.39	_	_	Critical care face-to-face
						services, during an
						interfacility transport of
						critically ill or critically
						injured pediatric patient,
						24 months of age or
						younger; first 30-74
						minutes of hands-on
						care during transport
<u>99467</u>	_	_	<u>\$84.81</u>	_	_	Critical care face-to-face
						services, during an
						interfacility transport of
						critically ill or critically
						injured pediatric patient,
						24 months of age or
						younger; each additional
						30 minutes (List
						separately in addition to
						code for primary
						service)
99468	_	_	\$687.80	_	_	Initial inpatient neonatal
						critical care, per day, for
						the evaluation and
						management of a
						critically ill neonate, 28
						days of age or younger
99469	_	_	<u>\$289.43</u>	_	_	Subsequent inpatient
						neonatal critical care,
						per day, for the
						evaluation and
						management of a
						critically ill neonate, 28
						days of age or younger

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
99471	-	-	\$634.42	-	-	Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 29 days through 24 months of
						age
99472	_	-	<u>\$297.16</u>	-	-	Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 29 days through 24 months of age
99475	-	-	\$418.20	-	-	Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 2 through 5 years of age
99476	-	-	\$251.53	-	-	Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 2 through 5 years of age
99477	-	-	\$260.84	-	-	Initial hospital care, per day, for the evaluation and management of the neonate, 28 days of age or younger, who requires intensive observation, frequent interventions, and other intensive care services

<u>Code</u>	<u>NFAC</u>	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
<u>99478</u>	_	_	<u>\$99.32</u>	_	_	Subsequent intensive
						care, per day, for the
						evaluation and
						management of the
						recovering very low
						birth weight infant
						(present body weight
						less than 1500 grams)
<u>99479</u>	_	_	<u>\$90.64</u>	_	-	Subsequent intensive
						care, per day, for the
						evaluation and
						management of the
						recovering low birth
						weight infant (present
						body weight of 1500-
00400			Φ0.6.00			2500 grams)
<u>99480</u>	-	-	<u>\$86.80</u>	-	-	Subsequent intensive
						care, per day, for the evaluation and
						management of the
						recovering infant
						(present body weight of
						2501-5000 grams)
99485			<u>\$55.81</u>			Supervision by a control
77405	-	-	<u>φ33.01</u>	-	-	physician of interfacility
						transport care of the
						critically ill or critically
						injured pediatric patient,
						24 months of age or
						younger, includes two-
						way communication
						with transport team
						before transport, at the
						referring facility and
						during the transport,
						including data
						interpretation and report;
						<u>first 30 minutes</u>

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99486	_		\$48.57	_	_	Supervision by a control
						physician of interfacility
						transport care of the
						critically ill or critically
						injured pediatric patient,
						24 months of age or
						younger, includes two-
						way communication
						with transport team
						before transport, at the
						referring facility and
						during the transport,
						including data
						interpretation and report;
						each additional 30
						minutes (List separately
						in addition to code for
						primary procedure)
99487	_	_	<u>I.C.</u>	_	_	Complex chronic care
						management services,
						with the following
						required elements:
						multiple (two or more)
						chronic conditions
						expected to last at least
						12 months, or until the
						death of the patient,
						chronic conditions place
						the patient at significant
						risk of death, acute
						exacerbation/decompens
						ation, or functional
						decline, establishment or
						substantial revision of a
						comprehensive care
						plan, moderate or high
						complexity medical
						decision making; 60
						minutes of clinical staff
						time directed by a
						physician or other
						qualified health care

Code	NFAC	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						professional, per
						calendar month
99489	_	_	<u>I.C.</u>	-	_	Complex chronic care
						management services,
						with the following required elements:
						multiple (two or more)
						chronic conditions
						expected to last at least
						12 months, or until the
						death of the patient,
						chronic conditions place
						the patient at significant
						risk of death, acute
						exacerbation/decompens ation, or functional
						decline, establishment or
						substantial revision of a
						comprehensive care
						plan, moderate or high
						complexity medical
						decision making; each
						additional 30 minutes of
						clinical staff time
						directed by a physician or other qualified health
						care professional, per
						calendar month (List
						separately in addition to
						code for primary

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
						procedure)
		***				-
<u>99490</u>	<u>\$29.99</u>	<u>\$22.70</u>	-	-	-	Chronic care
						management services, at
						<u>least 20 minutes of</u>
						<u>clinical staff time</u>
						directed by a physician
						or other qualified health
						care professional, per
						<u>calendar month, with the</u> <u>following required</u>
						elements: multiple (two
						or more) chronic
						conditions expected to
						last at least 12 months,
						or until the death of the
						patient; chronic
						conditions place the
						patient at significant risk
						of death, acute
						exacerbation/decompens
						ation, or functional
						decline; comprehensive
						care plan established,
						implemented, revised, or
						monitored.

Code	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
99495	<u>\$122.85</u>	\$80.47	_	_	_	Transitional Care
						Management Services
						with the following
						required elements:
						Communication (direct
						contact, telephone,
						electronic) with the
						patient and/or caregiver
						within 2 business days
						of discharge Medical
						decision making of at
						<u>least moderate</u>
						complexity during the
						service period Face-to-
						face visit, within 14
						calendar days of
						<u>discharge</u>
<u>99496</u>	<u>\$172.83</u>	<u>\$116.42</u>	_	ı	_	Transitional Care
						Management Services
						with the following
						required elements:
						Communication (direct
						contact, telephone,
						electronic) with the
						patient and/or caregiver
						within 2 business days
						of discharge Medical
						decision making of high
						complexity during the
						service period Face-to-
						face visit, within 7
						calendar days of
						<u>discharge</u>
<u>99497</u>	<u>\$62.42</u>	<u>\$57.37</u>	_	_	_	Advance care planning
						including the
						explanation and
						discussion of advance
						directives such as
						standard forms (with
						completion of such
						forms, when performed),
						by the physician or other

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						qualified health care professional; first 30 minutes, face-to-face with the patient, family member(s), and/or surrogate
99498	<u>\$53.96</u>	<u>\$53.68</u>		-	-	Advance care planning including the explanation and discussion of advance directives such as standard forms (with completion of such forms, when performed), by the physician or other qualified health care professional; each additional 30 minutes (List separately in addition to code for primary procedure)
99499	-	-	<u>I.C.</u>	-	-	Unlisted evaluation and management service
99500	-	-	I.C.	-	-	Home visit for prenatal monitoring and assessment to include fetal heart rate, non- stress test, uterine monitoring, and gestational diabetes monitoring
99501	-	-	<u>I.C.</u>	-	-	Home visit for postnatal assessment and follow-up care
99502	-	-	<u>I.C.</u>	-	-	Home visit for newborn care and assessment
99503	-	-	<u>I.C.</u>	-	-	Home visit for respiratory therapy care (eg, bronchodilator, oxygen therapy,

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						respiratory assessment,
						apnea evaluation)
00504			IC			TT
99504	-	-	<u>I.C.</u>	_	-	Home visit for mechanical ventilation
						care
99505	_	_	<u>I.C.</u>	_	_	Home visit for stoma
						care and maintenance
						including colostomy and
00506			1.0			<u>cystostomy</u>
<u>99506</u>	-	-	<u>I.C.</u>	-	-	Home visit for intramuscular injections
99507			I.C.			Home visit for care and
<u> </u>	_	-	<u>1.C.</u>	-	-	maintenance of
						catheter(s) (eg, urinary,
						drainage, and enteral)
<u>99509</u>	_	_	<u>I.C.</u>	-	_	Home visit for
						assistance with activities
						of daily living and personal care
99510			I.C.			Home visit for
<u> </u>	_	-	1.01	_	-	individual, family, or
						marriage counseling
<u>99511</u>	_	_	<u>I.C.</u>	_	_	Home visit for fecal
						impaction management
						and enema
99512			I.C.			<u>administration</u> Home visit for
<u> </u>	_	-	<u>1.C.</u>	_	-	hemodialysis
99600		_	I.C.	_	_	Unlisted home visit
	_	_		_	_	service or procedure
<u>99601</u>	_	_	<u>I.C.</u>	_	_	Home infusion/specialty
						drug administration, per
00602			IC			visit (up to 2 hours);
<u>99602</u>	_	-	<u>I.C.</u>	-	-	Home infusion/specialty drug administration, per
						visit (up to 2 hours);
						each additional hour
						(List separately in
						addition to code for
						<u>primary procedure</u>)

Code	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>99605</u>	_	_	<u>I.C.</u>	_		Medication therapy
						management service(s)
						provided by a
						pharmacist, individual,
						face-to-face with
						patient, with assessment
						and intervention if
						provided; initial 15
						minutes, new patient
<u>99606</u>	-	_	<u>I.C.</u>	-	-	Medication therapy
						management service(s)
						provided by a
						pharmacist, individual,
						face-to-face with
						patient, with assessment
						and intervention if
						provided; initial 15
						minutes, established
00607			T.C.			<u>patient</u>
<u>99607</u>	-	-	<u>I.C.</u>	-	-	Medication therapy
						management service(s)
						provided by a
						pharmacist, individual, face-to-face with
						patient, with assessment and intervention if
						provided; each
						additional 15 minutes
						(List separately in
						addition to code for
						primary service)
S3005-			\$9.73			Performance
<u>U1</u>	-	-	Ψ2.10	_	_	Measurement,
						Evaluation of Patient
						Self-Assessment,
						Depression Positive
						Screen: Perinatal care
						provider completed
						prenatal or postpartum
						depression screening
						and behavioral health
						need identified.

<u>Code</u>	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
S3005-	_	_	\$9.73	_		Performance
<u>U2</u>						Measurement,
						Evaluation of Patient
						Self-Assessment,
						<u>Depression</u> Negative
						Screen: Perinatal care
						provider completed
						prenatal or postpartum
						depression screening
						with no behavioral
						health need identified.
<u>S3005-</u>	_	_	<u>\$9.73</u>	_	-	<u>Performance</u>
<u>U3</u>						Measurement,
						Evaluation of Patient
						Self-Assessment,
						<u>Depression</u> Positive
						Screen: Pediatric
						provider completed
						postpartum depression
						screening during well-
						child or infant episodic
						visit and behavioral
						health need identified.
<u>S3005-</u>	_	_	<u>\$9.73</u>	_	_	<u>Performance</u>
<u>U4</u>						Measurement,
						Evaluation of Patient
						Self-Assessment,
						<u>DepressionNegative</u>
						Screen: Pediatric
						provider completed
						postpartum depression
						screening during well-
						child or infant episodic
						visit with no behavioral
G0100			Φ20.00			health need identified.
<u>G0108</u>	-	-	<u>\$38.98</u>	-	_	Diabetes outpatient self-
						management training
						services, individual, per
G 0455			*			30 minutes
<u>G0109</u>	-	_	<u>\$10.49</u>	_	-	Diabetes outpatient self-
						management training
I <u></u>						services, group session

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						(2 or more), per 30
						<u>minutes</u>
G0270	\$22.50	\$20.53				Medical nutrition
			_	<u>-</u>	_	therapy; reassessment
						and subsequent
						intervention(s)
						following second
						referral in same year for
						change in diagnosis,
						medical condition or
						treatment regimen
						(including additional
						hours needed for renal
						disease), individual,
						face-to-face with the
						patient, each 15 minutes
<u>G0271</u>	<u>\$11.89</u>	<u>\$11.33</u>	_	_	_	Medical nutrition
						therapy, reassessment
						and subsequent
						<u>intervention(s)</u>
						<u>following second</u>
						referral in same year for
						change in diagnosis,
						medical condition, or
						treatment regimen
						(including additional
						hours needed for renal
						disease), group (2 or
						more individuals), each
C0455			1.0			30 minutes
<u>G0455</u>			<u>I.C.</u>			Preparation with
						instillation of fecal microbiota by any
						method, including
						assessment of donor specimen
J0364			<u>I.C.</u>			Injection, apomorphine
<u> 30304</u>			<u>1.C.</u>			hydrochloride, 1 mg.
J0571			I.C.			Buprenorphine, oral, 1
303/1			<u>1.C.</u>			mg
<u>J0572</u>			<u>I.C.</u>			Buprenorphine/naloxone
<u> 10372</u>			<u>1.C.</u>			Duprenorphine/Haloxoffe

<u>Code</u>	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						, oral, less than or equal
						to 3 mg
<u>J0573</u>			<u>I.C.</u>			Buprenorphine/naloxone
						, oral, greater than 3 mg,
						but less than or equal to
						<u>6 mg</u>
<u>J0574</u>			<u>I.C.</u>			Buprenorphine/naloxone
						, oral, greater than 6 mg,
						but less than or equal to
						<u>10 mg</u>
<u>J0575</u>			<u>I.C.</u>			Buprenorphine/naloxone
						, oral, greater than 10
						mg buprenorphine
<u>J0596</u>			<u>I.C.</u>			<u>Injection, C1 esterase</u>
						inhibitor (recombinant),
70717			- ~			Ruconest, 10 units
<u>J0715</u>			<u>I.C.</u>			<u>Injection, ceftizoxime</u>
T074.6						sodium, per 500 mg
<u>J0716</u>			<u>I.C.</u>			<u>Injection, Centruroides</u>
						immune f(ab)2, up to
10022			T. C.			120 mg
<u>J0833</u>			<u>I.C.</u>			Injection, cosyntropin,
						not otherwise specified,
10000			T.C.			0.25 mg.
<u>J0890</u>			<u>I.C.</u>			Injection, peginesatide,
						0.1 mg (for ESRD on
T1004			IC			dialysis)
<u>J1094</u>			<u>I.C.</u>			<u>Injection,</u> dexamethasone acetate,
						1 mg
J1290			IC			Injection, ecallantide, 1
<u>J1290</u>			<u>I.C.</u>			
J1290			<u>I.C.</u>			mg Injection, ecallantide, 1
J1270			<u>1.C.</u>			mg
<u>J1320</u>			<u>I.C.</u>			Injection, amitriptyline
<u>31320</u>			<u>1.C.</u>			HCI, up to 20 mg
<u>J1322</u>			<u>I.C.</u>			Injection, elosulfase alfa,
<u>31322</u>			<u>1.C.</u>			1mg
<u>J1324</u>			I.C.			Injection, enfuvirtide, 1
			<u>1.C.</u>			mg.
<u>J1455</u>			<u>I.C.</u>			Injection, foscarnet
			<u>1.C.</u>			sodium, per 1000 mg.
I [boardin, per 1000 mg.

Code	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>J1562</u>			<u>I.C.</u>			Injection, immune
						globulin, (Vivaglobin),
						<u>100 mg (</u>
<u>J1573</u>			<u>I.C.</u>			<u>Injection, hepatitis b</u>
						immune globulin
						(hepagam b),
						intravenous, 0.5 ml.
<u>J1595</u>			<u>I.C.</u>			<u>Injection</u> , glatiramer
						acetate, 20 mg
<u>J1599</u>			<u>I.C.</u>			<u>Injection, immune</u>
						globulin, intravenous,
						non-lyophilized (e.g.,
						<u>liquid</u>), not otherwise
						specified, 500 mg
<u>J1655</u>			<u>I.C.</u>			Injection, tinzaparin
						sodium, 1000 IU
<u>J1700</u>			<u>I.C.</u>			<u>Injection</u> ,
						<u>hydrocortisone acetate</u> ,
						up to 25 mg
<u>J1710</u>			<u>I.C.</u>			<u>Injection, hydrocortisone</u>
						sodium phosphate, up to
						<u>50 mg</u>
<u>J1725</u>			<u>I.C.</u>			<u>Injection</u> ,
						<u>hydroxyprogesterone</u>
						caproate, 1 mg
<u>J1741</u>			<u>I.C.</u>			Injection, ibuprofen, 100
						mg.
<u>J1744</u>			<u>I.C.</u>			<u>Injection, icatibant, 1 mg</u>
<u>J1790</u>			<u>I.C.</u>			Injection, droperidol, up
						to 5 mg
<u>J1826</u>			<u>I.C.</u>			Injection, interferon
						<u>beta-1a, 30 mcg</u>
<u>J1830</u>			<u>I.C.</u>			<u>Injection interferon</u>
						<u>beta-1b, 0.25 mg</u>
<u>J1840</u>			<u>I.C.</u>			Injection, kanamycin
						sulfate, up to 500 mg.
<u>J1850</u>			<u>I.C.</u>			Injection, kanamycin
						sulfate, up to 75 mg.
<u>J1890</u>			<u>I.C.</u>			Injection, cephalothin
						sodium, up to 1 g
<u>J1990</u>			<u>I.C.</u>			<u>Injection</u> ,
						chlordiazepoxide HCI,

<u>Code</u>	<u>NFAC</u>	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						<u>up to 100 mg</u>
<u>J2170</u>			<u>I.C.</u>			Injection, mecasermin, 1
						mg.
<u>J2212</u>			<u>I.C.</u>			<u>Injection</u> ,
						methylnaltrexone, 0.1
						mg
<u>J2265</u>			<u>I.C.</u>			<u>Injection, minocycline</u>
						HCI, 1 mg
<u>J2440</u>			<u>I.C.</u>			<u>Injection, papaverine</u>
70.1.50						HCI, up to 60 mg
<u>J2460</u>			<u>I.C.</u>			Injection,
						oxytetracycline hcl, up
12502			T C			<u>to 50 mg</u>
<u>J2502</u>			<u>I.C.</u>			<u>Injection, pasireotide</u>
107.60			T.C.			long acting, 1 mg
<u>J2760</u>			<u>I.C.</u>			<u>Injection, phentolamine</u>
12702			T.C.			mesylate, up to 5 mg
<u>J2793</u>			<u>I.C.</u>			<u>Injection, rilonacept, 1</u>
12010			IC			mg Trainediens
<u>J2910</u>			<u>I.C.</u>			Injection,
						aurothioglucose, up to 50 mg
<u>J2940</u>			<u>I.C.</u>			Injection, somatrem, 1
<u>J2940</u>			<u>1.C.</u>			· ·
J2941			<u>I.C.</u>			mg Injection, somatropin, 1
32741			<u>1.C.</u>			mg
J3030			I.C.			Injection, sumatriptan
35050			<u>1.C.</u>			succinate, 6 mg
J3110			I.C.			Injection, teriparatide, 10
<u>55110</u>			1.0.			mcg
<u>J3145</u>			<u>I.C.</u>			Injection, testosterone
			<u> </u>			undecanoate, 1 mg (
J3302			I.C.			Injection, triamcinolone
						diacetate, per 5 mg
<u>J3472</u>			I.C.			Injection, hyaluronidase,
						ovine, preservative free,
						per 1000 usp units
<u>J3490</u>			<u>I.C.</u>			Unclassified drugs
J3490-FP			I.C.			Unclassified drugs
						(service provided as part
						of Medicaid family
						planning program) (Use

<u>Code</u>	<u>NFAC</u>	FAC	Global	<u>PC</u>	<u>TC</u>	Description
						for medications and
						injectables related to
						family planning services,
						with the exception of
						Rho (D) human immune
						globulin, and
						contraceptive injectables
						such as Depo-Provera,
						items for which
						MassHealth will pay the
						provider's costs.)
<u>J3590</u>			<u>I.C.</u>			<u>Unclassified biologics</u>
<u>J7131</u>			<u>I.C.</u>			<u>Hypertonic saline</u>
						solution, 1 ml
<u>J7178</u>			<u>I.C.</u>			<u>Injection, human</u>
						<u>fibrinogen concentrate, 1</u>
						mg
<u>J7181</u>			<u>I.C.</u>			Injection, factor XIII A-
						subunit, (recombinant),
						per IU
<u>J7297</u>			<u>I.C.</u>			Levonorgestrel-releasing
						<u>intrauterine</u>
						contraceptive system, 52
						mg, 3 year duration
<u>J7298</u>			<u>I.C.</u>			<u>Levonorgestrel-releasing</u>
						<u>intrauterine</u>
						contraceptive system, 52
						mg, 5 year duration
<u>J7301</u>			<u>I.C.</u>			<u>Levonorgestrel-releasing</u>
						<u>intrauterine</u>
						contraceptive system,
						<u>13.5 mg</u>
<u>J7303</u>			<u>I.C.</u>			Contraceptive supply,
						hormone containing
						vaginal ring, each
<u>J7304</u>			<u>I.C.</u>			Contraceptive supply,
						hormone containing
						patch, each
<u>J7307</u>			<u>I.C.</u>			<u>Etonogestrel</u>
						(contraceptive) implant
						system, including
						implant and supplies

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>J7309</u>			I.C.			Methyl aminolevulinate
						(MAL) for topical
						administration, 16.8%, 1
						g
<u>J7310</u>			<u>I.C.</u>			Ganciclovir, 4.5 mg,
						long-acting implant.
<u>J7315</u>			<u>I.C.</u>			Mitomycin, ophthalmic,
						<u>0.2 mg.</u>
<u>J7328</u>			<u>I.C.</u>			<u>Hyaluronan or</u>
						derivative, for intra-
						articular injection, 0.1
						mg
<u>J7340</u>			<u>I.C.</u>			Carbidopa 5
						mg/levodopa 20 mg
77.70						enteral suspension
<u>J7503</u>			<u>I.C.</u>			Tacrolimus, extended
77.700			- ~			release, oral, 0.25 mg
<u>J7599</u>			<u>I.C.</u>			<u>Immunosuppressive</u>
						<u>drug, not otherwise</u>
						specified
<u>J7633</u>			<u>I.C.</u>			Budesonide, inhalation
						solution, FDA-approved
						final product,
						noncompounded,
						administered through
						DME, concentrated
17665			IC			form, per 0.25 mg
<u>J7665</u>			<u>I.C.</u>			Mannitol, administered
17660			IC			through an inhaler, 5 mg
<u>J7669</u>			<u>I.C.</u>			Metaproterenol sulfate,
						inhalation solution, FDA-approved final
						product,
						noncompounded,
						administered through
						DME, unit dose form,
						per 10 mg
J7676			I.C.			Pentamidine isethionate,
37070			<u>1.C.</u>			inhalation solution,
						compounded product,
						administered through
						DME, unit dose form,
l <u>L</u>						DIVID, WITH GUSC TOTTIL,

Code	NFAC	FAC	Global	<u>PC</u>	TC	Description
						<u>per 300 mg</u>
<u>J7699</u>			<u>I.C.</u>			NOC drugs, inhalation
						solution administered
						through DME
<u>J7799</u>			<u>I.C.</u>			NOC drugs, other than
						inhalation drugs,
						administered through
						<u>DME</u>
<u>J7999</u>			<u>I.C.</u>			Compounded drug, not
						otherwise classified
<u>J8562</u>			<u>I.C.</u>			Fludarabine phosphate,
						oral, 10 mg
<u>J8655</u>			<u>I.C.</u>			Netupitant 300 mg and
						palonosetron 0.5 mg
<u>J9015</u>			<u>I.C.</u>			<u>Injection</u> , aldesleukin,
						per single use vial
<u>J9020</u>			<u>I.C.</u>			<u>Injection, asparaginase,</u>
						not otherwise specified,
						<u>10,000 units</u>
<u>J9160</u>			<u>I.C.</u>			Injection, denileukin
						diftitox, 300 micrograms
						<u>.</u>
<u>J9200</u>			<u>I.C.</u>			Injection, floxuridine,
						<u>500 mg</u>
<u>J9212</u>			<u>I.C.</u>			Injection, interferon
						alfacon-1, recombinant,
70010			- ~			1 mcg
<u>J9213</u>			<u>I.C.</u>			<u>Injection, interferon,</u>
						alfa-2a, recombinant, 3
T0017			T G			million units
<u>J9215</u>			<u>I.C.</u>			Injection, interferon alfa-
						N3 (human leukocyte
10216			IC			derived), 250,000 IU
<u>J9216</u>			<u>I.C.</u>			<u>Injection, interferon</u>
						gamma1-b, 3 million
10210			IC			units Lavaralida acatata
<u>J9219</u>			<u>I.C.</u>			Leuprolide acetate
10262			IC			implant, 65 mg
<u>J9262</u>			<u>I.C.</u>			Injection, omacetaxine
10200			IC			mepesuccinate, 0.01 mg
<u>J9300</u>			<u>I.C.</u>			Injection, gemtuzumab
	1					ozogamicin, 5 mg

<u>Code</u>	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
J9340			I.C.			Injection, thiotepa, 15
						mg
<u> J9999</u>			<u>I.C.</u>			Not otherwise classified,
						antineoplastic drugs
<u>Q2009</u>			<u>I.C.</u>			Injection, fosphenytoin,
						50 mg phenytoin
						<u>equivalent.</u>
<u>Q2017</u>			<u>I.C.</u>			<u>Injection</u> , teniposide, 50
						mg
<u>Q2036</u>			<u>I.C.</u>			Influenza virus vaccine,
						split virus, when
						administered to
						individuals 3 years of
						age and older, for
						intramuscular use
02040			T.C.			(flulaval)
<u>Q2049</u>			<u>I.C.</u>			Injection, doxorubicin
						hydrochloride,
						liposomal, imported
04102			IC			lipodox, 10mg
<u>Q4103</u>			<u>I.C.</u>			Oasis burn matrix, per sq
Q4132			I.C.			Crafix Core nor as an
						Grafix Core, per sq cm
Q4133			I.C.			Grafix Prime, per sq cm
<u>Q4161</u>			<u>I.C.</u>			Bio-ConneKt wound
0.4160			T.C.			matrix, per sq cm
<u>Q4162</u>			<u>I.C.</u>			AmnioPro Flow,
						BioSkin Flow, BioRenew Flow,
						WoundEx Flow,
						Amniogen-A,
						Amniogen-C, 0.5 cc
Q4163			<u>I.C.</u>			AmnioPro, BioSkin,
<u>V1103</u>			<u>1.C.</u>			BioRenew, WoundEx,
						Amniogen-45,
						Amniogen-200, per sq
						cm
Q4164			I.C.			Helicoll, per sq cm
Q4165			<u>I.C.</u> <u>I.C.</u>			Keramatrix, per sq cm
Q9980			<u>I.C.</u>			Hyaluronan or
			<u>1.C.</u>			derivative, for intra-
						articular injection, 1 mg
l <u>L</u>					1	articular injection, i mg

<u>Code</u>	NFAC	<u>FAC</u>	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
Q4161	-	-	<u>I.C.</u>	-	-	Bio-ConneKt wound matrix, per sq cm
Q4162	-	-	<u>I.C.</u>	-	-	AmnioPro Flow, BioSkin Flow,
						BioRenew Flow, WoundEx Flow, Amniogen-A, Amniogen-C, 0.5 cc
Q4163	-	-	I.C.	-	-	AmnioPro, BioSkin, BioRenew, WoundEx, Amniogen-45, Amniogen-200, per sq
						<u>cm</u>
<u>Q4164</u>	_	-	<u>I.C.</u>	_	_	Helicoll, per sq cm
<u>Q4165</u>	_	-	<u>I.C.</u>	_	-	Keramatrix, per sq cm
Q5101	-	-	<u>\$0.97</u>	-	-	Injection, filgrastim (G-CSF), biosimilar, 1 microgram
<u>Q9950</u>	-	-	\$33.06	-	-	Injection, sulfur hexafluoride lipid microspheres, per ml
<u>Q9980</u>	-	-	<u>I.C.</u>	-	-	Hyaluronan or derivative, for intra- articular injection, 1 mg
<u>S0020</u>			<u>I.C.</u>			Injection, bupivicaine HCI, 30 ml
<u>\$0021</u>			I.C.			Injection, cefoperazone sodium, 1 g
<u>\$0023</u>			<u>I.C.</u>			Injection, cimetidine HCI, 300 mg
<u>\$0077</u>			<u>I.C.</u>			Injection, clindamycin phosphate, 300 mg
<u>S0190</u>			I.C.			Mifepristone, oral, 200 mg
<u>S0191</u>			I.C.			Misoprostol, oral, 200 mcg
<u>S0302</u>	-	-	I.C.	-	-	Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for

101 CMR 317.00: MEDICINE

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
						appropriate evaluation
						and management
						service)
<u>T1023</u>	_	_	<u>I.C.</u>	_	_	Screening to determine
						the appropriateness of
						consideration of an
						<u>individual for</u>
						participation in a
						specified program,
						project or treatment
						protocol, per encounter

Tobacco Cessation Codes

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
<u>99407</u>	<u>\$55.05</u>	<u>\$51.22</u>	_	1	ı	Smoking and tobacco
						use cessation counseling
						visit; intensive, greater
						than 10 minutes (at least
						30 minutes). (Eligible
						providers are physician,
						physician assistant,
						certified nurse
						practitioner, clinical
						nurse specialist,
						psychiatric clinical nurse
						specialist and certified
						nurse midwife.)
<u>99407</u>	<u>\$55.05</u>	<u>\$51.22</u>	_	_	_	Smoking and tobacco
<u>SA</u>						use cessation counseling
						visit; intensive, greater
						than 10 minutes (at least
						30 minutes). (Eligible
						provider is a certified
						nurse practitioner
						employed by an eligible
						billing entity

Code	NFAC	<u>FAC</u>	Global	<u>PC</u>	<u>TC</u>	Description
<u>99407</u>	<u>\$46.79</u>	<u>\$43.54</u>	-	_	_	Smoking and tobacco
<u>TD</u>						use cessation counseling
						visit; intensive, greater
						than 10 minutes (at least
						30 minutes). (Eligible
						providers are registered
						nurses employed by an
						eligible billing entity.)
<u>99407 U1</u>	<u>\$46.79</u>	<u>\$43.54</u>	_	_	_	Smoking and tobacco
						use cessation counseling
						visit; intensive, greater
						than 10 minutes (at least
						30 minutes). (Eligible
						providers are tobacco
						cessation counselors
						employed by an eligible
						<u>billing entity.)</u>
<u>99407 TF</u>	<u>\$82.58</u>	<u>\$76.83</u>	_	_	_	Smoking and tobacco
						use cessation counseling
						visit; intensive (intake
						assessment for an
						individual, at least 45
						minutes). (Eligible
						providers are physician,
						physician assistant,
						<u>certified nurse</u>
						practitioner, clinical
						nurse specialist,
						<u>psychiatric clinical nurse</u>
						specialist and certified
						nurse midwife.)
<u>99407 U2</u>	<u>\$70.19</u>	<u>\$65.31</u>	-	_	_	Smoking and tobacco
						use cessation counseling
						visit; intensive (intake
						assessment for an
						individual, at least 45
						minutes). (Eligible
						providers are registered
						nurse, and tobacco
						<u>cessation counselor</u>
						employed by an eligible
						billing entity.)

101 CMR 317.00: MEDICINE

Code	NFAC	FAC	<u>Global</u>	<u>PC</u>	<u>TC</u>	Description
99407	\$35.09	<u>\$32.65</u>	ı	-	_	Smoking and tobacco
<u>HQ</u>						use cessation counseling
						visit; intensive (for an
						individual in a group
						setting, 60-90 minutes).
						(Eligible providers are
						physician, physician
						assistant, certified nurse
						practitioner, clinical
						nurse specialist,
						psychiatric clinical nurse
						specialist and certified
						nurse midwife.)
<u>99407 U3</u>	<u>\$29.83</u>	<u>\$27.75</u>	_	_	_	Smoking and tobacco
						use cessation counseling
						visit; intensive (for an
						individual in a group
						setting, 60-90 minutes).
						(Eligible providers are
						registered nurse and
						tobacco cessation
						counselor employed by
						an eligible billing
						entity.)

Behavioral Health Screening Services

<u>Code</u>	Rate	<u>Description</u>			
		Developmental testing; limited (e.g. Developmental Screening Test II, Early			
		Language Milestone Screen), with interpretation and report. (Eligible			
		providers are Physician, Certified Nurse Midwife, Certified Nurse			
		Practitioner, Physician Assistant, Community Health Center (CHC),			
		Outpatient Hospital Department (OPD), completed behavioral health			
<u>96110 U1</u>	\$9.73	screening with no behavioral health need identified.)			
		Developmental testing; limited (e.g. Developmental Screening Test II, Early			
		Language Milestone Screen), with interpretation and report. (Eligible			
		providers are Physician, Certified Nurse Midwife, Certified Nurse			
		Practitioner, Physician Assistant, Community Health Center (CHC),			
		Outpatient Hospital Department (OPD), completed behavioral health			
96110 U2	\$9.73	screening and behavioral health need identified.)			

101 CMR 317.00: MEDICINE

<u>Code</u>	Rate	<u>Description</u>
		Developmental testing; limited (e.g. Developmental Screening Test II, Early
		Language Milestone Screen), with interpretation and report. (Eligible
		providers are Certified Nurse Midwife, employed by a CHC, completed
96110 U3	<u>\$9.73</u>	behavioral health screening with no behavioral health need identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II, Early
		Language Milestone Screen), with interpretation and report. (Eligible
		providers are Certified Nurse Midwife, employed by a CHC, completed
<u>96110 U4</u>	<u>\$9.73</u>	behavioral health screening and behavioral health need identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II, Early
		Language Milestone Screen), with interpretation and report. (Eligible
		providers are Certified Nurse Practitioners employed by Physician or CHC,
		completed behavioral health screening with no behavioral health need
<u>96110 U5</u>	<u>\$9.73</u>	<u>identified.)</u>
		Developmental testing; limited (e.g. Developmental Screening Test II, Early
		Language Milestone Screen), with interpretation and report. (Eligible
		providers are Certified Nurse Practitioners employed by Physician or CHC,
		completed behavioral health screening and behavioral health need
<u>96110 U6</u>	<u>\$9.73</u>	<u>identified.)</u>
		Developmental testing; limited (e.g. Developmental Screening Test II, Early
		<u>Language Milestone Screen</u>), with interpretation and report. (Eligible
		providers are Physician Assistants employed by a CHC, completed
<u>96110 U7</u>	<u>\$9.73</u>	behavioral health screening with no behavioral health need identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II, Early
		Language Milestone Screen), with interpretation and report. (Eligible
		providers are Physician Assistants employed by a CHC, completed
<u>96110 U8</u>	<u>\$9.73</u>	behavioral health screening and behavioral health need identified.)

317.05: Severability

The provisions of 101 CMR 317.00 are severable and if any such provision or the application of such provisions to any person or circumstances shall be held to be invalid or unconstitutional, such invalidity shall not be construed to affect the validity or constitutionality of any remaining provisions to eligible providers or circumstances other than those held invalid.

REGULATORY AUTHORITY

101 CMR 317.00: M.G.L. c. 118E.